

AD No. _____
DC FILE COPY

ADA 057756

12

LEVEL


AD-E430083

TECHNICAL REPORT ARBRL-TR-02083

A COMBINATORIAL GEOMETRY COMPUTER
DESCRIPTION OF THE US MARINE CORPS LANDING
VEHICLE, TRACKED, PERSONNEL, LVTP-7

Murray A. Schmoke
Carl Crisco

June 1978



US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

Approved for public release; distribution unlimited.

78 07 24 087

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the National Technical Information Service,
U.S. Department of Commerce, Springfield, Virginia
22161.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

*The use of trade names or manufacturers' names in this report
does not constitute endorsement of any commercial product.*

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

(18) SBIE

(19) AD-E 430 083

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS
BEFORE COMPLETING FORM

1. REPORT NUMBER TECHNICAL REPORT ARBRL-TR-12083	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER 9
4. TITLE (and Subtitle) A COMBINATORIAL GEOMETRY COMPUTER DESCRIPTION OF THE US MARINE CORPS LANDING VEHICLE, TRACKED, PERSONNEL, LVTP-7,	5. TYPE OF REPORT & PERIOD COVERED Final report	
7. AUTHOR(s) Murray A. Schmoke Carl Crisco	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Ballistic Research Laboratory ATTN: DRDAR-BLV Aberdeen Proving Ground, MD 21005	8. CONTRACT OR GRANT NUMBER(s)	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Command US Army Ballistic Research Laboratory (DRDAR-BL) Aberdeen Proving Ground, MD 21005	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L662628AH80	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 12316p.	12. REPORT DATE JUNE 1978	
	13. NUMBER OF PAGES 320	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) B		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Landing Vehicle Vulnerability Combat Vehicle Description Combinatorial Geometry Target Description COM-GEOM Computer Description GIFT		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A combinatorial geometry (COM-GEOM) computer target description of the US Marine Landing Vehicle, LVTP-7, suitable for non-nuclear vulnerability analyses has been completed. The description has been thoroughly validated using the diagnostic subroutine of the GIFT code. The description contains 1541 solids and 1541 regions. It is available on cards, tape or disc at the Ballistic Research Laboratory.		

DDC
RECEIVED
AUG 21 1978
RECEIVED
B

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

393471

TABLE OF CONTENTS

	Page
LIST OF TABLES.	4
LIST OF ILLUSTRATIONS	5
I. INTRODUCTION.	7
II. VEHICLE DESCRIPTION	7
III. TARGET DESCRIPTION.	12
IV. TARGET VALIDATION	17
V. CONCLUSIONS	27
APPENDIX A. COM-GEOM Background.	29
APPENDIX B. Description Listing.	37
DISTRIBUTION LIST	319

ACCESSION NO.		
NTIS	DTIC	✓
DDC	DDI	CO
UNCLASSIFIED		□
RESTRICTIONS		
BY		
RESTRICTION/AVAILABILITY CODES		
Dist.	AVAIL.	and/or SPECIAL
A		

LIST OF TABLES

Table	Page
I. Critical Components for the LVTP-7.	9
II. Summary of MOMENTS Calculations for the LVTP-7 Marine Landing Vehicle	28
A-I. Geometric Solids Used in COM-GEOM Description	32
A-II. Identification Code Groups Used in the LVTP-7 Description	34
A-III. Material Codes and Densities Used	36
B-I. Solid Table for LVTP-7.	39
B-II. Region Combination Table for LVTP-7	161
B-III. Region Identification Table for LVTP-7.	217
B-IV. LVTP-7 Region Identification Table Ordered by Item Number	267

LIST OF ILLUSTRATIONS

Figure	Page
1. US Marine Landing Vehicle, LVTP-7.	8
2. Coordinate System Used in the LVTP-7 Target Description. .	13
3. Computer Drawing Showing the Engine and Transmission of the LVTP-7	14
4. Computer Drawing Showing the Suspension System of the LVTP-7	15
5. Computer Drawing of an Oblique View of the LVTP-7.	16
6. Computer Drawing of the Left Side View of the LVTP-7 . . .	18
7. Computer Drawing of the Top View of the LVTP-7	19
8. Computer Drawing of the Front and Back of the LVTP-7 . . .	20
9. Computer Drawing of the Right Side of the LVTP-7	21
10. Computer Drawing Oblique View of the Interior of the LVTP-7	22
11. Computer Drawing of the Top View Showing Interior of the LVTP-7	23
12. Computer Drawing of the Side View Showing Interior of the LVTP-7	24
13. Visualization of the Simulation of the Intersection of a Grid Cell With Target Components	26
A-1. Graphic Illustration of Solids Combinations	31

I. INTRODUCTION

This report describes the combinatorial geometry (COM-GEOM) target description of the US Marine Corps Landing Assault Vehicle, LVTP-7, which is necessary for vulnerability analysis against non-nuclear threats. This study was undertaken by the Marine Corps Development and Education Command (MCDEC) as a part of an effort to update and improve the sea landing capabilities of the Marine Corps in an actual combat situation. Presently, the LVTP-7 is the primary personnel landing vehicle of the Marine Corps. As part of the developmental study for a possible new and faster landing vehicle, the Corps felt that vulnerability data on the existing vehicle were needed in order to pinpoint areas in which vulnerability reduction is required in planning a new landing vehicle.

The Target Assessment Branch (TAB) of the Vulnerability/Lethality Division (VLD), Ballistic Research Laboratory (BRL) was given the responsibility of formulating the combinatorial geometry (COM-GEOM) descriptions of the LVTP-7 and a prototype of the landing vehicle under development, the Landing Vehicle, Assault (LVA). This is a necessary first step in determining the vulnerability of a target. Combinatorial geometry is a method whereby a number of geometric solids are used with set-theory operators to describe a complicated target. Appendix A contains a brief background account of COM-GEOM and the application of the method in describing targets or vehicles.

II. VEHICLE DESCRIPTION

The Landing Vehicle, Tracked, Personnel, LVTP-7 (Figure 1) is a full-tracked, amphibious, landing and assault vehicle. The vehicle combines the characteristics of a self-propelled landing boat, an armored personnel carrier and a land assault vehicle into a single vehicle. The vehicle carries a crew of three which includes a driver, a vehicle commander (also the gunner) and an assistant driver. It is also capable of carrying a total of 25 troop personnel with all of their accompanying equipment. It carries these landing forces during water operations from ship to shore, through rough water and surf to inland objectives and subsequent tactical operations. For this purpose a .50 caliber machine gun is mounted in the turret of the vehicle commander.

The vehicle is full-tracked for movement on land and contains two water-jet propulsion pumps, mounted in the aft end to drive the vehicle in the water. In addition, the tracks may also assist in propelling the vehicle through water.

The formulation of a computerized target description of any vehicle requires close liaison between the personnel doing the actual description and the vulnerability analysts responsible for determining the kill probabilities (P_{KH}) of various critical components. Critical components




Figure 1. US Marine Landing Vehicle, LVT-7

are those upon which a damaging hit could produce or contribute to a "kill" of the vehicle. Indeed the detail with which a describer may use on a given item within the vehicle is highly dependent upon the requirements of these vulnerability analysts. For example, in the case of a transmission, it is possible that the only requirement of the vulnerability analysts is the outer case of the transmission. It is not necessary in this case for the describer to waste time by including gears within the transmission. Or in the case of an oil line, if severing the line is in itself critical, then it is not necessary to describe the oil within that line. Certain characteristics of the vehicle itself, for example, the side curving toward the front of the vehicle, tended to add more solids than ordinarily would have been used.

Table I lists the components in the LVTP-7 considered critical by the team of vulnerability analysts. The list is a guide to the target describer to ensure the inclusion of these items in the description.

Table I. Critical Components for the LVTP-7

ITEM

I. Engine

- a. Engine block
- b. Oil Pan
- c. Oil Cooler
- d. Oil Filter
- e. Oil Lines
- f. Lubricating Oil Pump
- g. Turbocharger

II. Fuel System

- a. Fuel Tank
- b. Fuel Lines
- c. Fuel Separater
- d. Fuel Filter
- e. Fuel Pump (on Engine)
- f. Governor (Fuel Control Unit)

III. Cooling System

- a. Radiator
- b. Hull Contact Cooler
- c. Coolant Lines
- d. Thermostat Housing
- e. Water Pump

Table I. Critical Components for the LVTP-7 (continued)

ITEM

IV. Transmission

- a. Torque Converter
- b. Steering and Brake Assembly (left)
- c. Steering and Brake Assembly (right)
- d. Speed Change Assembly
- e. Shifting Valve Body
- f. Transmission Oil Lines
- g. Drive Shafts to Final Drives
- h. Universal Joints w/Drive Shafts

V. Linkages

- a. Steering Linkage
- b. Throttle Control Linkage
- c. Fuel Control Linkage
- d. Sensing Module Servo

VI. Final Drive and Suspension

- a. Final Drive Assemblies
- b. Sprocket Drive and Carriers
- c. Track
- d. Track Tension Adjusters
- e. Road Wheels and Hubs
- f. Idler Wheels and Hubs
- g. Road Wheel Arms
- h. Torsion Bars

VII. Water Propulsion

- a. Drive Shaft and Universal Joints from Power Takeoff to Right Angle Drive
- b. Right Angle Drive Assembly
- c. Drive Shaft and Universal Joints from Right Angle Drive to Water Propulsion Units
- d. Water Propulsion Units
- e. Water Jet Deflector
- f. Water Jet Deflector Actuator
- g. Actuator Solenoid
- h. Mode Select Switch

Table I. Critical Components for the LVTP-7 (continued)

ITEM

VIII. Vehicle Electrical System

- a. Control and Distribution Box
- b. Electric Bilge Pump

IX. Vehicle Hydraulic System

- a. Hydraulic Pump
- b. Hydraulic Oil Filter
- c. Hydraulic Oil Reservoir
- d. Pressure Regulator and Sequence Valve
- e. Sea Mode Solenoid Valve
- f. Hydraulic Oil Lines
- g. Ramp Actuator
- h. Plenum Actuator Solenoid Valve
- i. Bilge Pump

X. Turret

- a. Slip Ring
- b. Hydraulic Pump and Drive
- c. Hydraulic Oil Reservoir
- d. Ammunition Box for Ready Ammunition
- e. Machine Gun
- f. Sight
- g. Traverse Drive
- h. Traverse Motor
- i. Elevating Mechanism

III. TARGET DESCRIPTION

This vehicle has been described in COM-GEOM as utilized by the GIFT computer code.¹ The GIFT code is a vulnerability analysis code which contains many validation and checking routines to ensure an error free COM-GEOM description.

The first step in formulating a target description once the essential engineering drawings of the items have been obtained is the selection of reference points for the coordinate system. This may be quite arbitrary and may depend upon what the target describer feels is easiest. In some instances the engineering drawings may suggest a good reference point from which to start. For the LVTP-7, a right-hand coordinate system as required by the GIFT code was chosen. That is, if one stands at the sprocket of the vehicle looking forward the positive x direction is straight ahead, the positive y direction is to the left side of the vehicle and the positive z direction is upward. Figure 2 shows the location of the coordinate system on the LVTP-7. The zero point for the x-axis was the sprocket center, the y-axis zero point was centerline of the vehicle, and the zero point for the z-axis was ground level.

In any target description compromises are made on the shape of a given item. A pump, therefore, is likely to be described as a single right circular cylinder (RCC)² although the actual shape may be slightly different, and universal joints may be described as boxes or spheres (spheres in this description). Figure 3 shows a computer drawing of the engine, transmission and the final drives of the vehicle. The overall shape of the transmission was approximated with a number of arbitrary convex polyhedrons (ARBS). Some of the critical components requested by the vulnerability analysts are labeled on the drawing.

The computer drawing of the suspension system is shown in Figure 4. The critical components are also labeled on this drawing. The torsion bars, of course, present no problem in the COM-GEOM description since these are easily described as RCC's. The road wheels also are RCC's. The track was determined using the geometry aid program AMTRACK.

Figure 5 is an oblique view of the LVTP-7 which shows the hull of the vehicle. The hull presented special problems for the target describer. The front of the vehicle curves toward the bow in addition to the bottom sloping up to the bow. In this situation one of the simplest approaches to the problem is to divide the curving portion of the side or bottom into a number of ARBS's or boxes (BOX).

¹. Lawrence W. Bain, Mathew J. Reisinger, "The GIFT Code User Manual; VOL I, Introduction and Input Requirement," Ballistic Research Laboratory Report No. 1802, July 1975, AD#B006037L.

². Solids used in COM-GEOM are described in Appendix A.




Figure 2. Coordinate System Used in the LVTP-7 Target Description




Figure 3. Computer Drawing Showing the Engine and Transmission of the LVTP-7




Figure 4. Computer Drawing Showing the Suspension System of the LVTP-7




Figure 5. Computer Drawing of an Oblique View of the LVTP-7

Figures 6 through 9 show the left side view, the top view, the back, front and the right side, respectively.

IV. TARGET VALIDATION

The final step in building the target description is determining whether a valid description has been produced. In formulating a target description it is virtually impossible to avoid making mistakes. An incorrect sign may produce a gun pointed in the wrong direction or a mistaken digit may cause a piece of equipment to be in the wrong place, or an error in a vector may have a piece of armor protruding in the wrong place. To assist the target describer to correct these errors a number of routines are built into the GIFT code.

The most frequently encountered error is that of overlapping regions. When describing armor, for example, it is essential that adjoining pieces use identical coordinate points where the pieces join. In so doing it is likely that in describing the regions the describer will forget to subtract one of the overlapping regions. Such errors are likely to be detected by the CHECK subroutine.

The removal of all overlaps as indicated by a clean CHECK, however, does not indicate that the description is error free. The most difficult validation procedure is the finding and elimination of undefined areas or voids in the target. These problems are found using the GRID subroutine. This subroutine traces rays through the target from a selected aspect angle and in a specified grid pattern. The regions penetrated by each shotline are recorded with the line-of-sight distance and the normal distance. Undefined areas or voids will be flagged on the GRID output. The shotline information given by GRID, together with another GIFT subroutine called TESTG usually yields sufficient information to locate the position of the voids so that necessary steps may be taken to eliminate them. To ensure a void free target the GRID subroutine was run from four aspects, namely: (1) azimuth 0° - elevation 0° , (2) azimuth 90° - elevation 0° , (3) azimuth 90° - elevation 90° , and (4) azimuth 45° - elevation 45° . The LVTP-7 target description was thoroughly checked with the above procedures.

In addition to CHECK for eliminating overlaps and GRID for eliminating voids, the GIFT code contains a picture routine called PICTUR which produces a CALCOMP plot of the target. This picture routine is extremely helpful in determining mistakes such as gun tubes going in the wrong direction and personnel sitting outside the vehicle. Figures 5 through 9 show the final computer drawings of the LVTP-7 from various aspects. In addition, Figures 10 through 12 show the interior of the vehicle. These drawings are extremely helpful in determining the correctness of a target. The drawings show the placement of the crew and troop personnel within the vehicle.




Figure 6. Computer Drawing of the Left Side View of the LVTP-7






Figure 7. Computer Drawing of the Top View of the LVTP-7



Front View



Rear View

Figure 8. Computer Drawings of the Front and Back of the LVTP-7




Figure 9. Computer Drawing of the Right Side of the LVTP-7




Figure 10. Computer Drawing Oblique View of Interior of LVTP-7




Figure 11. Computer Drawing Top View of Interior of LVTP-7




Figure 12. Computer Drawing of Side View Showing Interior of the LVTP-7


The final validation procedure built into the GIFT code is a subroutine known as MOMENT. This subroutine takes the information from the target description and calculates an estimate of the mass, the center of gravity (CG) and the moments of inertia of the target.

The MOMENT subroutine of the GIFT code estimates the volume, mass and the centroid of a rectangular parallelepiped which simulates the part of the individual components intersected by a ray from three grid planes, namely, front view, azimuth 0° , elevation 0° ; side view, azimuth 90° , elevation 0° , and top view, azimuth 0° , elevation 90° . A representative ray perpendicular to the grid plane, was randomly located within each grid cell and was traced through the target description by the the GIFT code. Distances the ray passed through each component were computed. The mass of each simulated component volume was calculated by the MOMENT subroutine using the above geometric data and the estimated density data of an ITEM density table, Appendix A, generated from the data tabulated on the Region Identification Table. Columns 75 and 76 on the Region Identification Table is a number indicating a material code. This material code is listed on Table A-III. Columns 78 through 80 give a percent estimate of the amount of the given material contained in that specific region.

Estimates were made of the moments of inertia, center of gravity and total vehicle mass computed along the x-axis through the center of the target coordinate system. In addition, a tabulation was made of the estimated mass of each component. These tasks were done using a 25 x 25 mm (1 in. x 1 in.) grid cell size.

Cell size, actual component shape and location and accuracy of the estimate of target component density will affect the overall accuracy of the model. Figure 13 illustrates the model simulation. The top line shows the grid cell projected through components of a hypothetical target and indicates a reproducible random location within that grid cell to the representative shotline and where it enters and exits each component. The middle row of objects depict true shape of the volume of intersected components. It again shows the entrance and exit location of the designated shotline.

The bottom line portrays the set of rectangular volumes which are simulated by and located by the MOMENT code. From the grid cell data one can determine the location and the area of the entrance face of each simulated component volume. From the position of the entrance and exit location of the designated ray traveling perpendicular to the grid cell surface, one can determine the complete location of the center of the rectangular parallelepiped and its volume. An estimated density of each component cell volume can be generated from data indicated in the Region Identification Table of the target description. Such data generated by using three orthogonal grids of a designated grid size can be used in the MOMENT subroutine to generate reasonable estimates of the center of gravity, the moments of inertis and the total mass of the vehicle.



Shotlines were mathematically projected through the target description for each of the three x, y and z orthogonal axes. First the moments of inertia, center of gravity and total vehicle mass were calculated for the axes passing through $x = 0$, $y = 0$ and $z = 0$. The moments were computed for a set of axes centered at the coordinates of the corresponding computed center of gravity. The final estimate of moments of inertia, center of gravity and total vehicle mass are computed averages of all three views.

The results of the moments calculations on the LVTP-7 are shown in Table II. These data constitute a final validation of the target description and is a good indication of how closely the actual vehicle has been simulated. The estimated mass is an excellent indication of a good target description. As shown in Table II, the estimated mass of the LVTP-7 is 22874 kg (50429 lb) and the actual mass of the vehicle is 23654 kg (52148 lb), which is a difference of only 3.3 percent. This close agreement reinforces confidence in the validity of the target description and the moments estimates.

V. CONCLUSIONS

The LVTP-7 Marine Landing Vehicle has been described in GIFT combinatorial geometry format for use in non-nuclear vulnerability studies. The description has been validated by the GIFT diagnostic subroutines, CHECK, GRID, TESTG, PICTUR, and finally MOMENTS. The MOMENTS calculations yielded an estimated mass within 3.3 percent of the actual mass of the vehicle. The description has been made a part of the Ballistic Research Laboratory (BRL) COM-GEOM description library. It is available at the BRL on disc, cards or tape.

Table II. Summary of MOMENTS Calculations for
the LVTP-7 Marine Landing Vehicle

Coordinate System

x = 0 Center of the Sprockett
y = 0 Centerline of the Vehicle
z = 0 Ground Leval

Center of Gravity (CG)

x -2367.23 mm (-93.1981 in.)
y 23.54 mm (0.9268 in.)
z 1224.61 mm (48.2129 in.)

Moments of Inertia about x CG 121069 kg-m² (24555.44 lb/ft²)
Moments of Interia about y CG 401793 kg-m² (81492.40 lb/ft²)
Moments of Inertia about z CG 441336 kg-m² (89512.52 lb/ft²)

Total Mass 22874 kg (50429 lb) (estimated)
 23654 kg (52148 lb) (actual)
 Difference 3.3 percent

Component Volume = 10.360 m³ (365.874 ft³)
Space Volume = 34.268 m³ (1210.201 ft³)
Total Volume = 44.628 m³ (1576.075 ft³)

APPENDIX A
COM-GEOM BACKGROUND

COM-GEOM BACKGROUND

The GIFT computer code requires a Combinatorial Geometry (COM-GEOM) target description as input data. Familiarization with the COM-GEOM technique and terminology is required to understand the description of the LVTP-7 Marine Landing Vehicle. The following is a brief introduction to the COM-GEOM technique of target description. Reference 1 gives a detailed account of the COM-GEOM method as required for input to the GIFT computer code.

Engineering drawings, manuals, photographs or other descriptive material are required to produce a COM-GEOM description. The COM-GEOM technique utilizes twelve basic geometric solids combined under three set-theory type operations to define the shape and location of each component of a target. A complete COM-GEOM description contains three distinct parts: a solid table, a region table and a region identification table.

A solid is defined as one of the twelve geometric shapes available for COM-GEOM descriptions. These solids are listed in Table A-I. The parameters of a solid give its location, size, and orientation within the coordinate system established for the target. Each solid is uniquely numbered and its parameters listed in the solid table.

A region is the space occupied by a single solid or a combination of solids. Solids are combined using the three operations: intersection (+), union (OR) and difference (-). The intersection (+) of two solids is defined as the space in common with both solids. The union (OR) of two solids is defined as the space in either of the solids. The difference (-) of two solids is defined as the space in the first solid but not the second. Figure A-1 is a graphic illustration of these three operations. Any number of solids defined in the solid table may be used to define a region. Each region is uniquely numbered and its defining combination of solids is listed in the region table.

In the region identification table, each region is assigned an identification code number. These code numbers identify each specific region as either a component of the target or as an air space. Table A-II lists the group of code numbers used in this target description and the class of components which they represent. Space not described as a region is assigned the air space code "01" by the GIFT code. If it is not necessary to describe the inside air of a target, then both inside and outside air will be identified by the "01" space code. However, in many targets it is important to distinguish between inside and outside air. For these targets, all interior space is described as regions and identified as inside air, leaving the "01" space code for outside air only. The RAYAIR subroutine of the GIFT code allows any region identified with a space code to overlap any region identified with an item code or the same space code. However, regions with difference space codes cannot overlap.

Table A-I. Geometric Solids Used in COM-GEOM Description

<u>Symbol</u>	<u>Solid Name</u>
RPP	Rectangular Parallelepiped
BOX	Box
RAW	Right Angle Wedge
ARB	Arbitrary Convex Polyhedron
ARS	Triangular Surfaced Polyhedron
ELL	Ellipsoid of Revolution
SPH	Sphere
RCC	Right Circular Cylinder
REC	Right Elliptical Cylinder
TRC	Truncated Right Circular Cone
TEC	Truncated Elliptic Cone
TOR	Torsus






Figure A-1. Intersection (+), Subtraction (-), Union (OR) of Solids

Table A-II. Identification Code Groups Used in the LVTP-7 Description

<u>Space Code</u>	<u>Usage</u>
01	Outside Air
02	Crew Compartment Air
03	Bell Housing Air
05	Plenum Air
07	Air in Bow and Cargo and Ramp Doors

<u>Item Code</u>	<u>Usage</u>
100-499	Armor/Vehicle Structure
500-599	Suspension System
600-699	Power Train Components
700-799	Power Train Components
800-899	Personnel Seats
900-910	Armament
1100-1150	Miscellaneous Components
2100-2143	Miscellaneous Components
5500-5546	Suspension System (continued)
7200-7722	Miscellaneous Components and Linkages
8000-8198	Personnel

The region identification table also allows for 40 alphanumeric characters of descriptive data per region. The analyst needs to know the type and percentage of material making up each region. The percentage value is used to produce an equivalent line-of-sight thickness of the material type. This information is included in the 40 characters of descriptive data in the region identification table.

In the LVTP-7 description, the last three characters represent the percentage of material, while the two preceding characters are a code indicating the material type. Table A-III lists the two-digit material codes used in the LVTP-7 description.

The solid, region and region identification tables described above comprise a complete COM-GEOM description as required for input to the GIFT computer code.

Table A-III. Material Codes and Densities Used

<u>Code</u>	<u>Density (gm/cm³)</u>	<u>Material</u>
1	7.7641	Mild Steel
2	7.7641	RHA
3	7.7641	Face-Hardened Steel
4	7.2038	Cast Iron
5	2.7695	Aluminum (2024T-3)
6	1.793	Magnesium
7	8.9007	Copper
8	10.9978	Lead
9	4.4824	Titanium
10	18.6819	Tuballoy
11	0.744	Unbonded Nylon
12	0.9285	Bonded Nylon
13	1.199	Lexan
14	1.2166	Plexiglass as Cast
15	1.2166	Stretched Plexiglass
16	2.0011	Doron
17	2.4653	Bullet Resistant Glass
18	0.9356	Rubber
19	0.65	Hardwood
20	1.0000	Water or Personnel

APPENDIX B
DESCRIPTION LISTING

TABLE 8-I. SOLID TABLE FOR LVIP7

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
1 RCC	0.0000	1307.5616	673.1027	0.0000	-41.8594	0.0000 HUB FINAL
	127.0005	0.0000	0.0000	0.0000	0.0000	0.0000 DRIVE LEFT
2 RCC	0.0000	1265.7022	673.1027	0.0000	-342.1393	0.0000 SHAFT THRU
	96.2664	0.0000	0.0000	0.0000	0.0000	0.0000 FINAL DRIVE
3 TRC	0.0000	1016.6390	673.1027	0.0000	215.5706	0.0000 BELL HOUSI
	221.8445	124.4605	0.0000	0.0000	0.0000	0.0000 FINAL DR L
4 TRC	0.0000	1016.6390	673.1027	0.0000	153.8484	0.0000 INSIDE BEL
	207.9074	138.4051	0.0000	0.0000	0.0000	0.0000 HOUS LEFT
5 RCC	0.0000	-1307.5616	673.1027	0.0000	41.8594	0.0000 HUB FINAL
	127.0005	0.0000	0.0000	0.0000	0.0000	0.0000 DRIVE RITE
6 RCC	0.0000	-1265.7022	673.1027	0.0000	342.1393	0.0000 SHAFT THRU
	96.2664	0.0000	0.0000	0.0000	0.0000	0.0000 FINAL DRIVE
7 TRC	0.0000	-1016.6390	673.1027	0.0000	-215.5706	0.0000 BELL HOUSI
	221.8445	124.4605	0.0000	0.0000	0.0000	0.0000 FINAL DR R
8 TRC	0.0000	-1016.6390	673.1027	0.0000	-153.8484	0.0000 IN BELL HO
	207.9074	138.4051	0.0000	0.0000	0.0000	0.0000 USING RITE
9 RCC	0.0000	1016.6390	673.1027	0.0000	-42.9262	0.0000 BORDER FD
	262.6370	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING LE
10 RCC	-76.6753	1016.6390	915.2520	0.0000	-42.9262	0.0000 BORDER FD
	121.4125	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING LE
11 AR88	174.7603	1016.6390	870.0449	-0.9804	1016.6390	1010.1798 MIDDLE BOR
	-193.2109	1016.6390	949.3110	-256.2667	1016.6390	733.5625 DER FINAL
	174.7603	973.7128	870.0449	-0.9804	973.7128	1010.1798 DRIVE HOUS
	-193.2109	973.7128	949.3110	-256.2667	973.7128	733.5625 ING LEFT
12 RCC	0.0000	973.7128	673.1027	0.0000	-149.6066	0.0000 F DRIVE
	221.8546	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING LE
13 RCC	-76.6753	973.7128	915.2520	0.0000	-149.6066	0.0000 F DRIVE
	95.2301	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING LE
14 AR88	-215.6367	973.7128	726.6664	-169.6727	973.7128	935.6990 FINAL DRIV
	-12.3851	973.7128	985.5061	145.5070	973.7128	841.0202 E HOUSING
	-215.6367	824.1062	726.6664	-169.6828	824.1062	935.6990 MIDDLE

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
15 AR88	-12.3851	824.1062	985.5061	145.5070	824.1062	841.0202	LEFT				
	-201.6616	973.7128	731.0911	-155.7077	973.7128	940.1237	INSIDE FIN				
	-26.3602	973.7128	981.0814	131.5319	973.7128	836.5955	AL DRIVE				
	-201.6616	836.8063	731.0911	-155.7077	836.8063	940.1237	HOUSING				
16 RCC	-26.3602	836.8063	981.0814	131.5319	836.8063	836.5955	LEFT MIDL				
	0.0000	973.7128	673.1027	0.0000	-136.9065	0.0000	INSIDE FD				
	209.1546	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSING				
	-76.6753	973.7128	915.2520	0.0000	-136.9065	0.0000	INSIDE FD				
17 RCC	82.5300	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSING				
	0.0000	962.2015	673.1027	0.0000	-76.2003	0.0000	LOWER GEAR				
18 RCC	198.1208	0.0000	0.0000	0.0000	0.0000	0.0000	FINAL D LE				
	-76.6753	962.2015	915.2520	0.0000	-76.2003	0.0000	UPPER GEAR				
19 RCC	71.6283	0.0000	0.0000	0.0000	0.0000	0.0000	FI DR LEFT				
	-76.6753	886.0012	915.2520	0.0000	-133.3505	0.0000	GEAR SHAFT				
20 RCC	43.9422	0.0000	0.0000	0.0000	0.0000	0.0000	TO UNIVERS				
	-165.7357	12.3952	599.1884	752.9860	826.1891	1004.3149	UNIVERSAL				
21 RPP	0.0000	-1016.6390	673.1027	0.0000	42.9262	0.0000	BORDER FD				
	262.6370	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSING RI				
22 RCC	-76.6753	-1016.6390	915.2520	0.0000	42.9262	0.0000	BORDER FD				
	121.4125	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSING RI				
23 RCC	174.7603	-1016.6390	870.0449	-9604	-1016.6390	1010.1798	MIDDLE BOR				
	-193.2109	-1016.6390	949.3110	-256.2667	-1016.6390	733.5625	DER FINAL				
24 AR88	174.7603	-973.7128	870.0449	-9804	-973.7128	1010.1798	DRIVE HOUS				
	-193.2109	-973.7128	949.3110	-256.2667	-973.7128	733.5625	ING RIGHT				
25 RCC	0.0000	-973.7128	673.1027	0.0000	149.6066	0.0000	FIN DRIVE				
	221.8546	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSIN RIG				
26 AR88	-215.6367	-973.7128	726.6664	-169.6727	-973.7128	935.6990	FINAL DRIV				
	-12.3851	-973.7128	985.5061	145.5070	-973.7128	841.0202	E HOUSING				
27 AR88	-215.6367	-824.1062	726.6664	-169.6828	-824.1062	935.6990	MIDDLE				
	-12.3851	-824.1062	985.5061	145.5070	-824.1062	841.0202	RIGHT				
	-201.6616	-973.7128	731.0911	-155.7077	-973.7128	940.1237	INSIDE FIN				

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS	
	-26.3602	-973.7128	981.0814	131.5319	-973.7128	836.5955 AL DRIVE
	-201.6616	-836.8063	731.0911	-155.7077	-836.8063	940.1237 HOUSING
	-26.3602	-836.8063	981.0814	131.5319	-836.8063	836.5955 RITE MIDL
28 RCC	0.0000	-973.7128	673.1027	0.0000	136.9065	0.0000 INSIDE FD
	209.1546	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
29 RCC	-76.6753	-973.7128	915.2520	0.0000	136.9065	0.0000 INSIDE FD
	82.5300	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
30 RCC	0.0000	-962.2015	673.1027	0.0000	76.2003	0.0000 LOWER GEAR
	198.1208	0.0000	0.0000	0.0000	0.0000	0.0000 FINAL D RI
31 RCC	-76.6753	-962.2015	915.2520	0.0000	76.2003	0.0000 UPPER GEAR
	71.6283	0.0000	0.0000	0.0000	0.0000	0.0000 FD RIGHT
32 RCC	-76.6753	-886.0012	915.2520	0.0000	133.3505	0.0000 GEAR SHAFT
	43.9422	0.0000	0.0000	0.0000	0.0000	0.0000 TO UNIVERS
33 RPP	-165.7357	12.3952	-752.9860	-599.1884	826.1891	1004.3149 UNIVERSAL
34 RCC	-76.6753	-973.7128	915.2520	0.0000	149.6066	0.0000 FIN DRIVE
	95.2301	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSNG RI
35 RCC	143.7646	-593.0923	1442.2177	0.0000	16.2561	0.0000 COVER GEAR
	64.7703	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
36 RCC	64.7703	-593.0923	1164.8486	0.0000	28.9561	0.0000 COVER GEAR
	177.8007	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
37 RCC	64.7703	-576.8363	1164.8486	0.0000	121.4125	0.0000 STEER SEC
	190.5008	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
38 RCC	64.7703	-564.1362	1164.8486	0.0000	108.7124	0.0000 OIL IN STR
	177.8007	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING RI
39 AR88	-105.1564	-576.8363	1270.0050	16.2053	-576.8363	1411.9916 TRANSMISS
	267.2091	-576.8363	1302.5171	259.0810	-576.8363	1130.5585 STEER SEC
	-105.1564	-455.4238	1270.0050	16.2053	-455.4238	1411.9916 HOUSING
	267.2091	-455.4238	1302.5171	259.0810	-455.4238	1130.5585 RIGHT
40 AR88	-92.5681	-564.1362	1265.1866	28.3745	-564.1362	1406.6829 OIL IN STE
	254.7528	-564.1362	1307.9502	246.5918	-564.1362	1135.3387 ER SECTION
	-92.5681	-455.4238	1265.1866	28.3745	-455.4238	1406.6829 HOUSING

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS		
41 ARB8	254.7528	-455.4238	1307.9502	246.5918	-455.4238	1135.3387	RIGHT
	16.2053	-576.8363	1411.9916	109.2204	-576.8363	1519.1800	TRANS STEE
	266.9551	-576.8363	1527.3080	267.2091	-576.8363	1302.5171	R SECTION
	16.2053	-455.4238	1411.9916	109.2204	-455.4238	1519.1800	TOP
42 ARB8	266.9551	-455.4238	1527.3080	267.2091	-455.4238	1302.5171	RIGHT
	28.4024	-564.1362	1406.6702	115.2707	-564.1362	1506.7746	OIL IN STE
	254.2702	-564.1362	1513.9374	254.5039	-564.1362	1308.0594	ER SECTION
	28.4024	-455.4238	1406.6702	115.2707	-455.4238	1506.7746	TOP
43 ARB8	254.2702	-455.4238	1513.9374	254.5039	-455.4238	1308.0594	RIGHT
	-105.1564	-475.2359	1270.0050	259.0810	-475.2359	1130.5585	TRANSMISS
	121.4125	-475.2359	806.7072	-178.0547	-475.2359	928.1197	LOWER MID
	-105.1564	-455.4238	1270.0050	259.0810	-455.4238	1130.5585	STEER HOUS
44 ARB8	121.4125	-455.4238	806.7072	-178.0547	-455.4238	928.1197	ING RIGHT
	-93.1498	-462.5358	1265.4076	247.2116	-462.5358	1135.1025	OIL IN LOW
	109.6421	-462.5358	811.4799	-166.1014	-462.5358	923.2733	ER STEER
	-93.1498	-455.4238	1265.4076	247.2116	-455.4238	1135.1025	HOUSING
45 ARB8	109.6421	-455.4238	811.4799	-166.1014	-455.4238	923.2733	RIGHT
	-178.0547	-475.2359	928.1197	121.4125	-475.2359	806.7072	TRANSMISS
	-105.1564	-475.2359	719.5848	-145.7966	-475.2359	741.9369	LOWER TIP
	-178.0547	-455.4238	928.1197	121.4125	-455.4238	806.7072	STEER HOUS
46 ARB8	-105.1564	-455.4238	719.5848	-145.7966	-455.4238	741.9369	ING RIGHT
	-164.1913	-462.5358	922.4986	104.1887	-462.5358	813.6897	OIL IN LOW
	-104.2065	-462.5358	733.5574	-134.3259	-462.5358	750.1208	ER TIP STE
	-164.1913	-455.4238	922.4986	104.1887	-455.4238	813.6897	ER HOUSING
47 RCC	-104.2065	-455.4238	733.5574	-134.3259	-455.4238	750.1208	RIGHT
	64.7703	-536.1961	1164.8486	0.0000	76.2003	0.0000	TRANS STEE
48 RCC	171.4507	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR RI
	143.7646	-558.8022	1442.2177	0.0000	76.2003	0.0000	TRANS STEE
49 RCC	50.8002	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR RI
	-76.6753	-599.1884	915.2520	0.0000	114.3005	0.0000	SHAFT UNIV
	43.9422	0.0000	0.0000	0.0000	0.0000	0.0000	S TO TRANS

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS				
50 RCC	163.8306	-558.8022	1349.2533	0.0000	76.2003	0.0000	TRANS STEE			
	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR RI			
51 ARB8	295.5302	-455.4238	1129.8066	-259.0810	-455.4238	1226.9112	TRANSHISSI			
	101.2067	-455.4238	1573.1146	255.0170	-455.4238	1514.4403	ON CASE ST			
	295.5302	-299.7212	1129.8066	-259.0810	-299.7212	1226.9112	EER BRAKE			
	101.2067	-299.7212	1573.1146	255.0170	-299.7212	1514.4403	RIGHT			
52 ARB8	282.5202	-442.7237	1132.0850	-243.5768	-442.7237	1224.1959	OIL IN TRA			
	104.2014	-442.7237	1558.3800	243.2034	-442.7237	1505.3547	NSMISSION			
	282.5202	-299.7212	1132.0850	-243.5768	-299.7212	1224.1959	CASE S-B			
	104.2014	-299.7212	1558.3800	243.2034	-299.7212	1505.3547	RIGHT			
53 ARB8	295.5302	-455.4238	1129.8066	-259.0810	-455.4238	1226.9112	TRANSHISSI			
	-303.4042	-455.4238	963.8424	36.4237	-455.4238	684.4921	ON CASE ST			
	295.5302	-299.7212	1129.8066	-259.0810	-299.7212	1226.9112	EER-BRAKE			
	-303.4042	-299.7212	963.8424	36.4237	-299.7212	684.4921	RIGHT			
54 ARB8	282.1951	-442.7237	1132.1409	-246.5715	-442.7237	1224.7217	OIL IN TRA			
	-292.0910	-442.7237	954.5434	26.4847	-442.7237	692.6633	NSMISSION			
	282.1951	-299.7212	1132.1409	-246.5715	-299.7212	1224.7217	CASE S-B			
	-292.0910	-299.7212	954.5434	26.4847	-299.7212	692.6633	RIGHT			
55 ARB8	-190.2467	-455.4238	676.4148	-255.0170	-455.4238	733.0824	TRANSHISSI			
	-303.6328	-455.4238	963.8424	36.3221	-455.4238	684.4921	ON CASE ST			
	-190.2467	-299.7212	676.4148	-255.0170	-299.7212	733.0824	EER-BRAKE			
	-303.6328	-299.7212	963.8424	36.3221	-299.7212	684.4921	RIGHT			
56 ARB8	-185.6722	-442.7237	689.2851	-243.4625	-442.7237	739.8490	OIL IN TRA			
	-287.9355	-442.7237	950.9442	21.5012	-442.7237	696.6714	NSMISSION			
	-185.6722	-299.7212	689.2851	-243.4625	-299.7212	739.8490	CASE S-B			
	-287.9355	-299.7212	950.9442	21.5012	-299.7212	696.6714	RIGHT			
57 ARB8	295.5302	-299.7212	1129.7558	-259.0810	-299.7212	1226.9112	TRANSHISSI			
	101.2067	-299.7212	1573.1146	255.0170	-299.7212	1514.4403	ON STEER			
	295.5302	-242.9012	1129.7558	-259.0810	-242.9012	1226.9112	AND BRAKE			
	101.2067	-242.9012	1573.1146	255.0170	-242.9012	1514.4403	RIGHT			
58 ARB8	282.5202	-293.3712	1132.0342	-243.5768	-293.3712	1224.1959	OIL IN TRA			

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS
59 ARB8	104.2014	-293.3712	1558.3800	243.2034	1505.3547 NSMISSION
	282.5202	-242.9012	1132.0342	-243.5768	1224.1959 STEER-BRAK
	104.2014	-242.9012	1558.3800	243.2034	1505.3547 E RIGHT
	295.9874	-299.7212	1129.8066	-259.0810	1226.9112 TRANSMISSI
	-303.4042	-299.7212	963.8424	36.4237	684.4921 ON STEER
60 ARB8	295.9874	-240.3611	1129.8066	-259.0810	1226.9112 AND BRAKE
	-303.4042	-240.3611	963.8424	36.4237	684.4921 RIGHT
	282.1951	-293.3712	1132.1409	-246.5715	1224.7217 OIL IN TRA
	-292.0910	-293.3712	954.5434	26.4847	692.6633 NSMISSION
	282.1951	-240.3611	1132.1409	-246.5715	1224.7217 STEER-BRAK
61 ARB8	-292.0910	-240.3611	954.5434	26.4847	692.6633 E RIGHT
	-190.2467	-299.7212	676.4148	-255.0170	733.0824 TRANSMISSI
	-303.6328	-299.7212	963.8424	36.3221	684.4921 ON STEER
	-190.2467	-240.3611	676.4148	-255.0170	733.0824 BRAKE HOUS
	-303.6328	-240.3611	963.8424	36.3221	684.4921 ING RIGHT
62 ARB8	-185.6722	-293.3712	689.2851	-243.4625	739.8490 OIL IN TRA
	-287.9355	-293.3712	950.9442	21.5012	696.6714 NSMISSION
	-185.6722	-240.3611	689.2851	-243.4625	739.8490 STEER-BRAK
	-287.9355	-240.3611	950.9442	21.5012	696.6714 E RIGHT
	143.7646	631.4465	1442.2177	0.0000	0.0000 COVER GEAR
63 RCC	64.7703	0.0000	0.0000	0.0000	0.0000 HOUSING LE
64 RCC	64.7703	631.4465	1164.8486	0.0000	0.0000 COVER GEAR
65 RCC	177.8007	0.0000	0.0000	0.0000	0.0000 HOUSING LE
65 RCC	64.7703	591.0603	1164.8486	0.0000	0.0000 STEER SEC
	190.5008	0.0000	0.0000	0.0000	0.0000 HOUSING LE
66 RCC	64.7703	578.3603	1164.8486	0.0000	0.0000 OIL IN STE
67 ARB8	177.8007	0.0000	0.0000	0.0000	0.0000 ER HOUSING
	-105.1564	591.0603	1270.0050	16.2053	1411.9916 TRANS STEE
	267.2091	591.0603	1302.5171	259.0810	1130.5585 R SECTION
	-105.1564	445.3146	1270.0050	16.2053	1411.9916 HOUSING
	267.2091	445.3146	1302.5171	259.0810	1130.5585 LEFT

TABLE 8-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS		
68 AR88	-92.5681	578.3603	1265.1866	28.3745	578.3603	1406.6829	OIL IN STE
	254.7528	578.3603	1307.9502	246.5918	578.3603	1135.3387	ER SECTION
	-92.5681	445.3146	1265.1866	28.3745	445.3146	1406.6829	HOUSING
	254.7528	445.3146	1307.9502	246.5918	445.3146	1135.3387	LEFT
69 AR88	16.2053	603.7604	1411.9916	109.2204	603.7604	1519.1800	TRANS STEE
	266.9551	603.7604	1527.3080	267.2091	603.7604	1302.5171	R SECTION
	16.2053	445.3146	1411.9916	109.2204	445.3146	1519.1800	TOP LEFT
	266.9551	445.3146	1527.3080	267.2091	445.3146	1302.5171	
70 AR88	28.4024	578.3603	1406.6702	115.2707	578.3603	1506.7746	OIL IN STE
	254.2702	578.3603	1513.9374	254.5039	578.3603	1308.0594	ER SECTION
	28.4024	445.3146	1406.6702	115.2707	445.3146	1506.7746	TOP RIGHT
	254.2702	445.3146	1513.9374	254.5039	445.3146	1308.0594	
71 AR88	-105.1564	470.7147	1270.0050	259.0810	470.7147	1130.5585	TRANSMISS
	121.4125	470.7147	806.7072	-178.0547	470.7147	928.1197	LOWER MID
	-105.1564	445.3146	1270.0050	259.0810	445.3146	1130.5585	STEER HOUS
	121.4125	445.3146	806.7072	-178.0547	445.3146	928.1197	ING LEFT
72 AR88	-93.1498	458.0146	1265.4076	247.2116	458.0146	1135.1025	OIL IN LOW
	109.6421	458.0146	811.4799	-166.1014	458.0146	923.2733	ER STEER
	-93.1498	445.3146	1265.4076	247.2116	445.3146	1135.1025	HOUSING
	109.6421	445.3146	811.4799	-166.1014	445.3146	923.2733	LEFT
73 AR88	-178.0547	470.7147	928.1197	121.4125	470.7147	806.7072	TRANSMISS
	-105.1564	470.7147	719.5848	-145.7966	470.7147	741.9369	LOWER TIP
	-178.0547	445.3146	928.1197	121.4125	445.3146	806.7072	STEER HOUS
	-105.1564	445.3146	719.5848	-145.7966	445.3146	741.9369	ING LEFT
74 AR88	-164.1913	458.0146	922.4986	104.1887	458.0146	813.6897	OIL IN LOW
	-104.2065	458.0146	733.5574	-134.3259	458.0146	750.1208	ER TIP STE
	-164.1913	445.3146	922.4986	104.1887	445.3146	813.6897	ER HOUSING
	-104.2065	445.3146	733.5574	-134.3259	445.3146	750.1208	LEFT
75 RCC	64.7703	574.5503	1164.8486	0.0000	-76.2003	0.0000	TRANS STEE
76 RCC	171.4507	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR LEF
	143.7646	597.1564	1442.2177	0.0000	-76.2003	0.0000	TRANS STEE

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	50.8002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR LEF
77 RCC	-76.6753	599.1884	915.2520	0.0000	0.0000	-114.3005	0.0000	0.0000	0.0000	0.0000	SHAFT UNIV
78 RCC	43.9422	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	S TO TRANS
	163.8306	597.1564	1349.2533	0.0000	0.0000	-76.2003	0.0000	0.0000	0.0000	0.0000	TRANS STEE
79 ARB8	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	R GEAR LEF
	295.5302	445.3146	1129.8066	-259.0810	445.3146	1226.9112	TRANSMISSI				
	101.2067	445.3146	1573.1146	255.0170	445.3146	1514.4403	ON CASE ST				
	295.5302	297.5368	1129.8066	-259.0810	297.5368	1226.9112	EER BRAKE				
80 ARB8	101.2067	297.5368	1573.1146	255.0170	297.5368	1514.4403	LEFT				
	282.5202	432.6145	1132.0850	-243.5768	432.6145	1224.1959	OIL IN TRA				
	104.2014	432.6145	1558.3800	243.2034	432.6145	1505.3547	NSMISSION				
	282.5202	297.5368	1132.0850	-243.5768	297.5368	1224.1959	CASE S-B				
81 ARB8	104.2014	297.5368	1558.3800	243.2034	297.5368	1505.3547	LEFT				
	295.5302	445.3146	1129.8066	-259.0810	445.3146	1226.9112	TRANSMISSI				
	-303.4042	445.3146	963.8424	36.4237	445.3146	684.4921	ON CASE ST				
	295.5302	297.5368	1129.8066	-259.0810	297.5368	1226.9112	EER-BRAKE				
82 ARB8	-303.4042	297.5368	963.8424	36.4237	297.5368	684.4921	LEFT				
	282.1951	432.6145	1132.1409	-246.5715	432.6145	1224.7217	OIL IN TRA				
	-292.0910	432.6145	954.5434	26.4847	432.6145	692.6633	NSMISSION				
	282.1951	297.5368	1132.1409	-246.5715	297.5368	1224.7217	CASE S-B				
83 ARB8	-292.0910	297.5368	954.5434	26.4847	297.5368	692.6633	LEFT				
	-190.2467	445.3146	676.4148	-255.0170	445.3146	733.0824	TRANSMISSI				
	-303.6328	445.3146	963.8424	36.3221	445.3146	684.4921	ON CASE ST				
	-190.2467	297.5368	676.4148	-255.0170	297.5368	733.0824	EER-BRAKE				
84 ARB8	-303.6328	297.5368	963.8424	36.3221	297.5368	684.4921	LEFT				
	-185.6722	432.6145	689.2851	-243.4625	432.6145	739.8490	OIL IN TRA				
	-287.9355	432.6145	950.9442	21.5012	432.6145	696.6714	NSMISSION				
	-185.6722	297.5368	689.2851	-243.4625	297.5368	739.8490	CASE S-B				
	-287.9355	297.5368	950.9442	21.5012	297.5368	696.6714	LEFT				
85 ARB8	-47.0410	-242.9012	1402.9237	442.9676	-242.9012	1402.9237	TRANSMISSI				
	331.8523	-242.9012	1576.4826	187.9099	-242.9012	1576.4826	ON SPEED				

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-47.0410	297.5368	1402.9237	442.9676	297.5368	1402.9237	CHANGE SEC				
	331.8523	297.5368	1576.4826	187.9099	297.5368	1576.4826	TOP PART				
86 ARB8	-285.4641	-242.9012	1402.9237	442.9676	-242.9012	1402.9237	TRANSMISSI				
	355.1188	-242.9012	798.6045	-285.4641	-242.9012	434.5449	ON SPEED				
	-285.4641	297.5368	1402.9237	442.9676	297.5368	1402.9237	CHANGE SEC				
	355.1188	297.5368	798.6045	-285.4641	297.5368	434.5449	BOTTOM END				
87 RCC	-474.6694	0.0000	932.0186	-291.0851	0.0000	0.0000	TRANSMISS				
	238.2529	0.0000	0.0000	0.0000	0.0000	0.0000	CONVERTER				
88 RCC	-299.5688	87.0461	1448.9741	323.8513	0.0000	0.0000	HYDROSTATI				
	170.1807	0.0000	0.0000	323.8513	0.0000	0.0000	C STEER UN				
89 RPP	406.4016	482.6019	-187.4527	-33.0201	1056.8982	1281.4350	VALVE ASSY				
90 RPP	406.4016	482.6019	-105.4104	218.6949	892.8135	1043.1821	MANIFOLD				
91 RCC	-381.0015	-381.0015	1419.8656	0.0000	0.0000	-381.0015	FUEL				
	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	SEPARATOR				
92 RCC	-495.8100	433.0717	1276.8630	0.0000	0.0000	-355.6014	TRANS OIL				
	66.2943	0.0000	0.0000	0.0000	0.0000	0.0000	FILTER				
93 ARB8	-454.6618	-276.8611	1573.2822	-454.6618	190.5008	1573.2822	POWER TAKE				
	-454.6618	90.9324	1337.0613	-454.6618	-71.8823	1337.0613	OFF MIDDLE				
	-541.7841	-276.8611	1573.2822	-541.7841	190.5008	1573.2822					
	-541.7841	90.9324	1337.0613	-541.7841	-71.8823	1337.0613					
94 RCC	-446.2798	-225.0449	1527.2064	-86.6143	0.0000	0.0000	POWER TAKE				
	82.5503	0.0000	0.0000	0.0000	0.0000	0.0000	OFF PUMP R				
95 TRC	-446.2798	-225.0449	1527.2064	66.5483	0.0000	0.0000	POWER TAKE				
	65.5323	24.3841	0.0000	0.0000	0.0000	0.0000	OFF PUMP R				
96 RCC	-445.2638	134.6205	1507.2419	-116.8405	0.0000	0.0000	PTD HYDRAU				
	93.4724	0.0000	0.0000	0.0000	0.0000	0.0000	LIC PMP LE				
97 RCC	-611.1264	-163.8306	1310.6452	0.0000	327.6613	0.0000	POWER TAKE				
	104.6484	0.0000	0.0000	0.0000	0.0000	0.0000	OF YOKE DR				
98 TRC	-611.1264	-163.8306	1310.6452	0.0000	-105.6644	0.0000	POWER TAKE				
	76.2003	35.8141	0.0000	0.0000	0.0000	0.0000	OFF YOKE R				
99 TRC	-611.1264	163.8306	1310.6452	0.0000	105.6644	0.0000	POWER TAKE				

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
100 TRC	76.2003	35.8141	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	OFF YOKE L
	-430.5317	0.0000	1310.6452	106.6804	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	POWER TAKE
101 RCC	78.2323	47.4982	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	OFF MID FR
	-430.5317	0.0000	1310.6452	-199.6448	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	POWER TAKE
102 RCC	127.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	OFF MID FR
	-562.1042	134.6205	1507.2419	-84.5823	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	PTO HYDRAU
103 RCC	44.4502	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LIC PUMP L
	-688.0887	445.2638	1345.3163	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-244.7096	TRANS OIL
104 RCC	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILL TUBE
	-688.7720	395.2408	1105.5521	134.5926	0.0000	0.0000	0.0000	0.0000	0.0000	-102.9847	TRANS OIL
105 RCC	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILL TUBE
	-558.2942	310.9074	642.1145	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-183.9069	TRANS OIL
106 RCC	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILL TUBE
	-546.6102	469.6478	1149.8625	-91.4048	0.0000	0.0000	0.0000	0.0000	0.0000	37.5744	HOSE TRANS
107 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILT-CONVE
	-625.3505	501.9060	1149.8625	21.2675	0.0000	0.0000	0.0000	0.0000	0.0000	-298.2708	HOSE TRANS
108 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILT-CONVE
	-610.5676	514.0167	864.8734	130.5057	0.0000	0.0000	0.0000	0.0000	0.0000	-285.4158	HOSE TRANS
109 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILT-CONVE
	-495.8100	433.0717	965.2038	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-233.1729	HOSE FILT-
110 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CONVER BOT
	-495.8100	433.0717	745.7469	103.6324	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	HOSE FILT-
111 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CONVER BOT
	-405.8936	433.0717	745.7469	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	244.0950	HOSE FILT-
112 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CONVER BOT
	-405.8936	433.0717	976.1258	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-204.4708	HOSE FILT-
113 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CONVER BOT
	-323.8513	254.0010	1137.9245	-33.5027	0.0000	0.0000	0.0000	0.0000	0.0000	352.4823	HOSE SPEED
114 RCC	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
	-355.0934	317.5013	1229.6188	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-62.0194	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS							REMARKS
115 RCC	-355.0934	317.5013	1177.2946	333.8005	0.0000	0.0000	334.0621	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
116 RCC	-30.9881	317.5013	1501.6539	0.0000	-114.3005	0.0000	0.0000	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
117 RCC	-343.4094	203.2008	1275.0850	0.0000	140.7166	0.0000	0.0000	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
118 RCC	-343.4094	330.2013	1275.0850	326.0001	0.0000	0.0000	-46.6473	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
119 RCC	-30.9881	330.2013	1230.3808	0.0000	-127.0005	0.0000	0.0000	HOSE SPEED
	13.7161	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH-HYDROST
120 RCC	-355.0934	323.8513	946.9157	0.0000	63.5003	0.0000	0.0000	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
121 RCC	-355.0934	381.0015	946.9157	130.5133	0.0000	0.0000	61.2777	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
122 RCC	-230.1249	381.0015	1005.5900	-169.5203	-84.3766	0.0000	193.1144	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
123 RCC	-398.0196	297.4352	1194.2594	0.0000	0.0000	0.0000	211.8902	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
124 RCC	-398.0196	297.4352	1399.7995	-50.8002	0.0000	0.0000	0.0000	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
125 RCC	-355.0934	323.8513	976.1258	0.0000	76.2003	0.0000	0.0000	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
126 RCC	-355.0934	393.7016	976.1258	122.0094	0.0000	0.0000	99.7767	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
127 RCC	-237.9989	393.7016	1071.8842	-231.6489	-96.2664	0.0000	269.4951	TUBE OIL L
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INE-REVERS
128 RCC	-469.6478	297.4352	1489.7159	0.0000	0.0000	0.0000	-173.7367	REVERSE ME
	35.0521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CHANISM
129 RCC	-469.6478	297.4352	1450.5997	215.6468	-47.4982	0.0000	0.0000	REVERSE ME
	39.1162	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CHANISM
130 RPP	-474.9057	-285.4641	-213.5132	213.5132	584.2023	0.0000	1187.2769	CONVERTER

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS							REMARKS
131 RCC	-382.5255	-497.3340	924.0556	0.0000	0.0000	0.0000	-334.0113	ENGINE OIL
	72.8983	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILTER
	-382.5255	-338.8373	924.0556	0.0000	0.0000	0.0000	-334.0113	ENGINE OIL
133 RCC	72.8983	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILTER
	-654.5606	0.0000	932.0186	-177.8007	0.0000	0.0000	0.0000	FLYWHEEL
134 ARB8	243.3330	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	HOUSING
	-742.1909	302.5152	1169.9032	-742.1909	0.0000	108.4584	1470.4118	FLYWHEEL
	-742.1909	-108.4584	1470.4118	-742.1909	-302.5152	-302.5152	1169.9032	HOUSING
135 RPP	-832.3613	302.5152	1169.9032	-832.3613	108.4584	1470.4118	1470.4118	
	-832.3613	-108.4584	1470.4118	-832.3613	-302.5152	-302.5152	1169.9032	
	-832.3613	-742.1909	-279.4011	279.4011	1001.2465	1001.2465	1169.9032	FLYW HOUSI
	-1184.6607	246.1270	911.1016	496.5720	0.0000	0.0000	0.0000	STARTER
136 RCC	75.1843	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	MOTOR
	-796.5471	-120.9045	619.0004	-1161.5466	-120.9045	639.8285	639.8285	ENGINE OIL
137 ARB8	-1161.5466	-120.9045	815.0892	-796.5471	-120.9045	815.0892	815.0892	PAN REAR
	-796.5471	129.2865	619.0004	-1161.5466	129.2865	639.8285	639.8285	
	-1161.5466	129.2865	815.0892	-796.5471	129.2865	815.0892	815.0892	
	-1476.7618	-120.9045	712.9808	-1487.1759	-120.9045	815.0892	815.0892	ENGINE OIL
138 ARB8	-1161.5466	-120.9045	815.0892	-1161.5466	-120.9045	685.8027	685.8027	PAN FRONT
	-1476.7618	129.2865	712.9808	-1487.1759	129.2865	815.0892	815.0892	
	-1161.5466	129.2865	815.0892	-1161.5466	129.2865	685.8027	685.8027	
	-771.4010	-365.2534	1320.0432	0.0000	0.0000	-267.2091	-267.2091	FUEL
139 RCC	48.0062	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FILTER
140 RPP	-1213.8708	-832.3613	-421.6417	-242.0630	664.9746	767.0830	767.0830	OIL COOLER
141 RCC	-832.3613	0.0000	932.0186	25.4001	0.0000	0.0000	0.0000	TIMING
	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	GEAR
142 RCC	-832.3613	-98.0444	1257.3050	25.4001	0.0000	0.0000	0.0000	CAMSHAFT
143 RCC	95.7584	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	GEAR
	-832.3613	98.0444	1257.3050	25.4001	0.0000	0.0000	0.0000	CAMSHAFT
144 RPP	95.7584	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	GEAR
	-1553.9781	-1473.2058	-321.3113	-223.2669	1290.6331	1556.0101	1556.0101	THERMOSTAT

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
145 RPP	-1651.0065	-1553.9781	-346.4574	-202.6928	1282.7051	1503.6859	1503.6859	1503.6859	1503.6859	1503.6859	THERMOSTAT
146 RPP	-1213.8708	-832.3613	-421.6417	-242.0630	767.0830	890.2735	890.2735	890.2735	890.2735	890.2735	OIL COOLER
147 RPP	-1452.1237	-832.3613	-148.0826	148.0826	815.0892	1257.3050	1257.3050	1257.3050	1257.3050	1257.3050	ENGINE BLK
148 RPP	-1452.1237	-832.3613	-75.1843	75.1843	1257.3050	1313.9472	1313.9472	1313.9472	1313.9472	1313.9472	ENGINE BLK
149 BOX	-1452.1237	-64.7042	1104.6656	619.7624	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ENGINE
150 BOX	-1452.1237	212.7868	-143.5258	0.0000	143.5258	212.7868	212.7868	212.7868	212.7868	212.7868	BLOCK LEFT
151 BOX	-1450.5997	212.7866	961.3481	619.7624	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ENGINE
152 BOX	-1450.5997	78.8216	1317.4524	618.2384	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	BLOCK RITE
153 BOX	-1447.8057	212.7868	-143.5258	0.0000	60.6758	89.9570	89.9570	89.9570	89.9570	89.9570	ENGINE
154 BOX	-1447.8057	-331.2275	1278.0873	582.6783	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	HEAD LEFT
155 RCC	-1120.1444	178.1461	120.1603	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ENGINE
156 RCC	-1105.4124	305.6775	1411.2245	0.0000	-60.6758	89.9570	89.9570	89.9570	89.9570	89.9570	HEAD LEFT
157 RCC	-1432.8196	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ENGINE VAL
158 RPP	-1347.4753	-305.6775	1411.2245	0.0000	58.3466	86.5026	86.5026	86.5026	86.5026	86.5026	VE COVR LE
159 AR88	-1113.5404	C.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ENGINE VAL
	-913.3876	-286.0051	1009.1460	177.8007	-58.3466	86.5026	86.5026	86.5026	86.5026	86.5026	VE COVR RI
	-1113.5404	0.0000	0.0000	0.0000	58.3745	86.5458	86.5458	86.5458	86.5458	86.5458	BREATHING
	-913.3876	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT
160 RCC	-1488.6999	-305.6775	1411.2245	0.0000	-58.3745	86.5458	86.5458	86.5458	86.5458	86.5458	BREATHING
	71.1203	C.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
161 TOR	-1488.6999	-286.0051	1009.1460	177.8007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	WATER PUMP
	98.0444	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
		-829.8721	-127.0005	127.0005	1313.9472	1447.8057	1447.8057	1447.8057	1447.8057	1447.8057	ENG BLOWER
		-108.4584	1666.5006	-944.6297	-108.4584	1545.5961	1545.5961	1545.5961	1545.5961	1545.5961	BLOWER
		-108.4584	1447.8057	-1347.4753	-108.4584	1447.8057	1447.8057	1447.8057	1447.8057	1447.8057	ADAPTER
		79.2483	1666.5006	-944.6297	79.2483	1545.5961	1545.5961	1545.5961	1545.5961	1545.5961	
		79.2483	1447.8057	-1347.4753	79.2483	1447.8057	1447.8057	1447.8057	1447.8057	1447.8057	
		155.9566	1701.5527	0.0000	-260.6050	0.0000	0.0000	0.0000	0.0000	0.0000	TURBOCHARG
		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ER INNER
		-54.3562	1701.5527	0.0000	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000	TURBOCHARG
		39.6242	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ER

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
162 TOR	-1488.6999	104.3944	1701.5527	0.0000	25.4001	0.0000 TURBOCHARG
163 RCC	100.5844	52.0702	0.0000	0.0000	0.0000	0.0000 ER
164 RCC	-1121.9224	-54.3562	1612.1443	-302.5152	0.0000	154.4326 HOSE TURBO
165 RCC	45.7202	0.0000	0.0000	0.0000	0.0000	0.0000 TO BLOWER
166 RCC	-1606.0483	104.3944	1670.8186	0.0000	-47.4652	-414.8497 HOSE TURBO
167 RCC	39.6242	0.0000	0.0000	0.0000	0.0000	0.0000 TO EXHAUST
168 RCC	-1606.0483	31.4072	1297.5997	0.0000	364.8343	-136.0531 HOSE TURBO
169 RCC	39.6242	0.0000	0.0000	0.0000	0.0000	0.0000 TO EXHAUST
170 RCC	-1606.0483	60.4522	1286.7691	0.0000	-456.6938	-125.2225 HOSE TURBO
171 RCC	39.6242	0.0000	0.0000	0.0000	0.0000	0.0000 TO EXHAUST
172 RCC	-1606.0483	396.2416	1161.5466	131.3185	0.0000	0.0000 HOSE TURBO
173 RPP	39.6242	0.0000	0.0000	0.0000	0.0000	0.0000 TO EXHAUST
174 RPP	-1606.0483	-396.2416	1161.5466	131.3185	0.0000	0.0000 HOSE TURBO
175 RPP	39.6242	0.0000	0.0000	0.0000	0.0000	0.0000 TO EXHAUST
176 RPP	-1474.7298	396.2416	1161.5466	571.5023	0.0000	0.0000 EXHAUST
177 RPP	41.6562	0.0000	0.0000	0.0000	0.0000	0.0000 MANIFOLD L
178 RPP	-1474.7298	-396.2416	1161.5466	571.5023	0.0000	0.0000 EXHAUST
179 RPP	41.6562	0.0000	0.0000	0.0000	0.0000	0.0000 MANIFOLD R
180 RPP	-662.9426	-200.4068	1159.5146	-79.2483	0.0000	0.0000 FUEL PUMP
181 RPP	43.9422	0.0000	0.0000	0.0000	0.0000	0.0000
182 RPP	-1513.8460	-208.7888	1403.6095	0.0000	454.9158	0.0000 HOSE THERM
183 RPP	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000 TO BLOCK
184 RPP	-1331.9812	-1230.3808	-57.1502	57.1502	738.8889	853.1894 OIL PUMP
185 RPP	-1476.7618	-1347.4753	-101.6004	101.6004	1364.7474	1520.4500 GOVERNOR
186 RPP	-1270.0050	266.7011	859.7934	-338.0753	0.0000	0.0000 GENERATOR
187 RPP	105.8168	0.0000	0.0000	0.0000	0.0000	0.0000
188 RPP	-1628.1464	0.0000	932.0186	803.9132	0.0000	0.0000 CRANKSHAFT
189 RPP	35.3061	0.0000	0.0000	0.0000	0.0000	0.0000
190 RPP	-1608.8423	0.0000	932.0186	44.4502	0.0000	0.0000 PULLEY ON
191 RPP	116.0785	0.0000	0.0000	0.0000	0.0000	0.0000 CRANKSHAFT
192 RPP	-1431.0416	-283.2111	1002.7454	175.0067	0.0000	0.0000

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
	68.5803	0.0000	0.0000	0.0000	0.0000	
179 RCC	-485.6499	-210.8103	901.7036	-111.5064	-243.5870	-65.0243 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
180 RCC	-582.4243	-445.2638	838.9653	-405.1316	0.0000	0.0000 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
181 RCC	-971.5538	-445.2638	838.9653	0.0000	0.0000	-92.9644 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
182 RCC	-580.9003	-210.8208	901.7036	0.0000	-250.6990	0.0000 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
183 RCC	-580.9003	-445.2638	901.7036	-694.4387	0.0000	0.0000 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
184 RCC	-1259.0830	-445.2638	901.7036	0.0000	0.0000	-155.7026 OIL LINE
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 CON-FILTER
185 RCC	-382.5255	-546.6102	895.8615	0.0000	0.0000	125.4765 ENG OIL
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 LINE
186 RCC	-382.5255	-546.6102	1005.0820	-346.2034	159.7666	0.0000 ENGINE OIL
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 LINE
187 RCC	-720.3468	-388.6215	1006.6060	-291.5931	0.0000	-106.6804 ENGINE OIL
	16.2561	0.0000	0.0000	0.0000	0.0000	0.0000 LINE
188 RCC	-754.8910	-331.9793	1245.8749	48.5142	0.0000	0.0000 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 FIL-VALVE
189 RCC	-716.5368	-331.9793	1245.8749	0.0000	209.5508	211.5828 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 FIL-VALVE
190 RCC	-716.5368	-129.5405	1450.3457	-206.5028	0.0000	0.0000 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 FIL-VALVE
191 RCC	-912.8796	-129.5405	1450.3457	0.0000	0.0000	-50.8002 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 FIL-VALVE
192 RCC	-600.2044	-314.9612	1015.4960	0.0000	0.0000	86.3603 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOR ENG
193 RCC	-599.6964	-316.2312	1096.5223	-76.9623	228.8549	393.4475 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP ENG

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
194 RCC	-666.7526	-91.6944	1482.8578	-553.4682	0.0000	0.0000 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP ENG
195 RCC	-1215.6488	-90.4244	1483.1118	-172.7207	-86.3603	-21.3361 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP ENG
196 RCC	-1380.7494	-176.5307	1463.0458	-108.2044	38.8622	-30.2261 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP ENG
197 RCC	-856.9994	-91.6944	1505.9719	0.0000	197.8668	0.0000 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP LE ENG
198 RCC	-856.9994	96.0124	1505.9719	-631.9545	0.0000	0.0000 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP LE ENG
199 RCC	-1478.7938	96.0124	1505.9719	0.0000	0.0000	-73.1523 FUEL LINE
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000 TOP LE ENG
200 BOX	-994.8787	-474.4739	1662.6905	194.0136	0.0000	-112.0144 RADIATOR
	0.0000	948.9477	0.0000	453.2648	0.0000	785.0765
201 BOX	-1059.5499	-520.7021	1700.0287	64.6712	0.0000	-37.3381 RADIATOR
	0.0000	1041.4041	0.0000	453.2648	0.0000	785.0765 SEAL
202 RCC	252.9850	0.0000	1963.4277	-435.6117	0.0000	0.0000 COOLING
	327.6613	0.0000	0.0000	0.0000	0.0000	0.0000 FAN HOUSIN
203 RCC	246.6350	0.0000	1963.4277	-435.6117	0.0000	0.0000 AIR IN FAN
	322.8861	0.0000	0.0000	0.0000	0.0000	0.0000 HOUSING
204 RCC	-95.2504	0.0000	1963.4277	-82.5503	0.0000	0.0000 COOLING
	311.1512	0.0000	0.0000	0.0000	0.0000	0.0000 FAN
205 ARB8	-182.6267	-327.6613	2291.0890	-182.6267	327.6613	2291.0890 COVER FAN
	-182.6267	327.6613	1635.7664	-182.6267	-327.6613	1635.7664 TO RADIATO
	-360.9354	-327.6613	2316.2351	-360.9354	327.6613	2316.2351 R
	-788.4191	327.6613	1585.9822	-788.4191	-327.6613	1585.9822
206 ARB8	-188.9767	-321.3113	2285.5721	-188.9767	321.3113	2285.5721 AIR IN
	-188.9767	321.3113	1641.6161	-188.9767	-321.3113	1641.6161 COVER
	-364.4025	-321.3113	2310.3118	-364.4025	321.3113	2310.3118
	-784.4999	321.3113	1592.6752	-784.4999	-321.3113	1592.6752
207 REC	-1550.4221	394.7176	1540.2621	0.0000	0.0000	350.0134 MUFFLER

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
208 RCC	0.0000	155.9566	0.0000	115.3165	0.0000	0.0000	0.0000	0.0000	0.0000	89.1544	MUFFLER
	-1530.1020	398.7816	1890.2754	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	TOP
209 RCC	64.7703	0.0000	0.0000	0.0000	0.0000	0.0000	-123.1905	0.0000	0.0000	0.0000	WATER HOSE
	-491.7459	-431.8017	2312.1711	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT RAD
210 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	WATER HOSE
	-491.7459	-515.6220	2312.1711	-421.8957	0.0000	0.0000	0.0000	0.0000	0.0000	-822.4552	WATER HOSE
211 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT RAD
	-878.5895	-515.6220	1511.0519	-619.2544	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	WATER HOSE
212 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT RAD
	-1478.5398	-515.8760	1516.1320	-155.1946	0.0000	0.0000	6.8580	0.0000	0.0000	-88.6463	WATER HOSE
213 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT RAD
	-1600.9683	-548.3882	1438.6617	0.0000	0.0000	0.0000	201.9308	0.0000	0.0000	0.0000	WATER HOSE
214 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT RAD
	-881.6375	381.0015	1652.2765	-69.5963	0.0000	0.0000	0.0000	0.0000	0.0000	-141.4786	WATER HOSE
215 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD BOTTOM
	-965.2038	381.0015	1561.0901	186.6907	0.0000	0.0000	0.0000	0.0000	0.0000	-119.3805	WATER HOSE
216 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD BOTTOM
	-795.5311	381.0015	1484.6358	-202.4388	0.0000	0.0000	0.0000	0.0000	0.0000	-787.1491	WATER HOSE
217 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD BOTTOM
	-965.7118	381.0015	726.6969	-503.1760	0.0000	0.0000	0.0000	0.0000	0.0000	-74.9303	WATER HOSE
218 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD BOTTOM
	-1435.6137	381.0015	690.3747	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-224.7909	WATER HOSE
219 RCC	39.3702	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD BOTTOM
	-62.2302	-241.3010	2363.7333	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-400.5596	SURGE TANK
220 RCC	101.6004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-177.8007	0.0000	1963.4277	431.8017	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RAD FAN DR
221 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	IVE SHAFT
	-1550.4221	394.7176	1540.2621	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-118.1105	CONNECTION
222 RPP	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	MUFF BOTTM
	-5822.2109	-5408.9513	700.0268	863.6034	979.9359	1016.0040	1016.0040	1016.0040	1016.0040	1016.0040	SEAT REAR
223 RPP	-5822.2109	-5408.9513	700.0268	863.6034	1016.0040	1016.0040	1016.0040	1016.0040	1016.0040	1016.0040	SEAT CUSHI

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS	
224 RPP	-5359.4211	-1777.2450	700.0268	863.6034	951.2337	990.6039	PERS	BENCH				
225 RPP	-5384.8212	-1777.2450	700.0268	863.6034	990.6039	1016.0040	BENCH	CUSH				
226 RPP	-5088.9100	-5054.6199	645.4165	959.1078	891.0355	951.2337	BRACE					
227 RPP	-4291.6009	-4257.3108	645.4165	959.1078	891.0355	951.2337	BRACE					
228 RPP	-3479.3057	-3445.0156	645.4165	959.1078	891.0355	951.2337	BRACE					
229 RPP	-2678.1865	-2643.8964	645.4165	959.1078	891.0355	951.2337	BRACE					
230 RPP	-1888.4974	-1854.2073	645.4165	959.1078	891.0355	951.2337	BRACE					
231 RPP	-5792.4928	-5767.0927	861.5714	959.1078	979.9359	1016.0040	HENGE	REAR				
232 RPP	-5516.9017	-5491.5016	861.5714	959.1078	979.9359	1016.0040	HENGE	REAR				
233 RPP	-5822.2109	-5514.8697	-863.6034	-566.9302	940.6927	976.7608	SEAT	REAR				
234 RPP	-5822.2109	-5514.8697	-863.6034	-566.9302	976.7608	1002.1609	SEAT	CUSHI				
235 RPP	-5881.6472	-5856.2471	-959.1078	-863.6034	889.8925	976.7608	HENGE					
236 RPP	-5359.4211	-1777.2450	-863.6034	-700.0268	951.2337	990.6039	PERS	BENCH				
237 RPP	-5359.4211	-1777.2450	-863.6034	-700.0268	990.6039	1016.0040	BENCH	CUSH				
238 RPP	-5187.7164	-5162.3163	-959.1078	-863.6034	891.0355	951.2337	BRACE					
239 RPP	-4378.0882	-4352.6881	-959.1078	-863.6034	891.0355	951.2337	BRACE					
240 RPP	-3587.5101	-3562.1100	-959.1078	-863.6034	891.0355	951.2337	BRACE					
241 RPP	-2787.4070	-2762.0069	-959.1078	-863.6034	891.0355	951.2337	BRACE					
242 RPP	-1977.7788	-1952.3787	-959.1078	-863.6034	891.0355	951.2337	BRACE					
243 RPP	-5359.4211	-3573.1591	-167.6407	167.6407	982.7299	1025.1480	PERS	BENCH				
244 RPP	-5359.4211	-3573.1591	-167.6407	167.6407	1025.1480	1050.5481	BENCH	CUSH				
245 RPP	-5257.8207	-5232.4206	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
246 RPP	-4504.4537	-4479.0536	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
247 RPP	-3700.1596	-3674.7595	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
248 RPP	-3547.7590	-1736.0968	-167.6407	167.6407	982.7299	1025.1480	PERS	BENCH				
249 RPP	-3547.7590	-1736.0968	-167.6407	167.6407	1025.1480	1050.5481	BENCH	CUSH				
250 RPP	-3522.3589	-3496.9588	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
251 RPP	-2785.7560	-2760.3559	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
252 RPP	-1863.0973	-1837.6972	-104.9024	104.9024	571.5023	982.7299	SEAT	SUPPO				
253 RPP	-5527.5698	-5502.1697	-959.1078	-863.6034	889.8925	976.7608	HENGE					
254 ELL1	-5634.7582	812.8032	1763.9049	0.0000	-100.0002	0.0000	HEAD					

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS							REMARKS
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
255 REC	-5634.7582	812.8032	1461.4049	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
256 REC	-5634.7582	812.8032	1201.4044	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
257 REC	-5634.7582	812.8032	1041.4041	0.0000	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	ABLE 2
258 RCC	-5442.2584	812.8032	1721.4054	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
259 RCC	-5827.2579	812.8032	1721.4054	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
260 TRC	-5442.2584	860.3039	1332.1540	0.0000	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
261 TRC	-5827.2579	860.3039	1332.1540	0.0000	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
262 TEC	-5634.7582	761.3020	1121.4043	0.0000	0.0000	-349.5994	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
263 TEC	-5634.7582	444.7100	1121.4043	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	0.0000	-66.0123	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
264 ELL1	-5180.0964	812.8032	1738.5048	0.0000	0.0000	-100.0002	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
265 REC	-5180.0964	812.8032	1436.0048	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
266 REC	-5180.0964	812.8032	1176.0043	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
267 REC	-5180.0964	812.8032	1016.0040	0.0000	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	ABLE 2
268 RCC	-4987.5967	812.8032	1696.0053	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE				SOLID PARAMETERS			REMARKS
269 RCC	-5372.5961	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
270 TRC	-4987.5967	860.3039	1306.7539	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
271 TRC	-5372.5961	860.3039	1306.7539	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
272 TEC	-5180.0964	761.3020	1096.0042	0.0000	-349.5994	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	
273 TEC	-5180.0964	444.7100	1096.0042	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	-66.0123	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	
274 ELL1	-4725.5616	812.8032	1738.5048	0.0000	-100.0002	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
275 REC	-4725.5616	812.8032	1436.0048	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
276 REC	-4725.5616	812.8032	1176.0043	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2
277 REC	-4725.5616	812.8032	1016.0040	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	-102.9999	0.0000	ABLE 2
278 RCC	-4533.0619	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
279 RCC	-4918.0613	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
280 TRC	-4533.0619	860.3039	1306.7539	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
281 TRC	-4918.0613	860.3039	1306.7539	0.0000	-274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
282 TEC	-4725.5616	761.3020	1096.0042	0.0000	-349.5994	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS	
283 TEC	-4725.5616 131.9992 1.3200	444.7100 0.0000 0.0000	1096.0042 0.0000 0.0000	0.0000 0.0000 0.0000	0.0000 -66.0123 0.0000	-458.0019 LOWER LEGS 0.0000 ABLE 2 0.0000
284 ELL1	-4270.9760 85.0014	812.8032 0.0000	1738.5048 0.0000	0.0000 0.0000	-100.0002 0.0000	HEAD 0.0000 ABLE 2
285 REC	-4270.9760 145.0016	812.8032 0.0000	1436.0048 0.0000	0.0000 0.0000	0.0000 -107.0005	260.0005 UPPER TORS 0.0000 D ABLE 2
286 REC	-4270.9760 145.0016	812.8032 0.0000	1176.0043 0.0000	0.0000 0.0000	0.0000 -107.0005	261.0013 LOWER TORS 0.0000 D ABLE 2
287 REC	-4270.9760 157.0006	812.8032 0.0000	1016.0040 0.0000	0.0000 0.0000	0.0000 -102.9999	160.0003 HIPS 0.0000 ABLE 2
288 RCC	-4078.4763 47.5007	812.8032 0.0000	1696.0053 0.0000	0.0000 0.0000	0.0000 0.0000	-364.0012 UPPER ARM 0.0000 LEFT ABL 2
289 RCC	-4463.4758 47.5007	812.8032 0.0000	1696.0053 0.0000	0.0000 0.0000	0.0000 0.0000	-364.0012 UPPER ARM 0.0000 RITE ABL 2
290 TRC	-4078.4763 42.4994	860.3039 30.0001	1306.7539 0.0000	0.0000 0.0000	-274.0010 0.0000	0.0000 LOWER ARM 0.0000 LEFT ABL 2
291 TRC	-4463.4758 42.4994	860.3039 30.0001	1306.7539 0.0000	0.0000 0.0000	-274.0010 0.0000	0.0000 LOWER ARM 0.0000 RITE ABL 2
292 TEC	-4270.9760 160.0003	761.3020 0.0000	1096.0042 0.0000	0.0000 0.0000	-349.5994 0.0000	0.0000 UPPER LEGS 80.0002 ABLE 2
293 TEC	-4270.9760 131.9992	444.7100 0.0000	1096.0042 0.0000	0.0000 0.0000	0.0000 -66.0123	-458.0019 LOWER LEGS 0.0000 ABLE 2
294 ELL1	-3816.3650 85.0014	812.8032 0.0000	1738.5048 0.0000	0.0000 0.0000	0.0000 -100.0002	HEAD 0.0000 ABLE 2
295 REC	-3816.3650 145.0016	812.8032 0.0000	1436.0048 0.0000	0.0000 0.0000	0.0000 -107.0005	260.0005 UPPER TORS 0.0000 D ABLE 2
296 REC	-3816.3650 145.0016	812.8032 0.0000	1176.0043 0.0000	0.0000 0.0000	0.0000 -107.0005	261.0013 LOWER TORS 0.0000 D ABLE 2

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE		SOLID PARAMETERS							REMARKS	
297	REC	-3816.3650	812.8032	1016.0040	0.0000	0.0000	0.0000	160.0003	HIPS	
		157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	ABLE 2	
298	RCC	-3623.8653	812.8032	1696.0053	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2	
299	RCC	-4008.8648	812.8032	1696.0053	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2	
300	TRC	-3623.8653	860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	LOWER ARM	
		42.4994	30.0001	0.0000	0.0000	0.0000	-274.0010	0.0000	LEFT ABL 2	
301	TRC	-4008.8648	860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	LOWER ARM	
		42.4994	30.0001	0.0000	0.0000	0.0000	-274.0010	0.0000	LOWER ARM	
302	TEC	-3816.3650	761.3020	1096.0042	0.0000	0.0000	0.0000	0.0000	RITE ABL 2	
		160.0003	0.0000	0.0000	0.0000	0.0000	-349.5994	0.0000	UPPER LEGS	
		1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2	
303	TEC	-3816.3650	444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	LOWER LEGS	
		131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	ABLE 2	
304	ELL1	-3361.7032	812.8032	1738.5048	0.0000	0.0000	-66.0123	0.0000	HEAD	
		85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2	
305	REC	-3361.7032	812.8032	1436.0048	0.0000	0.0000	0.0000	260.0005	UPPER TORS	
		145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2	
306	REC	-3361.7032	812.8032	1176.0043	0.0000	0.0000	0.0000	261.0013	LOWER TORS	
		145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	ABLE 2	
307	REC	-3361.7032	812.8032	1016.0040	0.0000	0.0000	0.0000	160.0003	HIPS	
		157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	ABLE 2	
308	RCC	-3169.2035	812.8032	1696.0053	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2	
309	RCC	-3554.2030	812.8032	1696.0053	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2	
310	TRC	-3169.2035	860.3039	1306.7539	0.0000	0.0000	-274.0010	0.0000	LOWER ARM	
		42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2	
311	TRC	-3554.2030	860.3039	1306.7539	0.0000	0.0000	-274.0010	0.0000	LOWER ARM	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE					SOLID PARAMETERS				REMARKS
312 TEC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000 RITE ABL 2
	-3361.7032	761.3020	1096.0042	0.0000	0.0000	-349.5994	0.0000	0.0000	0.0000 UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
313 TEC	-3361.7032	444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	0.0000	-66.0123	0.0000	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
314 ELL1	-2907.2954	812.8032	1738.5048	0.0000	0.0000	-100.0002	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
315 REC	-2907.2954	812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0 ABLE 2
316 REC	-2907.2954	812.8032	1176.0043	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0 ABLE 2
317 REC	-2907.2954	812.8032	1016.0040	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	0.0000	ABLE 2
318 RCC	-2714.7957	812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
319 RCC	-3099.7952	812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
320 TRC	-2714.7957	860.3039	1306.7539	0.0000	0.0000	-274.0010	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
321 TRC	-3099.7952	860.3039	1306.7539	0.0000	0.0000	-274.0010	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
322 TEC	-2907.2954	761.3020	1096.0042	0.0000	0.0000	-349.5994	0.0000	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
323 TEC	-2907.2954	444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	0.0000	-66.0123	0.0000	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
324 ELL1	-2452.6337	812.8032	1738.5048	0.0000	0.0000	-100.0002	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
325 REC	-2452.6337	812.8032	1436.0048	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
326 REC	-2452.6337	812.8032	1176.0043	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
327 REC	-2452.6337	812.8032	1016.0040	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
328 RCC	-2260.1339	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
329 RCC	-2645.1334	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
330 TRC	-2260.1339	860.3039	1306.7539	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
331 TRC	-2645.1334	860.3039	1306.7539	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
332 TEC	-2452.6337	761.3020	1096.0042	0.0000	0.0000	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	
333 TEC	-2452.6337	444.7100	1096.0042	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	
334 ELL1	-1997.9719	812.8032	1738.5048	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
335 REC	-1997.9719	812.8032	1436.0048	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
336 REC	-1997.9719	812.8032	1176.0043	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
337 REC	-1997.9719	812.8032	1016.0040	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
338 RCC	-1805.4721	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
339 RCC	-2190.4716	812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM

TABLE 8-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
340 TRC	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
	-1805.4721	860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	0.0000	-274.0010	0.0000	LOWER ARM
341 TRC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
	-2190.4716	860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	0.0000	-274.0010	0.0000	LOWER ARM
342 TEC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
	-1997.9719	761.3020	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	-349.5994	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	0.0000	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
343 TEC	-1997.9719	444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-66.0123	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
344 ELL1	-5180.0964	-116.8405	1773.0489	0.0000	0.0000	0.0000	0.0000	0.0000	100.0002	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
345 REC	-5180.0964	-116.8405	1470.5489	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	ABLE 1
346 REC	-5180.0964	-116.8405	1210.5484	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	ABLE 1
347 REC	-5180.0964	-116.8405	1050.5481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	ABLE 1
348 RCC	-5372.5961	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
349 RCC	-4987.5967	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
350 TRC	-5372.5961	-164.3412	1341.2980	0.0000	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
351 TRC	-4987.5967	-164.3412	1341.2980	0.0000	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
352 TEC	-5180.0964	-65.3392	1130.5483	0.0000	0.0000	0.0000	0.0000	0.0000	349.5994	0.0000	UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
353 TEC	-5180.0964	251.2527	1130.5483	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER LEGS

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
	-131.9992	0.0000	0.0000	0.0000	65.9996	0.0000 ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000
3354 ELL1	-4725.5616	116.8405	1773.0489	0.0000	-100.0002	0.0000 HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000 ABLE 2
3355 REC	-4725.5616	116.8405	1470.5489	0.0000	0.0000	260.0005 UPPER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000 0 ABLE 2
3356 REC	-4725.5616	116.8405	1210.5484	0.0000	0.0000	261.0013 LOWER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000 0 ABLE 2
3357 REC	-4725.5616	116.8405	1050.5481	0.0000	0.0000	160.0003 HIPS
	157.0006	0.0000	0.0000	0.0000	-102.9999	0.0000 ABLE 2
3358 RCC	-4533.0619	116.8405	1730.5495	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 LEFT ABL 2
3359 RCC	-4918.0613	116.8405	1730.5495	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 RITE ABL 2
3360 TRC	-4533.0619	164.3412	1341.2980	0.0000	-274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 LEFT ABL 2
3361 TRC	-4918.0613	164.3412	1341.2980	0.0000	-274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 RITE ABL 2
3362 TEC	-4725.5616	65.3392	1130.5483	0.0000	-349.5994	0.0000 UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	79.7716 ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000
3363 TEC	-4725.5616	-251.2527	1130.5483	0.0000	0.0000	-458.0019 LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	-66.0123	0.0000 ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000
3364 ELL1	-4270.9760	-116.8405	1773.0489	0.0000	100.0002	0.0000 HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000 ABLE 1
3365 REC	-4270.9760	-116.8405	1470.5489	0.0000	0.0000	260.0005 UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 0 ABLE 1
3366 REC	-4270.9760	-116.8405	1210.5484	0.0000	0.0000	261.0013 LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 0 ABLE 1
3367 REC	-4270.9760	-116.8405	1050.5481	0.0000	0.0000	160.0003 HIPS

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-157.0006	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	ABLE 1			
368 RCC	-4463.4758	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM		
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1		
369 RCC	-4078.4763	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM		
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1		
370 TRC	-4463.4758	-164.3412	1341.2980	0.0000	0.0000	274.0010	0.0000	0.0000	LOWER ARM		
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1		
371 TRC	-4078.4763	-164.3412	1341.2980	0.0000	0.0000	274.0010	0.0000	0.0000	LOWER ARM		
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1		
372 TEC	-4270.9760	-65.3392	1130.5483	0.0000	0.0000	349.5994	0.0000	0.0000	UPPER LEGS		
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 1		
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			
373 TEC	-4270.9760	251.2527	1130.5483	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS		
	-131.9992	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	0.0000	ABLE 1		
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			
374 ELL1	-3816.3650	116.8405	1773.0489	0.0000	0.0000	-100.0002	0.0000	0.0000	HEAD		
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2		
375 REC	-3816.3650	116.8405	1470.5489	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS		
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	ABLE 2		
376 REC	-3816.3650	116.8405	1210.5484	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS		
	145.0016	0.0000	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	ABLE 2		
377 REC	-3816.3650	116.8405	1050.5481	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS		
	157.0006	0.0000	0.0000	0.0000	0.0000	-102.9999	0.0000	0.0000	ABLE 2		
378 RCC	-3623.8653	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM		
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2		
379 RCC	-4008.8648	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM		
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2		
380 TRC	-3623.8653	164.3412	1341.2980	0.0000	0.0000	-274.0010	0.0000	0.0000	LOWER ARM		
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2		
381 TRC	-4008.8648	164.3412	1341.2980	0.0000	0.0000	-274.0010	0.0000	0.0000	LOWER ARM		
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2		

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
382 TEC	-3816.3650	65.3392	1130.5483	0.0000	-349.5994	0.0000 UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	79.7716	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	
383 TEC	-3816.3650	-251.2527	1130.5483	0.0000	0.0000	-458.0019 LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	-66.0123	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	
384 ELL1	-3361.7032	-116.8405	1773.0489	0.0000	100.0002	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	ABLE 1
385 REC	-3361.7032	-116.8405	1470.5489	0.0000	0.0000	260.0005 UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 0 ABLE 1
386 REC	-3361.7032	-116.8405	1210.5484	0.0000	0.0000	261.0013 LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 0 ABLE 1
387 REC	-3361.7032	-116.8405	1050.5481	0.0000	0.0000	160.0003 HIPS
	-157.0006	0.0000	0.0000	0.0000	102.9999	0.0000 ABLE 1
388 RCC	-3554.2030	-116.8405	1730.5495	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
389 RCC	-3169.2035	-116.8405	1730.5495	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
390 TRC	-3554.2030	-164.3412	1341.2980	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	LEFT ABL 1
391 TRC	-3169.2035	-164.3412	1341.2980	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	RITE ABL 1
392 TEC	-3361.7032	-65.3392	1130.5483	0.0000	349.5994	0.0000 UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	80.0002 ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	
393 TEC	-3361.7032	251.2527	1130.5483	0.0000	0.0000	-458.0019 LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	65.9996	ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	
394 ELL1	-2907.2954	116.8405	1773.0489	0.0000	-100.0002	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	ABLE 2
395 REC	-2907.2954	116.8405	1470.5489	0.0000	0.0000	260.0005 UPPER TORS

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
396 REC	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
	-2907.2954	116.8405	1210.5484	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
397 REC	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 2
	-2907.2954	116.8405	1050.5481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
398 RCC	157.0006	0.0000	0.0000	0.0000	-102.9999	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
	-2714.7957	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
399 RCC	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
	-3099.7952	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
400 TRC	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
	-2714.7957	164.3412	1341.2980	0.0000	-274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
401 TRC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
	-3099.7952	164.3412	1341.2980	0.0000	-274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
402 TEC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
	-2907.2954	65.3392	1130.5483	0.0000	-349.5994	0.0000	0.0000	0.0000	0.0000	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2
403 TEC	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-2907.2954	-251.2527	1130.5483	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	-66.0123	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
404 ELL1	-2452.6337	-116.8405	1773.0489	0.0000	100.0002	0.0000	0.0000	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
405 REC	-2452.6337	-116.8405	1470.5489	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 1
406 REC	-2452.6337	-116.8405	1210.5484	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	0 ABLE 1
407 REC	-2452.6337	-116.8405	1050.5481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	102.9999	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
408 RCC	-2645.1334	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
409 RCC	-2260.1339	-116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1

TABLE 6-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
410 TRC	-2645.1334	-164.3412	1341.2980	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
411 TRC	-2260.1339	-164.3412	1341.2980	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
412 TEC	-2452.6337	-65.3392	1130.5483	0.0000	349.5994	0.0000 UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	80.0002	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000
413 TEC	-2452.6337	251.2527	1130.5483	0.0000	0.0000	-458.0019 LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	65.9996	0.0000 ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000
414 ELL1	-5180.0964	-812.8032	1738.5048	0.0000	100.0002	0.0000 HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000 ABLE 1
415 REC	-5180.0964	-812.8032	1436.0048	0.0000	0.0000	260.0005 UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 O ABLE 1
416 REC	-5180.0964	-812.8032	1176.0043	0.0000	0.0000	261.0013 LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 O ABLE 1
417 REC	-5180.0964	-812.8032	1016.0040	0.0000	0.0000	160.0003 HIPS
	-157.0006	0.0000	0.0000	0.0000	102.9999	0.0000 ABLE 1
418 RCC	-5372.5961	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
419 RCC	-4987.5967	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
420 TRC	-5372.5961	-860.3039	1306.7539	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
421 TRC	-4987.5967	-860.3039	1306.7539	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
422 TEC	-5180.0964	-761.3020	1096.0042	0.0000	349.5994	0.0000 UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	80.0002 ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000
423 TEC	-5180.0964	-444.7100	1096.0042	0.0000	0.0000	-458.0019 LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	65.9996	0.0000 ABLE 1

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
424 ELL1	-4725.5616	-812.8032	1738.5048	0.0000	0.0000	100.0002	0.0000	0.0000	0.0000	0.0000	HEAD
425 REC	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
	-4725.5616	-812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	ABLE 1
426 REC	-4725.5616	-812.8032	1176.0043	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	ABLE 1
427 REC	-4725.5616	-812.8032	1016.0040	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	0.0000	0.0000	0.0000	ABLE 1
428 RCC	-4918.0613	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
429 RCC	-4533.0619	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
430 TRC	-4918.0613	-860.3039	1306.7539	0.0000	0.0000	274.0010	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
431 TRC	-4533.0619	-860.3039	1306.7539	0.0000	0.0000	274.0010	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
432 TEC	-4725.5616	-761.3020	1096.0042	0.0000	0.0000	349.5994	0.0000	0.0000	0.0000	0.0000	UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
433 TEC	-4725.5616	-444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	0.0000	0.0000	0.0000	ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
434 ELL1	-4270.9760	-812.8032	1738.5048	0.0000	0.0000	100.0002	0.0000	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
435 REC	-4270.9760	-812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	ABLE 1
436 REC	-4270.9760	-812.8032	1176.0043	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	ABLE 1
437 REC	-4270.9760	-812.8032	1016.0040	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	0.0000	0.0000	0.0000	ABLE 1

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE				SOLID PARAMETERS			REMARKS
438 RCC	-4463.4758	-812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
439 RCC	-4078.4763	-812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
440 TRC	-4463.4758	-860.3039	1306.7539	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	274.0010	LEFT ABL 1
441 TRC	-4078.4763	-860.3039	1306.7539	0.0000	0.0000	274.0010	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
442 TEC	-4270.9760	-761.3020	1096.0042	0.0000	0.0000	349.5994	UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	
443 TEC	-4270.9760	-444.7100	1096.0042	0.0000	0.0000	-458.0019	LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	
444 ELL1	-3816.3650	-812.8032	1738.5048	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
445 REC	-3816.3650	-812.8032	1436.0048	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
446 REC	-3816.3650	-812.8032	1176.0043	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
447 REC	-3816.3650	-812.8032	1016.0040	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
448 RCC	-4008.8648	-812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
449 RCC	-3623.8653	-812.8032	1696.0053	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
450 TRC	-4008.8648	-860.3039	1306.7539	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
451 TRC	-3623.8653	-860.3039	1306.7539	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
452 TEC	-3816.3650	-761.3020	1096.0042	0.0000	0.0000	349.5994	UPPER LEGS

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 1	
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
453 TEC	-3816.3650	-444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	--458.0019	LOWER LEGS	
	-131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	ABLE 1	
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
454 ELL1	-3361.7032	-812.8032	1738.5048	0.0000	0.0000	0.0000	0.0000	100.0002	0.0000	HEAD	
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1	
455 REC	-3361.7032	-812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS	
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	ABLE 1	
456 REC	-3361.7032	-812.8032	1176.0043	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS	
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	ABLE 1	
457 REC	-3361.7032	-812.8032	1016.0040	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS	
	-157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	ABLE 1	
458 RCC	-3554.2030	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1	
459 RCC	-3169.2035	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM	
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1	
460 TRC	-3554.2030	-860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM	
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1	
461 TRC	-3169.2035	-860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM	
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1	
462 TEC	-3361.7032	-761.3020	1096.0042	0.0000	0.0000	0.0000	0.0000	349.5994	0.0000	UPPER LEGS	
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	ABLE 1	
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
463 TEC	-3361.7032	-444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS	
	-131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	ABLE 1	
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
464 ELL1	-2907.2954	-812.8032	1738.5048	0.0000	0.0000	0.0000	0.0000	100.0002	0.0000	HEAD	
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1	
465 REC	-2907.2954	-812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS	
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	ABLE 1	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
466 REC	-2907.2954	-812.8032	1176.0043	0.0000	0.0000	261.0013 LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 O ABL 1
467 REC	-2907.2954	-812.8032	1016.0040	0.0000	0.0000	160.0003 HIPS
	-157.0006	0.0000	0.0000	0.0000	102.9999	0.0000 ABL 1
468 RCC	-3099.7952	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
469 RCC	-2714.7957	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
470 TRC	-3099.7952	-860.3039	1306.7539	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
471 TRC	-2714.7957	-860.3039	1306.7539	0.0000	274.0010	0.0000 LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
472 TEC	-2907.2954	-761.3020	1096.0042	0.0000	349.5994	0.0000 UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	80.0002 ABL 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000
473 TEC	-2907.2954	-444.7100	1096.0042	0.0000	0.0000	-458.0019 LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	65.9996	0.0000 ABL 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000
474 ELL1	-2452.6337	-812.8032	1738.5048	0.0000	100.0002	0.0000 HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000 ABL 1
475 REC	-2452.6337	-812.8032	1436.0048	0.0000	0.0000	260.0005 UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 O ABL 1
476 REC	-2452.6337	-812.8032	1176.0043	0.0000	0.0000	261.0013 LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	107.0005	0.0000 O ABL 1
477 REC	-2452.6337	-812.8032	1016.0040	0.0000	0.0000	160.0003 HIPS
	-157.0006	0.0000	0.0000	0.0000	102.9999	0.0000 ABL 1
478 RCC	-2645.1334	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 LEFT ABL 1
479 RCC	-2260.1339	-812.8032	1696.0053	0.0000	0.0000	-364.0012 UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000 RITE ABL 1
480 TRC	-2645.1334	-860.3039	1306.7539	0.0000	274.0010	0.0000 LOWER ARM

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
481 TRC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
	-2260.1339	-860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM
482 TEC	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
	-2452.6337	-761.3020	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	349.5994	0.0000	UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	0.0000	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
483 TEC	-2452.6337	-444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
484 ELL1	-1997.9719	-812.8032	1738.5048	0.0000	0.0000	0.0000	0.0000	0.0000	100.0002	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 1
485 REC	-1997.9719	-812.8032	1436.0048	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0 ABLE 1
486 REC	-1997.9719	-812.8032	1176.0043	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	-145.0016	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	107.0005	0.0000	0 ABLE 1
487 REC	-1997.9719	-812.8032	1016.0040	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	-157.0006	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	102.9999	0.0000	ABLE 1
488 RCC	-2190.4716	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
489 RCC	-1805.4721	-812.8032	1696.0053	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
490 TRC	-2190.4716	-860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 1
491 TRC	-1805.4721	-860.3039	1306.7539	0.0000	0.0000	0.0000	0.0000	0.0000	274.0010	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 1
492 TEC	-1997.9719	-761.3020	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	349.5994	0.0000	UPPER LEGS
	-160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	0.0000	ABLE 1
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
493 TEC	-1997.9719	-444.7100	1096.0042	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	-131.9992	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	65.9996	0.0000	ABLE 1
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
494 ELL1	-1997.9719	116.8405	1773.0489	0.0000	-100.0002	0.0000	0.0000	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
495 REC	-1997.9719	116.8405	1470.5489	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
496 REC	-1997.9719	116.8405	1210.5484	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER TORS
	145.0016	0.0000	0.0000	0.0000	-107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
497 REC	-1997.9719	116.8405	1050.5481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	157.0006	0.0000	0.0000	0.0000	-102.9999	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
498 RCC	-1805.4721	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
499 RCC	-2190.4716	116.8405	1730.5495	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
500 TRC	-1805.4721	164.3412	1341.2980	0.0000	-274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT ABL 2
501 TRC	-2190.4716	164.3412	1341.2980	0.0000	-274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RITE ABL 2
502 TEC	-1997.9719	65.3392	1130.5483	0.0000	-349.5994	0.0000	0.0000	0.0000	0.0000	0.0000	UPPER LEGS
	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	79.7716	ABLE 2
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
503 TEC	-1997.9719	-251.2527	1130.5483	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	LOWER LEGS
	131.9992	0.0000	0.0000	0.0000	-66.0123	0.0000	0.0000	0.0000	0.0000	0.0000	ABLE 2
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
504 RCC	-1269.2786	-1054.1042	2426.0423	-2.5273	0.0000	0.0000	0.0000	0.0000	0.0000	104.9989	TURRET
	526.2647	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RING
505 RCC	-1268.6664	-1054.1042	2400.6498	-3.1395	0.0000	0.0000	0.0000	0.0000	0.0000	130.3914	AIR IN TUR
	437.3897	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RET RING
506 TRC	-1272.8066	-1054.1042	2572.4866	3.5281	0.0000	0.0000	0.0000	0.0000	0.0000	-146.5154	CUPOLA
	599.7599	534.9261	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	BOTTOM
507 TRC	-1272.8066	-1054.1042	2572.4866	2.5324	0.0000	0.0000	0.0000	0.0000	0.0000	-105.1234	AIR IN CUP
	554.4867	507.9690	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	OLA BOTTOM
508 TRC	-1272.8066	-1054.1042	2572.4866	-6.5024	0.0000	0.0000	0.0000	0.0000	0.0000	269.9243	CUPOLA TOP

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	599.7599	459.4878	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
509 TRC	-1272.8066	-1054.1042	2572.4866	-5.5042	0.0000	0.0000	0.0000	0.0000	0.0000	228.5323	AIR IN CUP
	553.1024	434.3392	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	OLA TOP
510 BOX	-1189.0269	-985.7779	2585.6845	545.9421	0.0000	0.0000	0.0000	0.0000	0.0000	13.1496	MACHINE
	0.0000	237.2369	0.0000	-7.4803	0.0000	0.0000	0.0000	0.0000	0.0000	310.5518	GUN STOCK
511 TRC	-647.0244	-867.1594	2762.5149	493.3792	0.0000	0.0000	0.0000	0.0000	0.0000	11.8847	MACHINE
	38.1002	16.7641	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	GUN BARREL
512 RPP	-1139.4485	-857.7614	-955.8058	955.8058	955.8058	955.8058	528.5761	547.6262	547.6262	547.6262	ENG SUPPOR
513 RPP	-922.3284	-910.0856	-955.8058	955.8058	955.8058	955.8058	435.3577	547.6262	547.6262	547.6262	STIFFENER
514 RPP	-1057.5586	-1044.8585	-955.8058	955.8058	955.8058	955.8058	435.3577	547.6262	547.6262	547.6262	STIFFENER
515 ARB8	-608.7134	1286.2611	2472.0393	-102.6672	1191.2647	1191.2647	1191.2647	2484.2111	2484.2111	2484.2111	SECTION BE
	-5.6896	615.6984	2486.5428	-884.9395	801.1192	801.1192	801.1192	2465.3921	2465.3921	2465.3921	TWEEN TROG
	-611.4414	1286.2585	2585.5448	-105.3952	1191.2621	1191.2621	1191.2621	2597.7165	2597.7165	2597.7165	P CMDR AND
	-8.4176	615.6959	2600.0482	-887.6675	801.1166	801.1166	801.1166	2578.9001	2578.9001	2578.9001	DRIVER
516 ARB8	-640.4864	1230.4596	2471.2748	-91.9204	1127.4825	1127.4825	1127.4825	2484.4701	2484.4701	2484.4701	AIR IN SEC
	-16.5278	680.0242	2486.2812	-853.4027	856.5092	856.5092	856.5092	2466.1541	2466.1541	2466.1541	T BETW TRO
	-641.7538	1230.4570	2524.0918	-93.1904	1127.4800	1127.4800	1127.4800	2537.2871	2537.2871	2537.2871	OP CMDR AN
	-17.7979	680.0242	2539.0981	-854.6702	856.5066	856.5066	856.5066	2518.9711	2518.9711	2518.9711	D DRIVER
517 ARB8	-640.4864	1230.4596	2471.2748	-91.9204	1127.4825	1127.4825	1127.4825	2484.4701	2484.4701	2484.4701	AIR IN TOP
	-16.5329	680.0242	2486.2812	-853.4027	856.5092	856.5092	856.5092	2466.1541	2466.1541	2466.1541	ARMOR BET
	-639.7523	1230.4596	2440.8023	-91.1864	1127.4825	1127.4825	1127.4825	2453.9976	2453.9976	2453.9976	TROOP CMDR
	-15.7938	680.0242	2455.8087	-852.6687	856.5092	856.5092	856.5092	2435.6816	2435.6816	2435.6816	+ DRIVER
518 TRC	-959.1154	1135.0797	2463.9951	-2.7254	0.0000	0.0000	0.0000	113.5054	113.5054	113.5054	HATCH TRP
	404.6236	347.7274	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	COMMANDER
519 TRC	-959.1154	1135.0797	2463.9951	-2.7331	0.0000	0.0000	0.0000	113.5054	113.5054	113.5054	AIR IN HAT
	328.1972	271.2731	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CH TRP CDR
520 TRC	-961.8510	1135.0797	2577.5005	-3.7516	0.0000	0.0000	0.0000	155.7839	155.7839	155.7839	HATCH DOOR
	338.9643	308.3572	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	TRP CMDR
521 TRC	-961.8510	1135.0797	2577.5005	-3.0023	0.0000	0.0000	0.0000	124.6764	124.6764	124.6764	AIR HATCH
	307.2523	282.7590	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DOOR CMDR
522 RCC	-959.1154	1135.0797	2463.9951	.9169	0.0000	0.0000	0.0000	-38.0874	-38.0874	-38.0874	AIR BELOW

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS	
					0.0000	HATCH CMDR
523 TRC	328.1972	0.0000	0.0000	0.0000	113.5054	DRIVER
	127.0005	930.2787	2489.7356	-2.7331	0.0000	HATCH
524 TRC	404.6236	347.7274	0.0000	0.0000	113.5054	AIR DRIVER
	127.0005	930.2787	2489.7356	-2.7331	0.0000	HATCH
525 TRC	328.1972	271.3010	0.0000	0.0000	155.7839	DRIVER HAT
	124.2649	930.2787	2603.2410	-3.7516	0.0000	CH DOOR
526 TRC	338.9643	308.3572	0.0000	0.0000	124.6764	AIR IN DRI
	124.2649	930.2787	2603.2410	-3.0023	0.0000	VER HATCH
527 RCC	307.2523	282.7590	0.0000	0.0000	-88.8724	RING FOR
	127.0005	930.2787	2489.7356	2.1387	0.0000	DRVR HATCH
528 RCC	436.3737	0.0000	0.0000	0.0000	-88.8724	AIR IN RNG
	127.0005	930.2787	2489.7356	2.1387	0.0000	DRVR HATCH
529 RCC	328.1972	0.0000	0.0000	0.0000	0.0000	RT ANGLE
	-501.3980	1330.5842	1254.7649	-219.7109	0.0000	DRIVE LEFT
530 TRC	143.0026	0.0000	0.0000	0.0000	0.0000	RT ANG DRV
	-611.1264	1161.5466	1254.7649	0.0000	-152.4006	TO UNIVERS
531 SPH	92.9644	28.4481	0.0000	0.0000	0.0000	UNIVERSAL
532 SPH	-611.1264	973.5858	1254.7649	57.1502	0.0000	UNIVERSAL
533 RCC	-611.1264	307.5952	1310.6452	57.1502	55.8802	SHAFT LEFT
	-611.1264	973.5858	1254.7649	0.0000	0.0000	UNI TO UNI
534 RCC	33.2741	0.0000	0.0000	0.0000	0.0000	RT ANGLE
	-501.3980	-1330.5842	1254.7649	-219.7109	0.0000	DRIVE RITE
535 TRC	143.0026	0.0000	0.0000	0.0000	0.0000	RT ANG DRI
	-611.1264	-1161.5466	1254.7649	0.0000	152.4006	TO UNI RT
536 SPH	92.9644	28.4481	0.0000	0.0000	0.0000	UNIVERSAL
537 SPH	-611.1264	-973.5858	1254.7649	57.1502	0.0000	UNIVERSAL
538 RCC	-611.1264	-307.5952	1310.6452	57.1502	55.8802	SHAFT RITE
	-611.1264	-973.5858	1254.7649	0.0000	665.9906	UNI TO UNI
539 RCC	33.2741	0.0000	0.0000	0.0000	0.0000	SHAFT RT A
	-611.1264	1330.5842	1254.7649	-207.0108	0.0000	TO FOR UNI
	29.4641	0.0000	0.0000	0.0000	0.0000	

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
540 SPH	-818.1372	1330.5842	1254.7649	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNIV FOR L
541 RCC	-818.1372	1330.5842	1254.7649	-1794.2631	0.0000	0.0000	0.0000	0.0000	0.0000	10.1600	SHAFT UNIV
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	TO UNIV
542 SPH	-2612.4003	1330.5842	1264.9250	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNIV REAR
543 RCC	-2612.4003	1330.5842	1264.9250	-2368.0513	-27.9401	-27.9401	-27.9401	-27.9401	-27.9401	9.1440	DRIVE SHFT
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNI TO PRO
544 RCC	-2612.4003	-1330.5842	1254.7649	-2368.0513	27.9401	27.9401	27.9401	27.9401	27.9401	19.3041	DRIVE SHFT
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNI TO PRO
545 RCC	-4955.0515	1330.5842	1274.0690	-236.4749	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	PROP UNIT
	291.5931	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FRONT PART
546 TRC	-5191.5264	1330.5842	1274.0690	-496.3180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	PROP UNIT
	291.5931	168.9107	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	REAR PART
547 ARB8	-5398.5373	1636.7824	1548.3901	-5744.9946	1455.1717	1455.1717	1455.1717	1455.1717	1455.1717	1548.3901	DUCT OUTSI
	-5859.0411	1535.4360	1548.3901	-5669.0483	1636.7824	1636.7824	1636.7824	1636.7824	1636.7824	1548.3901	DE COVER
	-5398.5373	1636.7824	1041.4041	-5744.9946	1455.1717	1455.1717	1455.1717	1455.1717	1455.1717	1041.4041	PROP UNIT
	-5859.0411	1535.4360	1041.4041	-5669.0483	1636.7824	1636.7824	1636.7824	1636.7824	1636.7824	1041.4041	PROP UNIT
548 ARB8	-5413.6808	1628.8449	1540.4526	-5744.9946	1455.1717	1455.1717	1455.1717	1455.1717	1455.1717	1540.4526	DUMMY FOR
	-5851.7690	1530.3179	1540.4526	-5667.0646	1628.8449	1628.8449	1628.8449	1628.8449	1628.8449	1540.4526	SUBTRACTIO
	-5413.6808	1628.8449	1049.3416	-5744.9946	1455.1717	1455.1717	1455.1717	1455.1717	1455.1717	1049.3416	N FROM
	-5851.7690	1530.3179	1049.3416	-5667.0646	1628.8449	1628.8449	1628.8449	1628.8449	1628.8449	1049.3416	DUCT
549 ARB8	-5609.8661	1366.5254	1548.3901	-5487.4376	1085.6003	1085.6003	1085.6003	1085.6003	1085.6003	1548.3901	DEFLECTOR
	-5892.8232	1182.6287	1548.3901	-5671.0803	1381.2574	1381.2574	1381.2574	1381.2574	1381.2574	1548.3901	LEFT PROP
	-5609.8661	1366.5254	1041.4041	-5487.4376	1085.6003	1085.6003	1085.6003	1085.6003	1085.6003	1041.4041	UNIT
	-5892.8232	1182.6287	1041.4041	-5671.0803	1381.2574	1381.2574	1381.2574	1381.2574	1381.2574	1041.4041	UNIT
550 ARB8	-5609.8661	1366.5254	1540.4526	-5491.4076	1094.7113	1094.7113	1094.7113	1094.7113	1094.7113	1540.4526	DUMMY FOR
	-5885.6324	1189.0701	1540.4526	-5671.0803	1381.2574	1381.2574	1381.2574	1381.2574	1381.2574	1540.4526	SUBTRACTIO
	-5609.8661	1366.5254	1049.3416	-5491.4076	1094.7113	1094.7113	1094.7113	1094.7113	1094.7113	1049.3416	N FROM
	-5885.6324	1189.0701	1049.3416	-5671.0803	1381.2574	1381.2574	1381.2574	1381.2574	1381.2574	1049.3416	DEFLECTOR
551 RCC	-611.1264	-1330.5842	1254.7649	-207.0108	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	SHAFT RT
	29.4641	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ANG DR-UNI
552 SPH	-818.1372	-1330.5842	1254.7649	76.2003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNIVERSAL

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
553 RCC	-818.1372	-1330.5842	1254.7649	-1794.2631	0.0000	0.0000	10.1600	SHAFT FOR			
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UNI TO UNI			
554 SPH	-2612.4003	-1330.5842	1264.9250	76.2003	0.0000	0.0000	0.0000	UNIVERSAL			
555 RCC	-4955.0515	-1330.5842	1274.0690	-236.4749	0.0000	0.0000	0.0000	PROPUL UNI			
	291.5931	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	T FRONT RI			
556 TRC	-5191.5264	-1330.5842	1274.0690	-496.3180	0.0000	0.0000	0.0000	PROPUL UNI			
	291.5931	168.9107	0.0000	0.0000	0.0000	0.0000	0.0000	T REAR RIT			
557 ARB8	-5398.5373	-1636.7824	1548.3901	-5744.9946	-1455.1717	-1636.7624	1548.3901	DUCT PROP			
	-5859.0411	-1535.4360	1548.3901	-5669.0483	-1455.1717	-1636.7624	1548.3901	UNIT			
	-5398.5373	-1636.7824	1041.4041	-5744.9946	-1455.1717	-1636.7624	1041.4041				
	-5859.0411	-1535.4360	1041.4041	-5669.0483	-1455.1717	-1636.7624	1041.4041				
558 ARB8	-5413.6808	-1628.8449	1540.4526	-5744.9946	-1455.1717	-1636.7624	1540.4526	DUMMY FOR			
	-5851.7690	-1530.3179	1540.4526	-5667.0646	-1628.8449	-1636.7624	1540.4526	SUBTRACTIO			
	-5413.6808	-1628.8449	1049.3416	-5744.9946	-1455.1717	-1636.7624	1049.3416	N FROM			
	-5851.7690	-1530.3179	1049.3416	-5667.0646	-1628.8449	-1636.7624	1049.3416	DUCT			
559 ARB8	-5609.8661	-1366.5254	1548.3901	-5487.4376	-1085.6003	-1381.2574	1548.3901	DEFLECTOR			
	-5892.8232	-1182.6287	1548.3901	-5671.0803	-1381.2574	-1085.6003	1548.3901	PROPUL			
	-5609.8661	-1366.5254	1041.4041	-5487.4376	-1085.6003	-1381.2574	1041.4041	UNIT RIGHT			
	-5892.8232	-1182.6287	1041.4041	-5671.0803	-1381.2574	-1085.6003	1041.4041				
560 ARB8	-5609.8661	-1366.5254	1540.4526	-5491.4076	-1094.7113	-1381.2574	1540.4526	DUMMY FOR			
	-5885.6324	-1189.0701	1540.4526	-5671.0803	-1381.2574	-1094.7113	1540.4526	SUBTRACTIO			
	-5609.8661	-1366.5254	1049.3416	-5491.4076	-1094.7113	-1381.2574	1049.3416	N FROM DEF			
	-5885.6324	-1189.0701	1049.3416	-5671.0803	-1381.2574	-1094.7113	1049.3416	LECTOR			
561 RCC	-5799.3508	1330.5842	1548.3901	0.0000	0.0000	0.0000	204.2168	SHAFT TO			
	14.7321	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ALT CYLIND			
562 RCC	-5799.3508	1330.5842	1752.6069	-147.3206	-136.7795	-136.7795	0.0000	ACTUATOR			
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CYLINDER L			
563 RCC	-5799.3508	-1330.5842	1548.3901	0.0000	0.0000	0.0000	204.2168	SHAFT TO			
	14.7321	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	ACT CYLIND			
564 RCC	-5799.3508	-1330.5842	1752.6069	-147.3206	136.7795	136.7795	0.0000	ACTUATOR			
	38.1002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	CYLINDER R			

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
565 RCC	-5986.8036	1206.5048	1909.3255	266.7011	0.0000	0.0000 ACTUATOR
	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000 SOLENOID L
566 RCC	-5986.8036	-1206.5048	1909.3255	266.7011	0.0000	0.0000 ACTUATOR
	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000 SOLENOID R
567 RCC	-4644.6623	885.1935	501.3980	-291.9564	-780.8423	0.0000 RAMP ACTUA
	37.0841	0.0000	0.0000	0.0000	0.0000	0.0000 TOR TUBE
568 RCC	-4936.4028	104.9380	501.3980	-365.6116	-1031.2872	0.0000 CABLE RAMP
	8.1280	0.0000	0.0000	0.0000	0.0000	0.0000 ACTUATOR
569 TRC	-4813.3190	-660.4026	436.5007	0.0000	0.0000	185.9287 HYD BILGE
	65.7863	41.1482	0.0000	0.0000	0.0000	0.0000 PUMP RT RE
570 RPP	-5203.4645	-4837.9570	595.6323	727.2049	436.5007	546.1022 BILGE PUMP
571 RPP	-4915.9354	-4837.9570	727.2049	842.2673	436.5007	546.1022 BILGE PUMP
572 RPP	-4665.2364	-4611.8962	-568.9622	792.9911	439.4217	455.9318 HYDR LINES
573 RPP	-4611.8962	-707.9008	711.2028	792.9911	439.4217	455.9318 HYDR LINES
574 TRC	-586.7423	784.8631	436.5007	0.0000	0.0000	185.9287 HYDR BILGE
	65.7863	41.1482	0.0000	0.0000	0.0000	0.0000 PUMP FR RT
575 RCC	18.7961	-600.4584	665.9906	-358.3954	0.0000	-155.9541 ELEC BILGE
	64.2623	0.0000	0.0000	0.0000	0.0000	0.0000 PUMP FR RT
576 RPP	-454.6618	-309.8812	692.1527	829.5673	1153.6725	1322.8372 SOLENOID
577 RPP	-119.6885	146.5586	232.1569	439.6757	1659.8965	1870.4634 OIL RESERV
578 RCC	-147.8286	390.3995	1975.8738	0.0000	0.0000	155.7026 HYDRAULIC
	30.9881	0.0000	0.0000	0.0000	0.0000	0.0000 OIL FILTER
579 RCC	0.0000	390.3995	1971.5558	0.0000	0.0000	82.5503 HOSE TO
	6.6040	0.0000	0.0000	0.0000	0.0000	0.0000 OIL RESERV
580 RCC	0.0000	390.3995	1968.2537	-164.3386	0.0000	0.0000 HOSE RESER
	6.6040	0.0000	0.0000	0.0000	0.0000	0.0000 VOIR-FILTR
581 RPP	0.0000	117.6025	1195.5827	1335.2833	1066.8042	1162.0546 SOLENOID
582 RCC	-313.9452	809.2472	1252.9869	394.3366	448.5073	0.0000 HYDRAULIC
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
583 RCC	76.2003	1252.9869	1252.9869	0.0000	0.0000	-107.4424 HYDRAULIC
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
584 RCC	-313.9452	809.2472	1302.5171	350.8313	457.1586	0.0000 HYDRAULIC
585 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	33.0201	1261.3690	1302.5171	0.0000	0.0000	-156.9726 HYDRAULIC
586 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	98.5524	1232.4129	1139.4485	172.9315	-39.5480	0.0000 HYDRAULIC
587 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	266.6858	1194.2619	1141.8513	248.2987	-98.6464	-332.9623 HYDRAULIC
588 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	512.0660	1101.7928	838.2033	0.0000	-2299.4076	0.0000 HYDRAULIC
589 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	98.5524	1273.5610	1139.4485	189.2993	-45.9056	0.0000 HYDRAULIC
590 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	283.1908	1229.0067	1141.6862	256.8509	-94.2471	-320.0286 HYDRAULIC
591 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	536.9581	1140.9471	825.5033	0.0000	-2338.5618	0.0000 HYDRAULIC
592 RPP	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	-936.2477	-784.1011	1415.0396	1487.9379	1037.8481	1912.6275 SEAT SUPPO
593 RPP	-900.6875	-823.7252	1131.5745	1415.0396	1441.7097	1466.8558 SEAT SUPPO
594 RPP	-1071.1222	-669.5466	1025.4020	1225.3008	1466.8558	1504.1939 SEAT SUPPO
595 RPP	-1071.1222	-1029.9741	1025.4020	1225.3008	1504.1939	1816.8692 SEAT SUPPO
596 RPP	-1029.9741	-977.9039	933.7077	1316.9952	1629.4164	1887.7354 BACK REST
597 RPP	-963.1718	-633.4785	904.4976	1358.6513	1504.1939	1593.8563 CMDR SEAT
598 RCC	512.0660	-1151.4627	812.8032	0.0000	0.0000	1315.2172 HYDRAULIC
599 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	512.0660	-1151.4627	2121.6704	-705.6148	0.0000	0.0000 HYDRAULIC
600 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	536.9581	-1151.4627	825.5033	0.0000	0.0000	1283.4671 HYDRAULIC
601 RCC	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000 LINES
	536.9581	-1151.4627	2108.9703	-795.2771	0.0000	0.0000 HYDRAULIC
602 ARB8	1034.8001	735.8409	1783.0870	1028.4500	647.7026	1783.0870 ACCELERAT

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS		
603 ARB8	856.9994	668.7846	1542.5481	865.3814	756.6690	1545.3980	DR FOOT
	1045.0922	735.0992	1775.6829	1038.7422	646.9609	1775.6829	PEDAL
	894.2613	666.0998	1515.7510	902.3233	754.0070	1518.8320	
	911.3556	765.0510	1500.6379	959.1078	765.0510	1517.4020	ACCELERAT
	913.3876	765.0510	1601.2223	886.2095	765.0510	1586.4902	OR FOOT
604 RCC	911.3556	681.2307	1500.6379	959.1078	681.2307	1517.4020	PEDAL SUPP
	913.3876	681.2307	1601.2223	886.2095	681.2307	1586.4902	ORT
605 RCC	907.2916	765.0510	1580.1402	0.0000	-234.4429	0.0000	PEDAL SUPP
	11.4300	0.0000	0.0000	0.0000	0.0000	0.0000	ORT SHAFT
606 RCC	907.2916	530.6081	1580.1402	66.0403	0.0000	83.6857	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
607 RCC	970.0298	530.6081	1659.6425	-189.3603	-8.4201	138.8293	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
608 RCC	782.1173	522.2515	1796.8640	-182.5556	-8.5090	312.2561	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
609 RCC	605.8127	513.8440	2106.7376	-159.0249	0.0000	-51.6155	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
610 RCC	446.7878	513.8440	2055.1221	8.3820	0.0000	173.7367	THROTTLE
	8.3820	0.0000	0.0000	0.0000	0.0000	0.0000	
611 RCC	455.1698	539.2441	2055.1221	0.0000	-83.8203	0.0000	SHAFT THRU
	10.4140	0.0000	0.0000	0.0000	0.0000	0.3000	ENG WALL
612 RCC	513.8440	434.3417	2124.2104	-909.6538	0.0000	-633.0670	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
613 RCC	-392.2664	434.3417	1492.0730	-452.1421	0.0000	42.2912	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
614 RCC	-840.7077	435.8251	1534.1787	-537.2451	-512.0254	-5.0927	PEDAL LINK
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	AGE
615 RCC	497.0800	538.9901	1990.3518	-133.8585	0.0000	12.4460	FUEL SHUTO
	8.3820	0.0000	0.0000	0.0000	0.0000	0.0000	FF HANDLE
616 RCC	497.0800	538.9901	1990.3518	0.0000	-109.9824	0.0000	FUEL SHUT
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000	LINKAGE

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
616 RCC	497.0800	434.3417	1990.3518	13.2639	0.0000	-64.6991 FUEL SHUT
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000 OFF LINKAG
617 RCC	513.1658	434.3417	1931.4820	-858.3735	0.0000	-433.3994 FUEL SHUT
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000 LINKAGE
618 RCC	-343.0080	434.3468	1498.6491	-500.7173	-2.2962	-19.1491 FUEL SHUT
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000 LINKAGE
619 RCC	-841.0075	432.7898	1479.4517	-610.0977	-356.5895	49.6318 FUEL SHUT
	5.3340	0.0000	0.0000	0.0000	0.0000	0.0000 LINKAGE
620 ARB8	610.1104	660.4026	2153.6745	610.1104	474.4739	2153.6745 CONTROL
	333.7573	474.4739	1998.7339	333.7573	660.4026	1998.7313 CONSOLE
	683.7707	660.4026	2022.2899	683.7707	474.4739	2022.2899 LOWER PART
	407.4176	474.4739	1867.3493	407.4176	660.4026	1867.3493
621 ARB8	611.1035	658.3706	2151.9016	611.1035	476.2519	2151.9016 AIR IN
	336.5234	476.2519	1997.9541	336.5234	658.3706	1997.9541 LOWER CONS
	683.7707	658.3706	2022.2899	683.7707	476.2519	2022.2899 DLE
	409.1905	476.2519	1868.3425	409.1880	658.3706	1868.3425
622 ARB8	610.1104	660.4026	2153.6745	610.1104	474.4739	2153.6745 CONTROL
	827.5353	474.4739	2371.0993	827.5353	660.4026	2371.0968 CONSOLE
	716.6156	660.4026	2047.1668	716.6156	474.4739	2047.1668 UPPER PART
	990.2559	474.4739	2208.3761	990.2559	660.4026	2208.3761
623 ARB8	611.5480	658.3706	2152.2368	611.5480	476.2519	2152.2368 AIR IN
	828.9729	476.2519	2369.6617	828.9704	658.3706	2369.6617 UPPER
	716.6156	658.3706	2047.1668	716.6156	476.2519	2047.1668 CONSOLE
	990.2559	476.2519	2208.3761	990.2534	658.3706	2208.3761
624 RCC	-2336.8092	1469.6498	1066.8042	0.0000	0.0000	450.8518 FIRE
	87.6303	0.0000	0.0000	0.0000	0.0000	0.0000 EXTINGUISH
625 RCC	773.4330	429.2617	2073.9182	0.0000	698.5028	0.0000 STEER SUPP
	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000 ORT BAR
626 ARB8	476.5059	737.6189	2253.7504	350.7754	748.2869	2157.4845 STEERING
	350.7754	1105.6664	2157.4845	476.5059	1116.3344	2253.7509 WHEEL
	489.1653	737.6189	2237.2124	363.4348	748.2869	2140.9465

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
627 RCC	363.4348	1105.6664	2140.9465	489.1653	1116.3344	2237.2129					STEER WHEEL
	490.9839	930.4057	2236.9868	79.8833	0.0000	-113.6019					L SHAFT
628 RCC	11.4300	0.0000	0.0000	0.0000	0.0000	0.0000					STEER WHEEL
	570.0163	930.4057	2124.4745	178.2681	0.0000	-197.1149					L SHAFT
629 RCC	16.7641	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
	788.1651	930.4057	1952.5057	70.0306	-418.9010	0.0000					LINKAGE
630 RCC	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
	856.9994	518.6700	1952.5057	-90.9222	0.0000	-4.6965					LINKAGE
631 RCC	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
	773.4330	518.6700	1948.1877	0.0000	-90.9273	0.0000					LINKAGE
632 RCC	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
	773.4330	435.1037	1948.1877	-790.7051	25.1461	-267.7171					LINKAGE
633 RPP	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					CONNECT LV
634 RCC	-27.6861	22.6061	443.4857	468.6318	1521.4660	1697.2347					STEERING
	-17.2721	460.2498	1530.1020	-475.8937	-61.6460	48.7479					LINKAGE
635 RCC	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
	-485.9039	399.5436	1578.1082	12.6975	-77.4703	0.0000					LINKAGE
636 RPP	7.3660	0.0000	0.0000	0.0000	0.0000	0.0000					STEERING
637 ARB8	1082.6793	1200.1547	813.8192	866.6514	1625.5052	1955.5537					SUPPORT
	865.3814	723.9029	1663.4525	949.2017	723.9029	1734.5728					BRAKE
	949.2017	949.7097	1734.5728	859.3921	949.7097	1658.3725					PEDAL
	880.3344	723.9029	1645.8274	964.1548	723.9029	1716.9477					BRAKE
638 ARB8	964.1548	949.7097	1716.9477	874.3476	949.7097	1640.7474					PEDAL
	929.6437	850.9034	1686.7444	933.7077	850.9034	1712.1445					LEVER
	1074.1702	850.9034	1859.0333	1120.3984	850.9034	1850.6513					BRAKE
	929.6437	863.6034	1686.7444	933.7077	863.6034	1712.1445					LINKAGE
639 RCC	1074.1702	863.6034	1859.0333	1120.3984	863.6034	1850.6513					BRAKE
	1166.6266	857.2534	1829.5692	-27.9960	0.0000	-488.1137					LINKAGE
640 RCC	10.4140	0.0000	0.0000	0.0000	0.0000	0.0000					BRAKE
	1139.7330	867.0731	1351.8035	-49.0857	-893.6949	-47.2670					LINKAGE
	10.4140	0.0000	0.0000	0.0000	0.0000	0.0000					LINKAGE

TABLE 8-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
641 RCC	1099.1766	-16.9952	1310.8738	-595.0685	17.2238	-433.2520	BRAKE				
	10.4140	0.0000	0.0000	0.0000	0.0000	0.0000	LINKAGE				
642 RCC	512.0660	0.0000	883.4155	-104.9024	0.0000	342.1393	BRAKE				
	10.4140	0.0000	0.0000	0.0000	0.0000	0.0000	LINKAGE				
643 ARB8	529.8461	-37.8461	1196.0907	529.8461	37.8461	1196.0907	BRACKET				
	477.2679	188.7227	1439.4237	477.2679	-188.7227	1439.4211	LINKAGE TO				
	497.0723	-37.8461	1189.0092	497.0723	37.8461	1189.0092	STEER BRAK				
	444.4941	188.7227	1432.3421	444.4941	-188.7227	1432.3421	E SECTION				
644 RPP	-1550.1681	-960.3778	-902.4656	-759.4630	1917.9616	2356.1133	MAGAZINE				
645 RPP	-1564.6462	-1310.1372	-1303.7871	-973.0778	1799.0891	1900.1815	CMDR SEAT				
646 RPP	-1615.4464	-1564.6462	-1286.7691	-982.4759	2026.1660	2179.8366	CMDR BACK				
647 RPP	-1615.4464	-1564.6462	-1286.7691	-982.4759	1794.7711	1799.0891	SEAT SUPPO				
648 RPP	-1529.0860	-1429.0096	-1498.6059	-910.8476	1715.7768	1766.3230	SEAT SUPPO				
649 RCC	-1330.9652	-1498.6059	1461.2678	0.0000	0.0000	1053.0881	SEAT SUPPO				
	28.5751	0.0000	0.0000	0.0000	0.0000	0.0000					
650 RCC	-937.2637	-1155.1965	1490.4779	0.0000	0.0000	228.6009	ELECTRIC				
	63.2462	0.0000	0.0000	0.0000	0.0000	0.0000	MOTOR				
651 RCC	-937.2637	-1155.1965	1719.0788	0.0000	0.0000	175.2607	HYDRAULIC				
	69.8503	0.0000	0.0000	0.0000	0.0000	0.0000	OIL RESERV				
652 RPP	-1016.7660	-857.7614	-1234.6989	-1075.6942	1894.3395	2026.6740	PUMP-DRIVE				
653 RCC	-937.2637	-1155.1965	2026.6740	0.0000	0.0000	263.1450	ACCUMULATO				
	59.9442	0.0000	0.0000	0.0000	0.0000	0.0000	R				
654 RCC	-1270.0050	-1054.1042	1457.9657	0.0000	0.0000	-387.3515	SLIP RING				
	88.9003	0.0000	0.0000	0.0000	0.0000	0.0000					
655 RCC	-1409.9596	-1421.8976	2379.2274	0.0000	0.0000	60.9602	TRAVERSE				
	69.8503	0.0000	0.0000	0.0000	0.0000	0.0000	DRIVE				
656 RCC	-1515.6240	-1356.8733	2379.2274	0.0000	0.0000	124.2065	TRAVERSE				
	47.7522	0.0000	0.0000	0.0000	0.0000	0.0000	MOTOR				
657 RPP	-1199.3927	-1038.3561	-1380.4554	-1134.1145	2831.0951	3144.7864	SIGHT				
658 RPP	67.5643	230.1249	1264.9250	1337.8233	1419.8656	2053.3441	SUPPORT				
659 RPP	110.7444	186.9447	981.4599	1264.9250	1578.1082	1603.5083	SEAT SUPPO				

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE		SOLID PARAMETERS					REMARKS	
660	RPP	-38.1002	373.6355	823.9792	1023.8780	1603.5083	1630.9404	SEAT SUPPO
661	RPP	-38.1002	0.0000	823.9792	1023.8780	1630.9404	1943.6157	SEAT SUPPO
662	RPP	67.5643	428.4997	691.6447	1156.2126	1630.9404	1730.2548	DRVR SEAT
663	RPP	0.0000	42.1642	729.7449	1118.1124	1757.6869	2007.1159	BACK REST
664	ELL1	123.4445	923.9286	2452.7556	100.0002	0.0000	0.0000	HEAD
		85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	
665	REC	123.4445	923.9286	2150.2556	0.0000	0.0000	260.0005	UPPER
		0.0000	145.0016	0.0000	107.0005	0.0000	0.0000	TORSO
666	REC	123.4445	923.9286	1890.2551	0.0000	0.0000	261.0013	LOWER
		0.0000	145.0016	0.0000	107.0005	0.0000	0.0000	TORSO
667	REC	123.4445	923.9286	1730.2548	0.0000	0.0000	160.0003	HIPS
		0.0000	157.0006	0.0000	102.9999	0.0000	0.0000	
668	RCC	123.4445	1116.4284	2410.2561	0.0000	0.0000	-364.0012	UPPER ARM
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT
669	RCC	123.4445	731.4289	2410.2561	0.0000	0.0000	-364.0012	UPPER ARM
		47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
670	TRC	75.9438	1116.4284	2021.0047	274.0010	0.0000	0.0000	LOWER ARM
		42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	LEFT
671	TRC	75.9438	731.4289	2021.0047	274.0010	0.0000	0.0000	LOWER ARM
		42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	RIGHT
672	TEC	174.9457	923.9286	1810.2550	349.5994	0.0000	0.0000	UPPER LEGS
		0.0000	160.0003	0.0000	0.0000	0.0000	80.0002	
		1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	
673	TEC	491.5377	923.9286	1810.2550	0.0000	0.0000	-458.0019	LOWER LEGS
		0.0000	131.9992	0.0000	65.5996	0.0000	0.0000	
		1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	
674	ELL1	-896.6235	1125.2244	2316.3570	100.0002	0.0000	0.0000	HEAD
		85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	
675	REC	-896.6235	1125.2244	2013.8571	0.0000	0.0000	260.0005	UPPER
		0.0000	145.0016	0.0000	107.0005	0.0000	0.0000	TORSO
676	REC	-896.6235	1125.2244	1753.8566	0.0000	0.0000	261.0013	LOWER

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	0.0000	145.0016	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	TORSO
677 REC	-896.6235	1125.2244	1593.8563	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	0.0000	157.0006	0.0000	0.0000	102.9999	0.0000	0.0000	0.0000	0.0000	0.0000	
678 RCC	-896.6235	1317.7242	2273.8576	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT
679 RCC	-896.6235	932.7247	2273.8576	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
680 TRC	-944.1243	1317.7242	1884.6061	274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT
681 TRC	-944.1243	932.7247	1884.6061	274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
682 TEC	-845.1223	1125.2244	1673.8564	349.5994	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UPPER LEGS
	0.0000	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
683 TEC	-528.5304	1125.2244	1673.8564	396.6403	0.0000	0.0000	0.0000	0.0000	0.0000	-228.9997	LOWER LEGS
	0.0000	131.9992	0.0000	0.0000	32.9998	0.0000	0.0000	0.0000	0.0000	57.1553	TRP CMDR
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
684 ELL1	-1483.3658	-1134.8765	2622.6822	100.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	HEAD
	85.0014	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
685 REC	-1483.3658	-1134.8765	2320.1823	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	260.0005	UPPER
	0.0000	145.0016	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	TORSO
686 REC	-1483.3658	-1134.8765	2060.1818	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	261.0013	LOWER
	0.0000	145.0016	0.0000	0.0000	107.0005	0.0000	0.0000	0.0000	0.0000	0.0000	TORSO
687 REC	-1483.3658	-1134.8765	1900.1815	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	160.0003	HIPS
	0.0000	157.0006	0.0000	0.0000	102.9999	0.0000	0.0000	0.0000	0.0000	0.0000	
688 RCC	-1483.3658	-942.3767	2580.1828	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT
689 RCC	-1483.3658	-1327.3762	2580.1828	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-364.0012	UPPER ARM
	47.5007	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
690 TRC	-1530.8666	-942.3767	2190.9313	274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LEFT

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
691 TRC	-1530.8666	-1327.3762	2190.9313	274.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER ARM
	42.4994	30.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RIGHT
692 TEC	-1431.8646	-1134.8765	1980.1816	349.5994	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	UPPER LEGS
	0.0000	160.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	80.0002	
	1.2121	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
693 TEC	-1115.2727	-1134.8765	1980.1816	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LOWER LEGS
	0.0000	131.9992	0.0000	65.9996	0.0000	0.0000	0.0000	0.0000	0.0000	-458.0019	
	1.3200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
694 RCC	-1409.9596	-1421.8976	2440.1876	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	97.0284	TUR TRAVER
	41.9102	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	SE DRIVE
695 RCC	-1409.9596	-1421.8976	2379.2274	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-69.3423	TUR TRAVER
	30.4801	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	SE DRIVE
696 RCC	-2854.9712	1149.1005	1472.1898	82.5503	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FROM CELL
697 RCC	-2778.7709	1149.1005	1472.1898	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-386.3355	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
698 RCC	-2778.7709	1149.1005	1092.2043	0.0000	0.0000	0.0000	0.0000	154.1786	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
699 RCC	-2778.7709	1296.9291	1092.2043	202.1848	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
700 RPP	-2576.5861	-1066.8042	1257.5590	1333.7593	0.0000	0.0000	0.0000	1085.8543	0.0000	1098.5543	FUEL LINES
701 RCC	-2854.9712	1444.5037	1615.4464	82.5503	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
702 RCC	-2778.7709	1444.5037	1615.4464	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-529.5921	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
703 RCC	-2778.7709	1444.5037	1092.2043	0.0000	0.0000	0.0000	0.0000	-153.9246	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
704 RCC	-2778.7709	1296.9291	1092.2043	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
705 RCC	-1066.8042	1326.3432	1092.2043	368.4742	0.0000	0.0000	0.0000	-156.7161	0.0000	0.0000	FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
706 RCC	-700.8116	1170.1826	1092.2043	387.6004	0.0000	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
707 RCC	-319.5333	1170.1826	1092.2043	-30.3099	-323.0613	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
708 RCC	-349.2514	853.4434	1092.2043	6.3500	0.0000	-135.1285 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
709 RCC	-1066.8042	1288.2931	1092.2043	317.8391	-161.2144	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
710 RCC	-751.8353	1127.7644	1092.2043	402.5103	0.0000	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
711 RCC	-355.6014	1127.7644	1092.2043	-43.1268	-280.5949	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
712 RCC	-397.7656	853.4434	1092.2043	0.0000	0.0000	-135.1285 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
713 RCC	-1066.8042	1270.0050	1092.2043	309.5866	-180.9529	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
714 RCC	-760.4206	1089.9183	1092.2043	370.3792	0.0000	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
715 RCC	-396.2416	1089.9183	1092.2043	-53.4342	-242.6751	0.0000 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
716 RCC	-448.3118	853.4434	1092.2043	0.0000	0.0000	-135.1285 FUEL LINES
	6.3500	0.0000	0.0000	0.0000	0.0000	0.0000
717 RPP	-463.5518	-290.0691	823.9792	906.2756	947.4237	998.2239 MANIFOLD
718 RCC	-510.5420	-868.4294	508.5100	0.0000	1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
719 RCC	-510.5420	-868.4294	508.5100	0.0000	-242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
720 AR88	-837.8477	-1228.3488	359.6172	-787.9035	-1228.3488	359.6172
	-787.9035	-1228.3488	440.8975	-837.8477	-1228.3488	440.8975
	-526.7625	-1110.4924	469.6478	-494.3215	-1110.4924	469.6478
	-494.3215	-1110.4924	550.9282	-526.7625	-1110.4924	550.9282

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
721 RCC	-818.1372	-1358.1967	400.2573	0.0000	129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
722 TRC	-818.1372	-1358.1967	400.2573	0.0000	-44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
723 RCC	-818.1372	-1402.9009	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
724 RCC	-818.1372	-1402.9009	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
725 RCC	-818.1372	-1402.9009	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
726 RCC	-818.1372	-1165.1610	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
727 RCC	-818.1372	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
728 RCC	-818.1372	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
729 RCC	-1272.5450	-868.4294	508.5100	0.0000	1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
730 RCC	-1272.5450	-868.4294	508.5100	0.0000	-242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
731 ARB8	-1599.8507	-1228.3488	359.6172	-1549.9065	-1228.3488	359.6172
	-1549.9065	-1228.3488	440.8975	-1599.8507	-1228.3488	440.8975
	-1288.7655	-1110.4924	469.6478	-1256.3245	-1110.4924	469.6478
	-1256.3245	-1110.4924	550.9282	-1288.7655	-1110.4924	550.9282
732 RCC	-1580.1402	-1358.1967	400.2573	0.0000	129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
733 TRC	-1580.1402	-1358.1967	400.2573	0.0000	-44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
734 RCC	-1580.1402	-1402.9009	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
735 RCC	-1580.1402	-1402.9009	400.2573	0.0000	105.7432	0.0000

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
736 RCC	-1580.1402	-1402.9009	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	105.7432	0.0000	
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
737 RCC	-1580.1402	-1165.1610	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-93.5409	0.0000	
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
738 RCC	-1580.1402	-1165.1610	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-105.7432	0.0000	
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
739 RCC	-1580.1402	-1165.1610	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-105.7432	0.0000	
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
740 RCC	-2034.5480	-868.4294	0.0000	508.5100	0.0000	0.0000	0.0000	0.0000	1470.1578	0.0000	
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
741 RCC	-2034.5480	-868.4294	0.0000	508.5100	0.0000	0.0000	0.0000	0.0000	-242.0630	0.0000	
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
742 AR88	-2361.8537	-1228.3488	0.0000	359.6172	-2311.9095	-1228.3488	0.0000	0.0000	-1228.3488	359.6172	
	-2311.9095	-1228.3488	0.0000	440.8975	-2361.8537	-1228.3488	0.0000	0.0000	-1228.3488	440.8975	
	-2050.7685	-1110.4924	0.0000	469.6478	-2018.3275	-1110.4924	0.0000	0.0000	-1110.4924	469.6478	
	-2018.3275	-1110.4924	0.0000	550.9282	-2050.7685	-1110.4924	0.0000	0.0000	-1110.4924	550.9282	
743 RCC	-2342.1432	-1358.1967	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	129.8479	0.0000	
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
744 TRC	-2342.1432	-1358.1967	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-44.7042	0.0000	
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
745 RCC	-2342.1432	-1402.9009	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	93.5409	0.0000	
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
746 RCC	-2342.1432	-1402.9009	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	105.7432	0.0000	
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
747 RCC	-2342.1432	-1402.9009	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	105.7432	0.0000	
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
748 RCC	-2342.1432	-1165.1610	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-93.5409	0.0000	
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
749 RCC	-2342.1432	-1165.1610	0.0000	400.2573	0.0000	0.0000	0.0000	0.0000	-105.7432	0.0000	
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
750 RCC	-2342.1432	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
751 RCC	-2847.3512	-868.4294	508.5100	0.0000	1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
752 RCC	-2847.3512	-868.4294	508.5100	0.0000	-242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
753 ARB8	-3174.6569	-1228.3488	359.6172	-3124.7127	-1228.3488	359.6172
	-3124.7127	-1228.3488	440.8975	-3174.6569	-1228.3488	440.8975
	-2863.5717	-1110.4924	469.6478	-2831.1307	-1110.4924	469.6478
	-2831.1307	-1110.4924	550.9282	-2863.5717	-1110.4924	550.9282
754 RCC	-3154.9464	-1358.1967	400.2573	0.0000	129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
755 TRC	-3154.9464	-1358.1967	400.2573	0.0000	-44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
756 RCC	-3155.1598	-1402.9009	400.2573	0.0000	93.5409	0.0000
	285.4971	0.0000	0.0000	0.0000	0.0000	0.0000
757 RCC	-3154.9464	-1402.9009	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
758 RCC	-3154.9464	-1402.9009	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
759 RCC	-3154.9464	-1165.1610	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
760 RCC	-3154.9464	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
761 RCC	-3154.9464	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
762 RCC	-3660.1544	-868.4294	508.5100	0.0000	1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
763 RCC	-3660.1544	-868.4294	508.5100	0.0000	-242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
764 ARB8	-3987.4601	-1228.3488	359.6172	-3937.5159	-1228.3488	359.6172

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-3937.5159	-1228.3488	440.8975	-3987.4601	-1228.3488	440.8975					440.8975
	-3676.3749	-1110.4924	469.6478	-3643.9339	-1110.4924	469.6478					469.6478
	-3643.9339	-1110.4924	550.9282	-3676.3749	-1110.4924	550.9282					550.9282
765 RCC	-3967.7496	-1358.1967	400.2573	0.0000	129.8479	0.0000					0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
766 TRC	-3967.7496	-1358.1967	400.2573	0.0000	-44.7042	0.0000					0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000					0.0000
767 RCC	-3967.9630	-1402.9009	400.2573	0.0000	93.5409	0.0000					0.0000
	285.4971	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
768 RCC	-3967.7496	-1402.9009	400.2573	0.0000	105.7432	0.0000					0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
769 RCC	-3967.7496	-1402.9009	400.2573	0.0000	105.7432	0.0000					0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
770 RCC	-3967.7496	-1165.1610	400.2573	0.0000	-93.5409	0.0000					0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
771 RCC	-3967.7496	-1165.1610	400.2573	0.0000	-105.7432	0.0000					0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
772 RCC	-3967.7496	-1165.1610	400.2573	0.0000	-105.7432	0.0000					0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
773 RCC	-4447.5575	-868.4294	508.5100	0.0000	1470.1578	0.0000					0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
774 RCC	-4447.5575	-868.4294	508.5100	0.0000	-242.0630	0.0000					0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
775 ARB8	-4774.8632	-1228.3488	359.6172	-4724.9190	-1228.3488	359.6172					359.6172
	-4724.9190	-1228.3488	440.8975	-4774.8632	-1228.3488	440.8975					440.8975
	-4463.7780	-1110.4924	469.6478	-4431.3370	-1110.4924	469.6478					469.6478
	-4431.3370	-1110.4924	550.9282	-4463.7780	-1110.4924	550.9282					550.9282
776 RCC	-4755.1527	-1358.1967	400.2573	0.0000	129.8479	0.0000					0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000					0.0000
777 TRC	-4755.1527	-1358.1967	400.2573	0.0000	-44.7042	0.0000					0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000					0.0000

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
778 RCC	-4755.1527	-1402.9009	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
779 RCC	-4755.1527	-1402.9009	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
780 RCC	-4755.1527	-1402.9009	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
781 RCC	-4755.1527	-1165.1610	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
782 RCC	-4755.1527	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
783 RCC	-4755.1527	-1165.1610	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
784 RCC	0.0000	-1406.9750	673.1027	0.0000	-15.8751	0.0000
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000
785 RCC	0.0000	-1406.9750	673.1027	0.0000	-15.8751	0.0000
	190.5008	0.0000	0.0000	0.0000	0.0000	0.0000
786 TRC	0.0000	-1406.9750	673.1027	0.0000	109.5379	0.0000
	206.3225	140.5896	0.0000	0.0000	0.0000	0.0000
787 TRC	0.0000	-1406.9750	673.1027	0.0000	100.0129	0.0000
	190.5008	140.5896	0.0000	0.0000	0.0000	0.0000
788 RCC	0.0000	-1187.8992	673.1027	0.0000	15.8751	0.0000
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000
789 RCC	0.0000	-1187.8992	673.1027	0.0000	15.8751	0.0000
	190.5008	0.0000	0.0000	0.0000	0.0000	0.0000
790 TRC	0.0000	-1187.8992	673.1027	0.0000	-109.5379	0.0000
	206.3225	140.5896	0.0000	0.0000	0.0000	0.0000
791 TRC	0.0000	-1187.8992	673.1027	0.0000	-100.0129	0.0000
	190.5008	140.5896	0.0000	0.0000	0.0000	0.0000
792 RCC	-5535.9518	-1414.9126	584.2023	0.0000	99.2052	0.0000
	25.0547	0.0000	0.0000	0.0000	0.0000	0.0000
793 RCC	-5535.9518	-1414.9126	584.2023	0.0000	99.2052	0.0000

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
794 RCC	-5535.9518	-1414.9126	584.2023	584.2023	0.0000	0.0000	0.0000	85.2351	0.0000	0.0000	0.0000
	240.0309	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
795 TRC	-5535.9518	-1279.1668	584.2023	584.2023	0.0000	0.0000	0.0000	-36.5406	0.0000	0.0000	0.0000
	31.3183	25.0547	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
796 RCC	-5535.9518	-1279.1668	584.2023	584.2023	0.0000	0.0000	0.0000	300.5010	0.0000	0.0000	0.0000
	31.3183	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
797 RCC	-5535.9518	-1279.1668	584.2023	584.2023	0.0000	0.0000	0.0000	99.2052	0.0000	0.0000	0.0000
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
798 RCC	-5534.6818	-1179.9616	584.2023	584.2023	0.0000	0.0000	0.0000	-85.2351	0.0000	0.0000	0.0000
	240.0309	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
799 RCC	-402.7643	868.4294	508.5100	508.5100	0.0000	0.0000	0.0000	-1470.1578	0.0000	0.0000	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
800 RCC	-402.7643	868.4294	508.5100	508.5100	0.0000	0.0000	0.0000	242.0630	0.0000	0.0000	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
801 ARB8	-704.6699	1228.3488	359.6172	359.6172	-680.1258	1228.3488	1228.3488	359.6172	0.0000	0.0000	0.0000
	-680.1258	1228.3488	440.8975	440.8975	-704.6699	1228.3488	1228.3488	440.8975	0.0000	0.0000	0.0000
	-418.9848	1110.4924	469.6478	469.6478	-386.5438	1110.4924	1110.4924	469.6478	0.0000	0.0000	0.0000
	-386.5438	1110.4924	550.9282	550.9282	-418.9848	1110.4924	1110.4924	550.9282	0.0000	0.0000	0.0000
802 RCC	-710.3595	1358.1967	400.2573	400.2573	0.0000	0.0000	0.0000	-129.8479	0.0000	0.0000	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
803 TRC	-710.3595	1358.1967	400.2573	400.2573	0.0000	0.0000	0.0000	44.7042	0.0000	0.0000	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
804 RCC	-710.3595	1402.9009	400.2573	400.2573	0.0000	0.0000	0.0000	-93.5409	0.0000	0.0000	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
805 RCC	-710.3595	1402.9009	400.2573	400.2573	0.0000	0.0000	0.0000	-105.7432	0.0000	0.0000	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
806 RCC	-710.3595	1402.9009	400.2573	400.2573	0.0000	0.0000	0.0000	-105.7432	0.0000	0.0000	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
807 RCC	-710.3595	1165.1610	400.2573	400.2573	0.0000	0.0000	0.0000	93.5409	0.0000	0.0000	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
808 RCC	-710.3595	1165.1610	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
809 RCC	-710.3595	1165.1610	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
810 RCC	-1164.7673	868.4294	508.5100	0.0000	-1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
811 RCC	-1164.7673	868.4294	508.5100	0.0000	242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
812 ARB8	-1466.6729	1228.3488	359.6172	-1442.1288	1228.3488	359.6172
	-1442.1288	1228.3488	440.8975	-1466.6729	1228.3488	440.8975
	-1180.9878	1110.4924	469.6478	-1148.5468	1110.4924	469.6478
	-1148.5468	1110.4924	550.9282	-1180.9878	1110.4924	550.9282
813 RCC	-1472.3625	1358.1967	400.2573	0.0000	-129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
814 TRC	-1472.3625	1358.1967	400.2573	0.0000	44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
815 RCC	-1472.3625	1402.9009	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
816 RCC	-1472.3625	1402.9009	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
817 RCC	-1472.3625	1402.9009	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
818 RCC	-1472.3625	1165.1610	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
819 RCC	-1472.3625	1165.1610	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
820 RCC	-1472.3625	1165.1610	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
821 RCC	-1926.7703	868.4294	508.5100	0.0000	-1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
822 RCC	-1926.7703	868.4294	508.5100	0.0000	242.0630	0.0000

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
823 AR88	-2228.6759	1228.3488	1228.3488	359.6172	-2204.1318	1228.3488	1228.3488	359.6172	0.0000	0.0000	
	-2204.1318	1228.3488	1228.3488	440.8975	-2228.6759	1228.3488	1228.3488	440.8975	0.0000	0.0000	
	-1942.9908	1110.4924	1110.4924	469.6478	-1910.5498	1110.4924	1110.4924	469.6478	0.0000	0.0000	
	-1910.5498	1110.4924	1110.4924	550.9282	-1942.9908	1110.4924	1110.4924	550.9282	0.0000	0.0000	
824 RCC	-2234.3655	1358.1967	1358.1967	400.2573	0.0000	-129.8479	0.0000	0.0000	0.0000	0.0000	
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
825 TRC	-2234.3655	1358.1967	1358.1967	400.2573	0.0000	44.7042	0.0000	0.0000	0.0000	0.0000	
	69.0883	20.3353	20.3353	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
826 RCC	-2234.3655	1402.9009	1402.9009	400.2573	0.0000	-93.5409	0.0000	0.0000	0.0000	0.0000	
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
827 RCC	-2234.3655	1402.9009	1402.9009	400.2573	0.0000	-105.7432	0.0000	0.0000	0.0000	0.0000	
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
828 RCC	-2234.3655	1402.9009	1402.9009	400.2573	0.0000	-105.7432	0.0000	0.0000	0.0000	0.0000	
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
829 RCC	-2234.3655	1165.1610	1165.1610	400.2573	0.0000	93.5409	0.0000	0.0000	0.0000	0.0000	
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
830 RCC	-2234.3655	1165.1610	1165.1610	400.2573	0.0000	105.7432	0.0000	0.0000	0.0000	0.0000	
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
831 RCC	-2234.3655	1165.1610	1165.1610	400.2573	0.0000	105.7432	0.0000	0.0000	0.0000	0.0000	
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
832 RCC	-2739.5735	868.4294	868.4294	508.5100	0.0000	-1470.1578	0.0000	0.0000	0.0000	0.0000	
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
833 RCC	-2739.5735	868.4294	868.4294	508.5100	0.0000	242.0630	0.0000	0.0000	0.0000	0.0000	
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
834 AR88	-3041.4791	1228.3488	1228.3488	359.6172	-3016.9350	1228.3488	1228.3488	359.6172	0.0000	0.0000	
	-3016.9350	1228.3488	1228.3488	440.8975	-3041.4791	1228.3488	1228.3488	440.8975	0.0000	0.0000	
	-2755.7940	1110.4924	1110.4924	469.6478	-2723.3530	1110.4924	1110.4924	469.6478	0.0000	0.0000	
	-2723.3530	1110.4924	1110.4924	550.9282	-2755.7940	1110.4924	1110.4924	550.9282	0.0000	0.0000	
835 RCC	-3047.1687	1358.1967	1358.1967	400.2573	0.0000	-129.8479	0.0000	0.0000	0.0000	0.0000	
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
836 TRC	-3047.1687	1358.1967	400.2573	0.0000	44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
837 RCC	-3047.1687	1402.9009	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
838 RCC	-3047.1687	1402.9009	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
839 RCC	-3047.1687	1402.9009	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
840 RCC	-3047.1687	1165.1610	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
841 RCC	-3047.1687	1165.1610	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
842 RCC	-3047.1687	1165.1610	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
843 RCC	-3552.3767	868.4294	508.5100	0.0000	-1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
844 RCC	-3552.3767	868.4294	508.5100	0.0000	242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
845 ARB8	-3854.2823	1228.3488	359.6172	-3829.7382	1228.3488	359.6172
	-3829.7382	1228.3488	440.8975	-3854.2823	1228.3488	440.8975
	-3568.5972	1110.4924	469.6478	-3536.1562	1110.4924	469.6478
	-3536.1562	1110.4924	550.9282	-3568.5972	1110.4924	550.9282
846 RCC	-3859.9719	1358.1967	400.2573	0.0000	-129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
847 RCC	-3859.9719	1358.1967	400.2573	0.0000	44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
848 RCC	-3859.9719	1402.9009	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
849 RCC	-3859.9719	1402.9009	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
850 RCC	-3859.9719	1402.9009	400.2573	0.0000	-105.7432	0.0000

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
851 RCC	-3859.9719	1165.1610	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
852 RCC	-3859.9719	1165.1610	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
853 RCC	-3859.9719	1165.1610	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
854 RCC	-4339.7798	868.4294	508.5100	0.0000	-1470.1578	0.0000
	36.5761	0.0000	0.0000	0.0000	0.0000	0.0000
855 RCC	-4339.7798	868.4294	508.5100	0.0000	242.0630	0.0000
	60.9602	0.0000	0.0000	0.0000	0.0000	0.0000
856 ARB8	-4641.6854	1228.3488	359.6172	-4617.1413	1228.3488	359.6172
	-4617.1413	1228.3488	440.8975	-4641.6854	1228.3488	440.8975
	-4356.0003	1110.4924	469.6478	-4323.5593	1110.4924	469.6478
	-4323.5593	1110.4924	550.9282	-4356.0003	1110.4924	550.9282
857 RCC	-4647.3750	1358.1967	400.2573	0.0000	-129.8479	0.0000
	69.0883	0.0000	0.0000	0.0000	0.0000	0.0000
858 TRC	-4647.3750	1358.1967	400.2573	0.0000	44.7042	0.0000
	69.0883	20.3353	0.0000	0.0000	0.0000	0.0000
859 RCC	-4647.3750	1402.9009	400.2573	0.0000	-93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
860 RCC	-4647.3750	1402.9009	400.2573	0.0000	-105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
861 RCC	-4647.3750	1402.9009	400.2573	0.0000	-105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000
862 RCC	-4647.3750	1165.1610	400.2573	0.0000	93.5409	0.0000
	285.7105	0.0000	0.0000	0.0000	0.0000	0.0000
863 RCC	-4647.3750	1165.1610	400.2573	0.0000	105.7432	0.0000
	297.9127	0.0000	0.0000	0.0000	0.0000	0.0000
864 RCC	-4647.3750	1165.1610	400.2573	0.0000	105.7432	0.0000
	329.4317	0.0000	0.0000	0.0000	0.0000	0.0000

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
865 RCC	0.0000	1406.9750	673.1027	0.0000	15.8751	0.0000
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000
866 RCC	0.0000	1406.9750	673.1027	0.0000	15.8751	0.0000
	190.5008	0.0000	0.0000	0.0000	0.0000	0.0000
867 TRC	0.0000	1406.9750	673.1027	0.0000	-109.5379	0.0000
	206.3225	140.5896	0.0000	0.0000	0.0000	0.0000
868 TRC	0.0000	1406.9750	673.1027	0.0000	-100.0129	0.0000
	190.5008	140.5896	0.0000	0.0000	0.0000	0.0000
869 RCC	0.0000	1187.8992	673.1027	0.0000	-15.8751	0.0000
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000
870 RCC	0.0000	1187.8992	673.1027	0.0000	-15.8751	0.0000
	190.5008	0.0000	0.0000	0.0000	0.0000	0.0000
871 TRC	0.0000	1187.8992	673.1027	0.0000	109.5379	0.0000
	206.3225	140.5896	0.0000	0.0000	0.0000	0.0000
872 TRC	0.0000	1187.8992	673.1027	0.0000	100.0129	0.0000
	190.5008	140.5896	0.0000	0.0000	0.0000	0.0000
873 RCC	-5535.9518	1414.9126	584.2023	0.0000	-99.2052	0.0000
	25.0547	0.0000	0.0000	0.0000	0.0000	0.0000
874 RCC	-5535.9518	1414.9126	584.2023	0.0000	-99.2052	0.0000
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000
875 RCC	-5535.9518	1414.9126	584.2023	0.0000	-85.2351	0.0000
	240.0309	0.0000	0.0000	0.0000	0.0000	0.0000
876 TRC	-5535.9518	1279.1668	584.2023	0.0000	36.5406	0.0000
	31.3183	25.0547	0.0000	0.0000	0.0000	0.0000
877 RCC	-5535.9518	1279.1668	584.2023	0.0000	-300.5010	0.0000
	31.3183	0.0000	0.0000	0.0000	0.0000	0.0000
878 RCC	-5535.9518	1279.1668	584.2023	0.0000	-99.2052	0.0000
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000
879 RCC	-5535.9518	1179.9616	584.2023	0.0000	85.2351	0.0000
	240.0309	0.0000	0.0000	0.0000	0.0000	0.0000
880 BOX	-700.6440	-1564.1382	.0076	832.9531	0.0000	391.8270 FRNT SLOPE

TABLE 8-1. SOLID TABLE FOR LVPT7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
	-30.2718	0.0000	64.3537	0.0000	533.4021	0.0000
881 BOX	-4869.1052	-1564.1382	.0076	-776.4760	0.0000	276.1133 REAR SLOPE
	23.9802	0.0000	66.9547	0.0000	533.4021	0.0000
882 RPP	-4869.1052	-700.6440	-1564.1382	-1030.7361	.0076	71.1279 TRACK BOT
883 ARB8	3375.8689	-776.7351	2253.9414	3375.8689	-776.7351	-6503.3933 IDLER DUM
	0.0000	-776.7351	673.1027	0.0000	-776.7351	2253.9414
	3375.8689	-1818.1392	2253.9414	3375.8689	-1818.1392	-6503.3933
	0.0000	-1818.1392	673.1027	0.0000	-1818.1392	2253.9414
884 ARB8	-8215.0400	-776.7351	2179.3286	-8215.0400	-776.7351	-0895.6293 DRIVE DUM
	-5535.9518	-776.7351	584.2023	-5535.9518	-776.7351	2179.3286
	-8215.0400	-1818.1392	2179.3286	-8215.0400	-1818.1392	-6895.6293
	-5535.9518	-1818.1392	584.2023	-5535.9518	-1818.1392	2179.3286
885 RCC	0.0000	-1564.1382	673.1027	0.0000	533.4021	0.0000 TRCK IDLER
	310.8337	0.0000	0.0000	0.0000	0.0000	0.0000
886 RCC	-5535.9518	-1564.1382	584.2023	0.0000	533.4021	0.0000 TRCK DRIVE
	325.1213	0.0000	0.0000	0.0000	0.0000	0.0000
887 BOX	253.9756	-1030.7361	916.2375	-6043.9055	0.0000	-81.4581 TRACK TOP
	-.9576	0.0000	71.1127	0.0000	-533.4021	0.0000
888 RCC	0.0000	-1564.1382	673.1027	0.0000	533.4021	0.0000 IDLER DUM
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000
889 RCC	-5535.9518	-1564.1382	584.2023	0.0000	533.4021	0.0000 DRIVE DUM
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000
890 BOX	-590.7479	1030.7361	.0076	738.6806	0.0000	399.7188 FRNT SLOPE
	-33.8456	0.0000	62.5477	0.0000	533.4021	0.0000
891 BOX	-4759.8670	1030.7361	.0076	-873.3951	0.0000	273.9782 REAR SLOPE
	21.2853	0.0000	67.8589	0.0000	533.4021	0.0000
892 RPP	-4759.8670	-590.7479	1030.7361	1564.1382	.0076	71.1279 TRACK BOT
893 ARB8	3774.4193	1818.1392	2253.9414	3774.4193	1818.1392	-6302.0188 IDLER DUM
	0.0000	1818.1392	673.1027	0.0000	1818.1392	2253.9414
	3774.4193	776.7351	2253.9414	3774.4193	776.7351	-6302.0188
	0.0000	776.7351	673.1027	0.0000	776.7351	2253.9414

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
894 AR88	-7914.0311	1818.1392	2179.3286	-7914.0311	1818.1392	-6996.7039	2179.3286	1818.1392	1818.1392	2179.3286	DRIVE DUM
	-5535.9518	1818.1392	584.2023	-5535.9518	1818.1392	2179.3286	-6996.7039	776.7351	776.7351	2179.3286	
	-7914.0311	776.7351	2179.3286	-7914.0311	776.7351	2179.3286	-6996.7039	533.4021	533.4021	0.0000	TRCK IDLER
895 RCC	-5535.9518	776.7351	584.2023	-5535.9518	776.7351	2179.3286	-6996.7039	533.4021	533.4021	0.0000	TRCK DRIVE
	310.8337	1030.7361	0.0000	0.0000	1030.7361	0.0000	0.0000	0.0000	0.0000	0.0000	
896 RCC	-5535.9518	1030.7361	584.2023	0.0000	1030.7361	0.0000	0.0000	0.0000	0.0000	0.0000	
	325.1213	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
897 80X	253.9756	1564.1382	916.2375	-6043.9055	1564.1382	916.2375	-6043.9055	0.0000	0.0000	-81.4581	TRACK TOP
	-.9576	0.0000	71.1127	0.0000	0.0000	71.1127	0.0000	-533.4021	-533.4021	0.0000	
898 RCC	0.0000	1030.7361	673.1027	0.0000	1030.7361	673.1027	0.0000	533.4021	533.4021	0.0000	IDLER DUM
	239.7134	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
899 RCC	-5535.9518	1030.7361	584.2023	0.0000	1030.7361	584.2023	0.0000	533.4021	533.4021	0.0000	DRIVE DUM
	254.0010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
900 RCC	-5535.9518	-994.4139	685.8027	0.0000	-994.4139	685.8027	0.0000	-177.9328	-177.9328	0.0000	
	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
901 RCC	-5535.9518	-1132.6946	685.8027	431.5350	-1132.6946	685.8027	431.5350	0.0000	0.0000	-165.1540	
	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
902 RCC	-5141.4476	-1132.6946	534.8194	0.0000	-1132.6946	534.8194	0.0000	138.2807	138.2807	0.0000	
	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
903 RCC	-5075.9560	-994.4139	638.3045	0.0000	-994.4139	638.3045	0.0000	-132.1796	-132.1796	0.0000	
	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
904 RCC	-5075.9560	-1075.7552	638.3045	596.3689	-1075.7552	638.3045	596.3689	0.0000	0.0000	-353.0716	
	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
905 RCC	-4523.3311	-1075.7552	311.1309	0.0000	-1075.7552	311.1309	0.0000	81.3413	81.3413	0.0000	
	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
906 RCC	-1135.3692	-994.4139	638.3045	0.0000	-994.4139	638.3045	0.0000	-132.1796	-132.1796	0.0000	
	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
907 RCC	-1135.3692	-1075.7552	638.3045	592.7240	-1075.7552	638.3045	592.7240	0.0000	0.0000	-353.1960	
	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
908 RCC	-586.3156	-1075.7552	311.1309	0.0000	-1075.7552	311.1309	0.0000	81.3413	81.3413	0.0000	

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
909 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-5535.9518	994.4139	685.8027	0.0000	0.0000	177.9328	0.0000	0.0000	0.0000	0.0000	
910 RCC	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-5535.9518	1132.6946	685.8027	431.5350	0.0000	0.0000	0.0000	0.0000	-165.1540	0.0000	
911 RCC	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-5141.4476	1132.6946	534.8194	0.0000	0.0000	-138.2807	0.0000	0.0000	0.0000	0.0000	
912 RCC	39.6521	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-4968.1783	994.4139	638.3045	0.0000	0.0000	132.1796	0.0000	0.0000	0.0000	0.0000	
913 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-4968.1783	1075.7552	638.3045	596.3689	0.0000	0.0000	0.0000	0.0000	-353.0716	0.0000	
914 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-4415.5534	1075.7552	311.1309	0.0000	0.0000	-81.3413	0.0000	0.0000	0.0000	0.0000	
915 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-1027.5915	994.4139	638.3045	0.0000	0.0000	132.1796	0.0000	0.0000	0.0000	0.0000	
916 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-1027.5915	1075.7552	638.3045	592.7240	0.0000	0.0000	0.0000	0.0000	-353.1960	0.0000	
917 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	-478.5379	1075.7552	311.1309	0.0000	0.0000	-81.3413	0.0000	0.0000	0.0000	0.0000	
918 RCC	50.8383	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
	699.2648	455.1698	1930.9156	-105.1564	0.0000	12.7001	0.0000	0.0000	-37.8461	0.0000	SENSING MODULE
919 ARB8	12.7001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	REARDECK
	-6145.5542	872.4934	2307.3451	-2271.0229	0.0000	872.4934	0.0000	0.0000	2432.0596	2307.3451	
	-2271.0229	-872.4934	2432.0596	-6145.5542	0.0000	-872.4934	0.0000	0.0000	2307.3451	2401.9859	
	-6144.5890	872.4934	2277.2714	-2270.0577	0.0000	872.4934	0.0000	0.0000	2401.9859	2277.2714	
920 ARB8	-2270.0577	-872.4934	2401.9859	-6144.5890	0.0000	-872.4934	0.0000	0.0000	2432.0596	2432.0596	RRDECK 1
	-6145.5542	-872.4934	2307.3451	-2271.0229	0.0000	-872.4934	0.0000	0.0000	1622.5685	1622.5685	2
	-2245.8768	-1646.9425	1744.9869	-6049.0338	0.0000	-1646.9425	0.0000	0.0000	2408.8591	2408.8591	3
	-6144.8074	-851.8863	2284.1446	-2270.2762	0.0000	-851.8863	0.0000	0.0000	1599.3681	1599.3681	4
921 ARB8	-2245.1301	-1626.3354	1721.7864	-6048.2871	0.0000	-1626.3354	0.0000	0.0000	2432.0596	2432.0596	LRDECK 1
	-6145.5542	872.4934	2307.3451	-2271.0229	0.0000	872.4934	0.0000	0.0000	1622.5685	1622.5685	2
	-2245.8768	1646.9425	1744.9869	-6049.0338	0.0000	1646.9425	0.0000	0.0000			

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-6144.8074	851.8863	2284.1446	-2270.2762	851.8863	2408.8591					3
	-2245.1301	1626.3354	1721.7864	-6048.2871	1626.3354	1599.3681					4
922 ARB8	-6006.6156	-994.4139	1676.4066	-4995.1837	-994.4139	1708.1567					RRLSIDE1
	-4995.1837	-994.4139	406.4016	-5789.6988	-994.4139	406.4016					RRLSIDE2
	-6006.6156	-958.9808	1676.4066	-4995.1837	-958.9808	1708.1567					RRLSIDE3
	-4995.1837	-958.9808	406.4016	-5789.6988	-958.9808	406.4016					RRLSIDE4
923 ARB8	-4995.1837	-994.4139	1628.1464	-2799.5990	-994.4139	1610.3663					RRLSIDE1
	-2799.5990	-994.4139	406.4016	-4995.1837	-994.4139	406.4016					RRLSIDE2
	-4995.1837	-958.9808	1628.1464	-2799.5990	-958.9808	1610.3663					RRLSIDE3
	-2799.5990	-958.9808	406.4016	-4995.1837	-958.9808	406.4016					RRLSIDE4
924 ARB8	-2799.5990	-994.4139	1356.3653	-2271.0229	-994.4139	1356.3653					RFLSIDE 1
	-2271.0229	-994.4139	406.4016	-2799.5990	-994.4139	406.4016					RFLSIDE 2
	-2799.5990	-958.9808	1356.3653	-2271.0229	-958.9808	1356.3653					
	-2271.0229	-958.9808	406.4016	-2799.5990	-958.9808	406.4016					
925 ARB8	-5822.2109	958.9808	406.4016	-2271.0229	958.9808	406.4016					HULLBOT1
	-2271.0229	-959.1078	406.4016	-5822.2109	-959.1078	406.4016					HULLBOT2
	-5822.2109	958.9808	436.5007	-2271.0229	958.9808	436.5007					HULLBOT3
	-2271.0229	-959.1078	436.5007	-5822.2109	-959.1078	436.5007					HULLBOT4
926 ARB8	-6006.6156	994.4139	1676.4066	-4995.1837	994.4139	1708.1567					LRLSIDE1
	-4995.1837	994.4139	406.4016	-5789.6988	994.4139	406.4016					LRLSIDE2
	-6006.6156	958.9808	1676.4066	-4995.1837	958.9808	1708.1567					LRLSIDE3
	-4995.1837	958.9808	406.4016	-5789.6988	958.9808	406.4016					LRLSIDE4
927 ARB8	-4995.1837	994.4139	1579.8862	-2799.5990	994.4139	1356.3653					LRLSIDE1
	-2799.5990	994.4139	406.4016	-4995.1837	994.4139	406.4016					LRLSIDE2
	-4995.1837	958.9808	1579.8862	-2799.5990	958.9808	1356.3653					LRLSIDE3
	-2799.5990	958.9808	406.4016	-4995.1837	958.9808	406.4016					LRLSIDE4
928 ARB8	-2799.5990	994.4139	1356.3653	-2271.0229	994.4139	1356.3653					
	-2271.0229	994.4139	406.4016	-2799.5990	994.4139	406.4016					
	-2799.5990	958.9808	1356.3653	-2271.0229	958.9808	1356.3653					
	-2271.0229	958.9808	406.4016	-2799.5990	958.9808	406.4016					
929 ARB8	-6145.5542	1018.6710	2307.3451	-6145.5542	-1018.6710	2307.3451					STERN

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
930 AR88	-5786.7778	-1018.6710	436.5007	-5786.7778	1018.6710	436.5007					
	-6110.7561	1018.6710	2314.0253	-6110.7561	-1018.6710	2314.0253					
	-5751.9796	-1018.6710	443.1809	-5751.9796	1018.6710	443.1809					
	-5552.7159	-1646.9425	1638.5452	-5064.5259	-1646.9425	1654.2577	RSJET	1			
	-5064.5259	-1646.9425	1086.1083	-5552.7159	-1646.9425	1098.8083		2			
931 AR88	-5552.7159	-1634.2424	1638.5452	-5064.5259	-1634.2424	1654.2577		3			
	-5064.5259	-1634.2424	1086.1083	-5552.7159	-1634.2424	1098.8083		4			
	-5064.5259	-1646.9425	1654.2577	-2843.2872	-1646.9425	1725.7565	RUSIDE	11			
	-2843.2872	-1646.9425	1365.2554	-5064.5259	-1646.9425	1638.8145		12			
	-5064.5259	-1602.4923	1654.2577	-2843.2872	-1602.4923	1725.7565		13			
932 AR88	-2843.2872	-1602.4923	1365.2554	-5064.5259	-1602.4923	1638.8145		14			
	-2843.2872	-1646.9425	1725.7565	-2245.8768	-1646.9425	1744.9869	RUSIDE	21			
	-2245.8768	-1646.9425	1057.1522	-2843.2872	-1646.9425	1057.1522		22			
	-2843.2872	-1602.4923	1725.7565	-2245.8768	-1602.4923	1744.9869		23			
	-2245.8768	-1602.4923	1057.1522	-2843.2872	-1602.4923	1057.1522		24			
933 AR88	-5552.7159	1646.9425	1638.5452	-5064.5259	1646.9425	1654.2577	LSJET	1			
	-5064.5259	1646.9425	1086.1083	-5552.7159	1646.9425	1098.8083		2			
	-5552.7159	1634.2424	1638.5452	-5064.5259	1634.2424	1654.2577		3			
	-5064.5259	1634.2424	1086.1083	-5552.7159	1634.2424	1098.8083		4			
	-5064.5259	1646.9425	1654.2577	-2843.2872	1646.9425	1725.7565	LUSIDE	11			
934 AR88	-2843.2872	1646.9425	1365.2554	-5064.5259	1646.9425	1638.8145		12			
	-5064.5259	1602.4923	1654.2577	-2843.2872	1602.4923	1725.7565		13			
	-2843.2872	1602.4923	1365.2554	-5064.5259	1602.4923	1638.8145		14			
	-2843.2872	1646.9425	1725.7565	-2245.8768	1646.9425	1744.9869	LUSIDE	21			
	-2245.8768	1646.9425	1057.1522	-2843.2872	1646.9425	1057.1522		22			
935 AR88	-2843.2872	1602.4923	1725.7565	-2245.8768	1602.4923	1744.9869		23			
	-2245.8768	1602.4923	1057.1522	-2843.2872	1602.4923	1057.1522		24			
	-2245.8768	1602.4923	958.9808	1646.9425	1054.1042	1352.0473	FLMPJET				
	-2773.4369	-2738.0038	958.9808	1646.9425	1146.8145	1625.6064	RLMPJET				
	-4980.4516	-4955.0515	1625.6064	-2773.4369	-958.9808	1352.0473	RTJETCLO				
936 RPP	-4980.4516	-1646.9425	1352.0473	-4980.4516	-1646.9425	1625.6064					
937 RPP	-2773.4369	-1646.9425	1352.0473	-2773.4369	-1646.9425	1625.6064					
938 AR88	-2773.4369	-1646.9425	1352.0473	-2773.4369	-1646.9425	1625.6064					

TABLE 6-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-4982.0137	-958.9808	1613.0003	-2774.9990	-958.9808	1339.4413	-1646.9425	1613.0003	1339.4413		
	-2774.9990	-1646.9425	1339.4413	-4982.0137	-1646.9425	1613.0003	994.4139	1352.0473	1613.0003		LTJETCLO
939 ARB8	-5488.4536	994.4139	1625.6064	-2773.4369	994.4139	1352.0473	1646.9425	1625.6064	1339.4235		
	-2773.4369	1646.9425	1352.0473	-5488.4536	1646.9425	1625.6064	994.4139	1612.9826	1612.9826		
	-5489.7236	994.4139	1612.9826	-2774.7069	994.4139	1612.9826	1646.9425	1625.6064	1612.9826		
940 RPP	-2774.7069	1646.9425	1339.4235	-5489.7236	1646.9425	1625.6064	994.4139	1612.9826	1612.9826		
	-2773.4369	-2738.0038	-1646.9425	-958.9808	-1646.9425	-958.9808	1054.1042	1352.0473	1352.0473		FRMPJET
941 RPP	-4980.4516	-4955.0515	-1646.9425	-958.9808	-1646.9425	-958.9808	1146.8145	1625.6064	1625.6064		RRMPJET
942 ARB8	-4980.4516	-1159.7686	1625.6064	-2738.0038	-1159.7686	1352.0473	-1159.7686	1352.0473	1352.0473		RT SLOPED
	-2738.0038	-958.9808	1192.2807	-4980.4516	-958.9808	1465.8398	-958.9808	1465.8398	1465.8398		JET
	-4981.6581	-1167.6401	1615.7131	-2739.2103	-1167.6401	1342.1540	-1167.6401	1342.1540	1342.1540		CLOSURE
	-2739.2103	-966.8523	1182.3874	-4981.6581	-966.8523	1455.9464	-966.8523	1455.9464	1455.9464		
943 ARB8	-5488.4536	1159.7686	1625.6064	-2773.4369	1159.7686	1352.0473	1159.7686	1352.0473	1352.0473		LSC1JET
	-2773.4369	958.9808	1192.2807	-5488.4536	958.9808	1465.8398	958.9808	1465.8398	1465.8398		
	-5489.4442	1167.6426	1615.7004	-2774.4275	1167.6426	1342.1413	1167.6426	1342.1413	1342.1413		
	-2774.4275	966.8548	1182.3747	-5489.4442	966.8548	1455.9337	966.8548	1455.9337	1455.9337		
944 RPP	-2773.4369	-2271.0229	-1646.9425	-958.9808	-1646.9425	1066.8042	1054.1042	1066.8042	1066.8042		RMSPON
945 RPP	-2773.4369	-2271.0229	958.9808	1646.9425	1054.1042	1066.8042	1054.1042	1066.8042	1066.8042		LMSPON
946 ARB8	-6024.5557	-1587.2141	1676.4066	-6024.5557	-1587.2141	1676.4066	-958.9808	1676.4066	1676.4066		ARCPJET
	-4980.4516	-958.9808	1625.6064	-4980.4516	-958.9808	1625.6064	-1646.9425	1625.6064	1625.6064		
	-6023.9385	-1587.2141	1689.0914	-6023.9385	-1587.2141	1689.0914	-958.9808	1689.0914	1689.0914		
	-4979.8344	-958.9808	1638.2912	-4979.8344	-958.9808	1638.2912	-1646.9425	1638.2912	1638.2912		
947 ARB8	-5488.4536	958.9808	1625.6064	-6024.5557	958.9808	1676.4066	1646.9425	1676.4066	1676.4066		LEFT AFT
	-6024.5557	1587.2141	1676.4066	-5488.4536	1587.2141	1676.4066	1646.9425	1625.6064	1625.6064		CLOSURE
	-5489.6500	958.9808	1612.9622	-6025.7521	958.9808	1663.7624	958.9808	1663.7624	1663.7624		PLATE FOR
	-6025.7521	1587.2141	1663.7624	-5489.6500	1587.2141	1612.9622	1646.9425	1612.9622	1612.9622		JET
948 RCC	-5552.7159	1315.0902	1274.0690	463.5518	1315.0902	0.0000	0.0000	0.0000	0.0000		SPONSON1
	320.6763	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		SPONSON2
949 RCC	-5552.7159	1315.0902	1274.0690	463.5518	1315.0902	0.0000	0.0000	0.0000	0.0000		INSIDSP2
	311.1512	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		DUMRPP
950 RPP	-5552.4619	-4980.4516	994.4139	1610.8743	-4980.4516	1625.6064	1146.8145	1625.6064	1625.6064		

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
951 RCC	-4980.4516	1302.6441	1274.0690	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUM1
	264.2880	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
952 RCC	-4980.4516	1302.6441	1274.0690	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	BLMPJET
	315.9772	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
953 RCC	-2773.4369	1330.5842	1272.2910	35.4331	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUM2
	42.6722	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
954 RCC	-5552.7159	-1315.0902	1274.0690	463.5518	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RSPON
	320.6763	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	RSPON
955 RCC	-5552.7159	-1315.0902	1274.0690	463.5518	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INSIDSPR
	311.1512	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	INSIDSPR
956 RPP	-5552.7159	-4980.4516	-1610.8743	-994.4139	1146.8145	1625.6064	0.0000	0.0000	0.0000	0.0000	DUMRPP
957 RCC	-4980.4516	-1302.6441	1274.0690	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUM3
	264.2880	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
958 RCC	-4980.4516	-1302.6441	1274.0690	25.4001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	BRMPJET
	315.9772	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
959 RCC	-2773.4369	-1330.5842	1272.2910	35.4331	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUM4
	42.6722	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
960 ARB8	-6145.5542	872.4934	2307.3451	-6145.5542	-872.4934	2307.3451	0.0000	0.0000	0.0000	0.0000	CENTER
	-5905.2184	-872.4934	1054.1042	-5905.2184	872.4934	1054.1042	0.0000	0.0000	0.0000	0.0000	REAR AIR
	-2271.0229	872.4934	2431.8056	-2271.0229	-872.4934	2431.8056	0.0000	0.0000	0.0000	0.0000	UPPER
	-2271.0229	-872.4934	1054.1042	-2271.0229	872.4934	1054.1042	0.0000	0.0000	0.0000	0.0000	
961 ARB8	-6024.5557	994.4139	1676.4066	-6024.5557	-994.4139	1676.4066	0.0000	0.0000	0.0000	0.0000	REAR
	-5786.7778	-994.4139	436.5007	-5786.7778	994.4139	436.5007	0.0000	0.0000	0.0000	0.0000	HULL LOW
	-2245.8768	994.4139	1676.4066	-2245.8768	-994.4139	1676.4066	0.0000	0.0000	0.0000	0.0000	ER AIR
	-2245.8768	-994.4139	436.5007	-2245.8768	994.4139	436.5007	0.0000	0.0000	0.0000	0.0000	
962 ARB8	144.5266	-943.6137	2508.0059	144.5266	451.8678	2508.0059	0.0000	0.0000	0.0000	0.0000	MIDDECK1
	-422.9117	451.8678	2490.2258	-422.9117	-961.1398	2490.2258	0.0000	0.0000	0.0000	0.0000	
	145.4664	-943.6137	2477.9322	145.4664	451.8678	2477.9322	0.0000	0.0000	0.0000	0.0000	
	-421.9719	451.8678	2460.1521	-421.9719	-961.1398	2460.1521	0.0000	0.0000	0.0000	0.0000	
963 ARB8	144.5266	1394.1480	2508.0059	144.5266	1411.7376	2508.0059	0.0000	0.0000	0.0000	0.0000	MIDDECK2
	-240.5389	1194.3127	2495.9002	-240.5389	451.8678	2495.9002	0.0000	0.0000	0.0000	0.0000	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
964 ARB8	145.5019	1394.1454	2476.9822	70.0636	1411.7350	2474.6098	MIDDECK3				
	-239.5610	1194.3102	2464.8765	145.5019	451.8652	2476.9924					
	144.5266	451.8678	2508.0059	-240.5389	1194.3127	2495.9002					
	-540.5141	1250.7009	2486.4666	-540.5141	451.8678	2486.4615					
	145.5019	451.8678	2476.9822	-239.5610	1194.3127	2464.8765					
965 ARB8	-539.5362	1250.7009	2455.4429	-539.5362	451.8678	2455.4378	MIDDECK 4 INNER				
	-540.5141	451.8678	2486.4666	-540.5141	1250.7009	2486.4666					
	-744.7309	1250.7009	2480.0480	-744.7309	451.8678	2480.0480					
	-539.5667	451.8678	2456.3802	-539.5667	1250.7009	2456.3802					
	-743.7835	1250.7009	2449.9616	-743.7835	451.8678	2449.9616					
966 ARB8	-744.7309	451.8678	2480.0480	-1060.9622	451.8678	2470.1038	MIDDECK5				
	-1014.9880	1582.9342	2471.5491	-728.4749	1558.0421	2480.5585					
	-743.7530	451.8652	2449.0243	-1059.9843	451.8652	2439.0802					
	-1014.0101	1582.9317	2440.5254	-727.4970	1558.0396	2449.5348					
	-1060.9622	451.8676	2470.1038	-2271.0229	451.8678	2432.0596					
967 ARB8	-2271.0229	872.4934	2432.0596	-1014.9880	1582.9342	2471.5491	MIDDECK6				
	-1059.9843	451.8678	2439.0802	-2270.0450	451.8678	2401.0359					
	-2270.0450	872.4934	2401.0359	-1014.0101	1582.9342	2440.5254					
	-422.9117	-961.1398	2490.2258	-422.9117	451.8678	2490.2258					
	-2271.0229	451.8678	2432.0596	-2271.0229	-872.4934	2432.0596					
968 ARB8	-421.9719	-961.1398	2460.1521	-421.9719	451.8678	2460.1521	MIDDECK7				
	-2270.0831	451.8678	2401.9859	-2270.0831	-872.4934	2401.9859					
	-1043.6901	-1599.6983	2470.6677	-422.9117	-961.1398	2490.2258					
	-2271.0229	-872.4934	2432.0596	-1540.7701	-1646.9425	2455.0213					
	-1042.7503	-1599.6983	2440.5940	-421.9719	-961.1398	2460.1521					
969 ARB8	-2270.0831	-872.4934	2401.9859	-1539.8303	-1646.9425	2424.9475	MIDDECK8				
	-1540.7701	-1646.9425	2455.0213	-1540.7701	-1646.9425	1744.9869					
	-1540.7701	-1602.4923	1744.9869	-1540.7701	-1602.4923	2455.0213					
	-2245.8768	-1646.9425	1744.9869	-2245.8768	-1602.4923	1744.9869					
	-2245.8768	-1540.7701	-1646.9425	-1602.4923	1057.1522	1744.9869					
970 ARB8	-1540.7701	-1646.9425	2455.0213	-1540.7701	-1646.9425	1057.1522	FRUSIDE 1				
971 RPP	-2245.8768	-1540.7701	-1646.9425	-1602.4923	1057.1522	1744.9869	FRUSIDE2				
972 ARB8	-1540.7701	-1646.9425	2455.0213	-1540.7701	-1646.9425	1057.1522	FRUSIDE 3				

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-1392.6875	-1632.8683	1057.1522	-1043.6850	-1599.6983	2470.6677					
	-1536.5638	-1691.1920	2455.0213	-1536.5638	-1691.1920	1057.1522					
	-1388.4812	-1677.1178	1057.1522	-1039.4813	-1643.9478	2470.6677					
973 ARB6	-1392.6875	-1632.8683	1057.1522	-1043.6901	-1599.6983	2470.6677					FRUSIDE 3
	-1047.8938	-1555.4462	2470.6652	-1396.8912	-1588.6162	1057.1496					
	-1078.2342	-1602.9825	1057.1522	-1082.4380	-1558.7305	1057.1496					
974 ARB6	-1043.6901	-1599.6983	2470.6677	-1078.2342	-1602.9825	1057.1522					FRUSIDE 5
	-1089.8243	-1560.0691	1057.3350	-1055.2802	-1556.7848	2470.8506					
	-929.6437	-1568.2022	2308.8691	-941.2337	-1525.2887	2309.0520					
975 ARB6	-1078.2342	-1602.9825	1057.1522	-802.6432	-1555.7561	1057.1522					FRUSIDE 6
	-810.1489	-1511.9435	1056.8245	-1085.7400	-1559.1699	1056.8245					
	-929.6437	-1568.2022	2308.8691	-937.1494	-1524.3895	2308.5414					
976 ARB6	-929.6437	-1568.2022	2308.8691	-802.6432	-1555.7561	2200.1567					FRUSIDE7
	-806.9866	-1511.5092	2200.1567	-933.9871	-1523.9552	2308.8691					
	-802.6432	-1555.7561	1057.1522	-806.9866	-1511.5092	1057.1522					
977 ARB6	-802.6432	-1555.7561	1057.1522	-675.6427	-1530.6100	1057.1522					FRUSIDE8
	-684.2787	-1486.9981	1057.1522	-811.2792	-1512.1442	1057.1522					
	-802.6432	-1555.7561	2200.1567	-811.2792	-1512.1442	2200.1567					
978 ARB6	-802.6432	-1555.7561	2200.1567	-675.6427	-1533.0256	2096.7478					FRUSIDE 9
	-683.3922	-1489.2561	2096.8494	-810.3927	-1511.9867	2200.2583					
	-675.6427	-1530.6100	1057.1522	-683.3922	-1486.8406	1057.2538					
979 ARB6	-675.6427	-1530.6100	1057.1522	-548.6422	-1517.9100	1057.1522					FRUSIDE 10
	-553.0643	-1473.6782	1057.2538	-680.0648	-1486.3783	1057.2538					
	-675.6427	-1533.0256	2096.7478	-680.0648	-1488.7938	2096.8494					
980 ARB6	-675.6427	-1533.0256	2096.7478	-548.6422	-1510.2950	1993.3389					FRUSIDE 11
	-556.7524	-1466.5916	1992.9833	-683.7529	-1489.3222	2096.3922					
	-548.6422	-1517.9100	1057.1522	-556.7524	-1474.2066	1056.7966					
981 ARB6	-548.6422	-1517.9100	1057.1522	-427.9917	-1488.6999	1057.1522					FRUSIDE 12
	-438.4489	-1445.4968	1056.7991	-559.0994	-1474.7069	1056.7991					
	-548.6422	-1510.2950	1993.3389	-559.0994	-1467.0920	1992.9858					
982 ARB6	-548.6422	-1510.2950	1993.3389	-427.9917	-1488.6999	1895.1015					FRUSIDE 13

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-435.8225	-1444.9431	1895.1015	-556.4730	-1466.5383	1993.3389					
	-427.9917	-1488.6999	1057.1522	-435.8225	-1444.9431	1057.1522					
983 ARB6	-427.9917	-1488.6999	1057.1522	-294.6412	-1462.9391	1057.1522					FRUSIDE 14
	-303.0715	-1419.2941	1057.1522	-436.4220	-1445.0549	1057.1522					
	-427.9917	-1488.6999	1895.1015	-436.4220	-1445.0549	1895.1015					
984 ARB6	-427.9917	-1488.6999	1895.1015	-294.6412	-1462.9391	1921.9011					FRUSIDE 15
	-303.0715	-1419.2941	1921.9011	-436.4220	-1445.0549	1895.1015					
	-294.6412	-1462.9391	1057.1522	-303.0715	-1419.2941	1057.1522					
985 ARB6	-294.6412	-1462.9391	1057.1522	-167.6407	-1438.4077	1057.1522					FRUSIDE 16
	-176.0684	-1394.7627	1057.1522	-303.0689	-1419.2941	1057.1522					
	-294.6412	-1462.9391	1921.9011	-303.0689	-1419.2941	1921.9011					
986 ARB6	-294.6412	-1462.9391	1921.9011	-167.6407	-1438.4077	1947.4257					FRUSIDE 17
	-176.0684	-1394.7627	1947.4257	-303.0689	-1419.2941	1921.9011					
	-167.6407	-1438.4077	1057.1522	-176.0684	-1394.7627	1057.1522					
987 ARB6	-167.6407	-1438.4077	1057.1522	-40.6402	-1398.2755	1057.1522					FRUSIDE 18
	-54.0260	-1355.8827	1057.1522	-181.0265	-1396.0149	1057.1522					
	-167.6407	-1438.4077	1947.4257	-181.0265	-1396.0149	1947.4257					
988 ARB6	-167.6407	-1438.4077	1947.4257	-40.6402	-1406.9115	1979.0463					FRUSIDE 19
	-51.4327	-1363.7923	1979.4501	-178.4332	-1395.2885	1947.8255					
	-40.6402	-1398.2755	1057.1522	-51.4327	-1355.1563	1057.5560					
989 ARB6	-40.6402	-1398.2755	660.4026	86.3603	-1375.4154	660.4026					FRUSIDE 20
	78.4838	-1331.6688	660.6871	-48.5142	-1354.5289	660.6871					
	-40.6402	-1406.9115	1979.0463	-48.5142	-1363.1649	1979.3307					
990 ARB6	-40.6402	-1406.9115	1979.0463	86.3603	-1375.4154	2010.6719					FRUSIDE 21
	75.6593	-1332.2708	2010.6719	-51.3387	-1363.7669	1979.0463					
	86.3603	-1375.4154	660.4026	75.6593	-1332.2708	660.4026					
991 ARB6	86.3603	-1375.4154	660.4026	213.3608	-1337.5693	660.4026					FRUSIDE 22
	200.6659	-1294.9682	660.4026	73.6654	-1332.8144	660.4026					
	86.3603	-1375.4154	2010.6719	73.6654	-1332.8144	2010.6719					
992 ARB6	86.3603	-1375.4154	2010.6719	213.3608	-1337.5693	2046.7401					FRUSIDE 23
	200.6659	-1294.9682	2046.7401	73.6654	-1332.8144	2010.6719					

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
993 ARB6	213.3608	-1337.5693	660.4026	200.6659	-1294.9682	660.4026
	213.3608	-1337.5693	660.4026	340.3613	-1295.6591	660.4026
	326.4294	-1253.4467	660.4026	199.4289	-1295.3568	660.4026
994 ARB6	213.3608	-1337.5693	2046.7401	199.4289	-1295.3568	2046.7401
	213.3608	-1337.5693	2046.7401	340.3613	-1295.6591	2087.3802
	326.4294	-1253.4467	2087.3802	199.4289	-1295.3568	2046.7401
995 ARB6	340.3613	-1295.6591	660.4026	326.4294	-1253.4467	660.4026
	340.3613	-1295.6591	628.7236	467.3618	-1253.7489	741.6855
	453.4299	-1211.5365	741.6855	326.4294	-1253.4467	628.7236
996 ARB6	340.3613	-1295.6591	2087.3802	326.4294	-1253.4467	2087.3802
	340.3613	-1295.6591	2087.3802	467.3618	-1253.7489	2128.0204
	453.4299	-1211.5365	2128.0204	326.4294	-1253.4467	2087.3802
997 ARB6	467.3618	-1253.7489	741.6855	453.4299	-1211.5365	741.6855
	467.3618	-1253.7489	745.7977	440.9457	-1262.1310	718.6679
	446.3280	-1221.7245	700.9412	472.7441	-1213.3425	728.0710
998 ARB6	364.0596	-1241.0743	743.3085	369.4419	-1200.6678	725.5818
	467.3618	-1253.7489	745.7977	594.3623	-1205.7427	847.5810
	578.6448	-1164.1628	847.5810	451.6443	-1212.1690	745.7977
999 ARB6	467.3618	-1253.7489	2128.0204	451.6443	-1212.1690	2128.0204
	467.3618	-1253.7489	2128.0204	594.3623	-1205.7427	2173.4866
	578.6448	-1164.1628	2173.4866	451.6443	-1212.1690	2128.0204
1000 ARB6	594.3623	-1205.7427	847.5810	578.6448	-1164.1628	847.5810
	594.3623	-1205.7427	847.5810	684.0247	-1167.8966	911.7417
	666.7374	-1126.9440	911.7417	577.0750	-1164.7902	847.5810
1001 ARB6	594.3623	-1205.7427	2173.4866	577.0750	-1164.7902	2173.4866
	594.3623	-1205.7427	2173.4866	684.0247	-1176.4666	2206.3517
	670.1334	-1134.2415	2206.6057	580.4710	-1163.5176	2173.7660
1002 ARB6	684.0247	-1167.8966	911.7417	670.1334	-1125.6715	912.0211
	841.2513	-1117.6044	1024.2514	684.0247	-1167.8966	911.7417
	670.3010	-1125.6181	912.0211	827.5276	-1075.3259	1024.5308
	684.0247	-1176.4666	2206.3263	670.3010	-1134.1681	2206.6057

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1003 ARB6	684.0247	-1176.4666	2206.3263	841.2513	-1117.6044	2263.9109					
	825.6658	-1075.9736	2263.9109	668.4392	-1134.8358	2206.3263					
1004 ARB6	841.2513	-1117.6044	1024.2514	825.6658	-1075.9736	1024.2514					
	841.2513	-1117.6044	1024.2514	1034.5461	-1044.1981	1162.5677					
	1018.7650	-1002.6435	1162.5677	825.4702	-1076.0498	1024.2514					
1005 ARB6	841.2513	-1117.6044	2263.9109	825.4702	-1076.0498	2263.9109					
	841.2513	-1117.6044	2263.9109	1034.5461	-1044.1981	2342.6512					
	1018.7650	-1002.6435	2342.6512	825.4702	-1076.0498	2263.9109					
1006 ARB6	1034.5461	-1044.1981	1162.5677	1018.7650	-1002.6639	1162.5677					
	1034.5461	-1044.1981	1162.5677	1198.8847	-1020.9062	1280.1650					
	1192.6465	-976.8955	1280.1650	1028.3078	-1000.1874	1162.5677					
1007 ARB6	1034.5461	-1044.1981	2342.6512	1028.3078	-1000.1874	2342.6512					
	1034.5461	-1044.1981	2342.6512	1198.8847	-1020.9062	2355.7653					FORWARD
	1192.6465	-976.8955	2355.7653	1028.3078	-1000.1874	2342.6512					RIGHTSID
1008 ARB6	1198.8847	-1020.9062	1280.1650	1192.6465	-976.8955	1280.1650					38
	-1479.3018	1646.9425	2165.8665	-2245.8768	1646.9425	1744.9869					FLUSIDE1
	-2245.8768	1646.9425	1057.1522	-1479.3018	1646.9425	1057.1522					
	-1479.3018	1602.4923	2165.8665	-2245.8768	1602.4923	1744.9869					
1009 ARB6	-2245.8768	1602.4923	1057.1522	-1479.3018	1602.4923	1057.1522					
	-1153.9265	1588.2683	2352.3033	-1479.3018	1646.9425	2165.8665					FLUSIDE2
	-1487.2013	1603.2035	2165.8665	-1161.8260	1544.5293	2352.3033					
1010 ARB6	-1479.3018	1646.9425	1057.1522	-1487.2013	1603.2035	1057.1522					
	-1161.8260	1544.5293	1057.1522	-1487.2013	1588.2683	1057.1522					FLUSIDE3
	-1153.9265	1588.2683	2352.3033	-1161.8260	1544.5293	2352.3033					
1011 ARB6	-1014.9880	1582.9342	2471.5491	-1153.9265	1588.2683	2352.3033					FLUSIDE 4
	-1155.6309	1543.8486	2352.3033	-1016.6923	1538.5145	2471.5491					
	-1153.9265	1588.2683	1057.1522	-1155.6309	1543.8486	1057.1522					
1012 ARB6	-1014.9880	1582.9342	1057.1522	-1153.9265	1588.2683	1057.1522					FLUSIDE 5
	-1155.6309	1543.8486	1057.1522	-1016.6923	1538.5145	1057.1522					
	-1014.9880	1582.9342	2471.5491	-1016.6923	1538.5145	2471.5491					

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1013 ARB6	-728.4749	1558.0421	2480.5585	-1014.9880	1582.9342	2471.5491	FLUSIDE 6
	-1018.8336	1538.6492	2471.5491	-732.3204	1513.7571	2480.5585	
	-1014.9880	1582.9342	1057.1522	-1018.8336	1538.6492	1057.1522	
1014 ARB6	-1014.9880	1582.9342	1057.1522	-728.4749	1558.0421	1057.1522	FLUSIDE 7
	-732.3204	1513.7571	1057.1522	-1018.8336	1538.6492	1057.1522	
	-728.4749	1558.0421	2480.5585	-732.3204	1513.7571	2480.5585	
1015 ARB6	-728.4749	1558.0421	2480.5585	-568.9622	1536.9601	2255.2749	FLUSIDE 8
	-574.7839	1492.8909	2255.2749	-734.2966	1513.9730	2480.5585	
	-728.4749	1558.0421	1057.1522	-734.2966	1513.9730	1057.1522	
1016 ARB6	-568.9622	1536.9601	1057.1522	-728.4749	1558.0421	1057.1522	FLUSIDE 9
	-734.2966	1513.9730	1057.1522	-574.7839	1492.8909	1057.1522	
	-568.9622	1536.9601	2255.2749	-574.7839	1492.8909	2255.2749	
1017 ARB6	-379.9855	1502.9392	2259.9841	-568.9622	1536.9601	2255.2749	
	-576.8363	1493.2109	2255.2749	-387.8595	1459.1900	2259.9841	
	-568.9622	1536.9601	1057.1522	-576.8363	1493.2109	1057.1522	
1018 ARB6	-568.9622	1536.9601	1057.1522	-379.9855	1503.6859	1057.1522	
	-387.6919	1459.9088	1057.1242	-576.6686	1493.1830	1057.1242	
	-379.9855	1502.9392	2259.9841	-387.6919	1459.1621	2259.9663	
1019 ARB6	-202.1848	1470.9350	2264.4138	-379.9855	1502.9392	2259.9841	
	-387.8570	1459.1900	2259.9561	-210.0563	1427.1859	2264.3859	
	-379.9855	1503.6859	1057.1522	-387.8570	1459.9368	1057.1242	
1020 ARB6	-202.1848	1474.4758	1057.1522	-379.9855	1503.6859	1057.1522	FLUSIDE 13
	-387.1890	1459.8225	1057.0226	-209.3883	1430.6124	1057.0226	
	-202.1848	1470.9350	2264.4138	-209.3883	1427.0716	2264.2843	
1021 ARB6	-70.8663	1447.2977	2267.6854	-202.1848	1470.9350	2264.4138	FLUSIDE 14
	-210.0537	1427.1859	2264.2843	-78.7352	1403.5486	2267.5558	
	-202.1848	1474.4758	1057.1522	-210.0537	1430.7267	1057.0226	
1022 ARB6	-70.8663	1447.2977	1057.1522	-202.1848	1474.4758	1057.1522	FLUSIDE 15
	-211.1917	1430.9477	1057.1522	-79.8732	1403.7695	1057.1522	
	-70.8663	1447.2977	2267.6854	-79.8732	1403.7695	2267.6854	
1023 ARB6	69.0883	1411.7376	2505.6335	-70.8663	1447.2977	2267.6854	FLUSIDE 16

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1024 ARB6	-81.8137	1404.2140	2267.6854	58.1408	1368.6539	2505.6335	
	-70.8663	1447.2977	660.4026	-81.8112	1404.2140	660.4026	
	69.0883	1411.7376	660.4026	-70.8663	1447.2977	660.4026	FLUSIDE 17
	-81.8112	1404.2140	660.4026	58.1408	1368.6539	660.4026	
1025 ARB6	69.0883	1411.7376	2505.6335	58.1408	1368.6590	2505.6335	
	69.0883	1411.7376	2505.6335	144.5266	1394.1480	2508.0059	FLUSID19
	134.4326	1350.8586	2508.0059	58.9943	1368.4482	2505.6335	
	69.0883	1411.7376	660.4026	58.9943	1368.4482	660.4026	
1026 ARB6	69.0883	1411.7376	660.4026	167.1327	1388.8775	660.4026	FLUSIDE 19
	157.0387	1345.5881	660.4026	58.9943	1368.4482	660.4026	
	144.5266	1394.1480	2508.0059	134.4326	1350.8586	2508.0033	
	144.5266	1394.1480	2508.0059	323.5973	1354.5873	2482.0978	FLUSIDE 20
1027 ARB6	314.0087	1311.1811	2482.1054	134.9380	1350.7418	2508.0135	
	167.1327	1388.8775	660.4026	157.5441	1345.4712	660.4102	
	390.6535	1324.1072	660.4026	167.1327	1388.8775	660.4026	FLUSIDE 21
	154.7603	1346.1824	660.6591	378.2811	1281.4122	660.6591	
1029 ARB6	323.5973	1354.5873	2482.0978	311.2249	1311.8923	2482.4280	
	323.5973	1354.5873	2482.0978	521.9721	1285.7531	2453.3957	FORWARD
	507.4203	1243.7515	2453.5633	309.0456	1312.5857	2482.2654	LEFT SID
	390.6535	1324.1072	667.0193	376.1018	1282.1056	667.1870	22
1030 ARB6	390.6535	1324.1072	667.0193	451.3598	1307.3431	729.3639	FORWARD
	439.5792	1264.4805	729.3080	378.8730	1281.2445	666.9634	LEFT SID
	521.9721	1285.7531	2453.3957	510.1915	1242.8904	2453.3398	23
	521.9721	1285.7531	2453.3957	718.0608	1214.8868	2425.2015	FORWARD
1031 ARB6	702.9630	1173.0782	2425.2955	506.8742	1243.9445	2453.4896	LT SIDE
	451.3598	1307.3431	729.3639	436.2620	1265.5346	729.4579	24
	718.0608	1214.8868	2425.2015	451.3598	1307.3431	729.3639	FORWARD
	436.2289	1265.5473	729.4629	702.9300	1173.0909	2425.3006	LT SIDE
1032 ARB6	660.1486	1232.1589	894.6576	645.0178	1190.3630	894.7566	25
	660.1486	1232.1589	894.6576	718.0608	1214.8868	2425.2015	FLUSIDE 26
	702.5998	1173.2103	2425.3158	644.6876	1190.4824	894.6576	

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1034 ARB6	920.4996	1139.7025	2395.9914	905.0386	1098.0260	2396.1057					FLUSIDE 27
	920.4996	1139.7025	2395.9914	660.1486	1232.1589	694.6576					
	642.2491	1191.4755	895.2545	902.6002	1099.0191	2396.5883					
1035 ARB6	868.9374	1142.4965	1044.0610	851.0380	1101.8132	1044.6579					FLUSIDE 28
	868.9374	1142.4965	1044.0610	920.4996	1139.7025	2395.9914					
	904.3604	1098.2876	2396.5198	852.7982	1101.0816	1044.5893					
1036 ARB6	1112.5244	1064.5182	2368.3053	1096.3852	1023.1033	2368.8336					FLUSIDE 29
	1112.5244	1064.5182	2368.3053	868.9374	1142.4965	1044.0610					
	853.3265	1100.8784	1044.4801	1096.9135	1022.9001	2368.7244					
1037 ARB6	1089.9183	1061.2162	1202.1867	1074.3074	1019.5981	1202.6109					FLUSIDE 30
	1089.9183	1061.2162	1202.1918	1112.5244	1064.5182	2368.3053					
	1097.0786	1022.8392	2368.7219	1074.4725	1019.5372	1202.6084					
1038 ARB6	1252.4789	1012.4480	2347.9852	1237.0331	970.7690	2348.4018					FLUSIDE 31
	1198.8847	1020.9062	2355.7653	1198.8847	1020.9062	1280.1650					
	1183.4618	979.2170	1280.1650	1183.4618	979.2170	2355.7653					
1039 ARB8	1089.9183	1061.2162	1202.1918	1074.4954	1019.5270	1202.1918					FLUSIDE 32
	390.6535	1324.1072	1057.1522	69.0883	1411.7376	1057.1522					
	69.0883	1411.7376	746.0009	390.6535	1324.1072	746.0009					
	378.9695	1281.2318	1057.1522	57.4042	1368.8622	1057.1522					
1040 RCC	57.4042	1368.8622	746.0009	378.9695	1281.2318	746.0009					DUMMY
	69.0883	1524.0060	746.0009	0.0000	-381.0015	0.0000					
	321.5653	0.0000	0.0000	0.0000	0.0000	0.0000					
1041 ARB8	-2271.0229	994.4139	1057.1522	-2271.0229	994.4139	406.4016					FLLSIDE1
	0.0000	994.4139	406.4016	0.0000	994.4139	1057.1522					
	-2271.0229	958.9808	1057.1522	-2271.0229	958.9808	406.4016					
	0.0000	958.9808	406.4016	0.0000	958.9808	1057.1522					
1042 ARB8	0.0000	994.4139	1057.1522	0.0000	994.4139	406.4016					FLLSIDE2
	508.0020	994.4139	791.4671	187.4527	994.4139	1057.1522					
	0.0000	958.9808	1057.1522	0.0000	958.9808	406.4016					
	508.0020	958.9808	791.4671	187.4527	958.9808	1057.1522					
1043 ARB8	-2271.0229	-994.4139	1057.1522	0.0000	-994.4139	1057.1522					FLLSIDE1

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS							REMARKS
	0.0000	-994.4139	406.4016	-2271.1245	-994.4139	406.4016		
	-2271.0229	-958.9808	1057.1522	0.0000	-958.9808	1057.1522		
	0.0000	-958.9808	406.4016	-2271.1245	-958.9808	406.4016		
	0.0000	-994.4139	1057.1522	193.2948	-994.4139	1057.1522		FRLSIDE2
1044 ARB8	508.0020	-994.4139	791.4671	0.0000	-994.4139	406.4016		
	0.0000	-958.9808	1057.1522	193.2948	-958.9808	1057.1522		
	508.0020	-958.9808	791.4671	0.0000	-958.9808	406.4016		
1045 RCC	472.1879	994.4139	893.0675	0.0000	-35.4331	0.0000		DUMRCCLT
	101.6004	0.0000	0.0000	0.0000	0.0000	0.0000		
1046 RCC	472.1879	-994.4139	893.0675	0.0000	35.4331	0.0000		DUMRC CRT
	101.6004	0.0000	0.0000	0.0000	0.0000	0.0000		
1047 RPP	-2271.0229	-959.1078	-1646.9425	-959.1078	1054.1042	1066.8042		FRSPON2
1048 RPP	-964.1878	-11.6840	-1646.9425	-959.1078	1054.1042	1066.8042		FRSPON3
1049 RCC	-11.6840	-959.1078	660.4026	0.0000	-664.9746	0.0000		RT SPONSON
	406.4016	0.0000	0.0000	0.0000	0.0000	0.0000		
1050 RCC	-11.6840	-971.8078	660.4026	0.0000	-652.2746	0.0000		DUMRCCSP
	393.7016	0.0000	0.0000	0.0000	0.0000	0.0000		
1051 RPP	-418.0856	-11.6840	-1625.6064	1625.6064	254.0010	1066.8042		DUMRPPSP
1052 ARB8	-11.6840	1625.6064	467.8495	394.5829	1625.6064	670.8192		DUMARB8
	394.5829	1625.6064	254.0010	-11.6840	1625.6064	254.0010		
	-11.6840	-1625.6064	467.8495	394.5829	-1625.6064	670.8192		
	394.5829	-1625.6064	254.0010	-11.6840	-1625.6064	254.0010		
1053 RPP	-2271.0229	-959.1078	959.1078	1646.9425	1054.1042	1066.8042		FLSPON2
1054 RPP	-964.1878	-11.6840	959.1078	1646.9425	1054.1042	1066.8042		FLSPON3
1055 RCC	-11.6840	959.1078	660.4026	0.0000	664.9746	0.0000		LT SPONSON
	406.4016	0.0000	0.0000	0.0000	0.0000	0.0000		
1056 RCC	-11.6840	971.8078	660.4026	0.0000	652.2746	0.0000		DUMRCCSP
	393.7016	0.0000	0.0000	0.0000	0.0000	0.0000		
1057 ARB6	-2271.0229	-872.4934	2432.0596	-1540.7701	-1646.9425	2455.0213		RSDECK
	-1522.2864	-1630.0590	2436.6672	-2252.5393	-855.6100	2413.7055		
	-2245.8768	-1646.9425	1744.9869	-2227.3932	-1630.0590	1726.6328		

TABLE 8-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS					REMARKS
1058 ARB6	-1043.6901	-1599.6983	2470.6677	-929.6437	-1568.2022	RMSDECK1
	-950.3879	-1547.7068	2298.2341	-1064.4344	-1579.2030	2308.8691
	-897.6395	-1449.4643	2475.2677	-918.3838	-1428.9690	2460.0327
1059 ARB6	-897.6395	-1449.4643	2475.2677	-929.6437	-1568.2022	2464.6327
	-950.3879	-1547.7068	2298.2341	-918.3638	-1428.9690	2308.8691
	-751.3350	-1298.9687	2479.8778	-772.0792	-1278.4734	2464.6327
1060 ARB6	-751.3350	-1298.9687	2479.8778	-929.6437	-1568.2022	2469.2428
	-945.6457	-1547.2192	2292.5470	-767.3599	-1277.9857	2308.8691
	-802.6432	-1555.7561	2200.1567	-818.6681	-1534.7731	2463.5557
1061 ARB6	-802.6432	-1555.7561	2200.1567	-751.3350	-1298.9687	2183.8346
	-770.8803	-1279.5275	2465.6156	-822.1885	-1536.3149	2479.8778
	-603.2524	-1146.6469	2484.5438	-622.7978	-1127.2056	2185.8945
1062 ARB6	-603.2524	-1146.6469	2484.5438	-802.6432	-1555.7561	2470.2816
	-819.7298	-1535.8755	2183.5374	-620.3390	-1126.7662	2200.1567
	-427.9917	-1488.6999	1895.1015	-445.0783	-1468.8192	2467.9245
1063 ARB6	-603.2524	-1146.6469	2484.5438	-422.9117	-961.1398	1878.4822
	-441.5680	-942.4987	2473.8605	-621.9087	-1128.0057	2490.2258
	-427.9917	-1488.6999	1895.1015	-446.6481	-1470.0587	2468.1785
1064 ARB6	-167.6407	-1438.4077	1947.4257	-422.9117	-961.1398	1878.7362
	-423.2596	-937.9114	2469.6390	-167.9886	-1415.1793	2490.2258
	-427.9917	-1488.6999	1895.1015	-428.3397	-1465.4715	1926.8389
1065 ARB6	-422.9117	-961.1398	2490.2258	-185.6747	-950.9797	1874.5147
	-186.0227	-927.7514	2477.0686	-423.2596	-937.9114	2497.6579
	-167.6407	-1438.4077	1947.4257	-167.9886	-1415.1793	2469.6365
1066 ARB6	-167.6407	-1438.4077	1947.4257	-185.6747	-950.9797	1926.8363
	-186.3047	-927.7590	2477.0686	-168.2706	-1415.1869	2497.6579
	86.3603	-1375.4154	2010.6719	85.7279	-1352.1946	1926.8363
1067 ARB6	20.8281	-957.3298	2504.1298	-185.6747	-950.9797	1990.0826
	-184.3184	-927.2307	2477.7163	22.1819	-933.5807	2497.6579
	66.3603	-1375.4154	2010.6719	87.7142	-933.5807	2484.1882
1068 ARB6	20.8281	-957.3298	2504.1298	86.3603	-1375.4154	1990.7303
						2010.6719
						FRSDECK5

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	85.0548	-1351.8390	1990.5220	19.5225	-933.7534	2483.9799					
	213.3608	-1337.5693	2046.7401	212.0553	-1313.9929	2026.5902					
1069 ARB6	20.8281	-957.3298	2504.1298	144.5266	-943.6137	2508.0059					FRSDECK6
	142.5657	-920.2024	2487.7188	18.8672	-933.9185	2483.8428					
1070 ARB6	213.3608	-1337.5693	2046.7401	211.4000	-1314.1580	2026.4530					
	467.3618	-1253.7489	2128.0204	213.3608	-1337.5693	2046.7401					FRSDECK7
	212.0883	-1314.0793	2026.4886	466.0893	-1230.2589	2107.8832					
	144.5266	-943.6137	2508.0059	143.2540	-920.1237	2487.7544					
1071 ARB6	144.5266	-943.6137	2508.0059	386.0815	-927.4847	2473.1341					FRSDECK8
	381.5019	-905.7218	2451.4805	139.9469	-921.8509	2486.3523					
1072 ARB6	467.3618	-1253.7489	2128.0204	462.7822	-1231.9861	2106.3668					
	594.3623	-1205.7427	2173.4866	467.3618	-1253.7489	2128.0204					FRSDECK 9
	466.4576	-1231.2978	2106.6005	593.5419	-1183.2916	2152.0667					
	386.0815	-927.4847	2473.1341	385.2611	-905.0335	2451.7142					
1073 ARB6	386.0815	-927.4847	2473.1341	588.5203	-956.1106	2443.9087					FRSDECK10
	588.7057	-933.3013	2422.8571	386.2669	-904.6754	2452.0825					
1074 ARB6	594.3623	-1205.7427	2173.4866	594.5478	-1182.9335	2152.4350					
	594.3623	-1205.7427	2173.4866	841.2513	-1117.6044	2263.9109					FRSDECK 11
	840.8221	-1094.8027	2242.8542	593.9331	-1182.9411	2152.4299					
	588.5203	-956.1106	2443.9087	588.0911	-933.3089	2422.8520					
1075 ARB6	799.3411	-985.9557	2413.4769	841.2513	-1117.6044	2263.9109					FRSDECK 12
	841.6018	-1094.2566	2243.4588	799.6917	-962.6079	2393.0247					
	588.5203	-956.1106	2443.9087	588.8708	-932.7628	2423.4566					
1076 ARB6	799.3411	-985.9557	2413.4769	841.2513	-1117.6044	2263.9109					FRSDECK 13
	840.8068	-1094.3684	2243.3343	798.8966	-962.7197	2392.9002					
	1034.5461	-1044.1981	2342.6512	1034.1016	-1020.9621	2322.0746					
1077 ARB6	1006.0980	-1015.2166	2383.6292	1034.5461	-1044.1981	2342.6512					FRSDECK 14
	1035.6713	-1018.5084	2325.2649	1007.2232	-989.5269	2366.2428					
	799.3411	-985.9557	2413.4769	800.4664	-960.2660	2396.0905					
1078 ARB6	1110.4924	-1070.8682	2368.5593	1006.0980	-1015.2166	2383.6292					FRSDECK 15
	1018.8006	-988.6964	2373.6901	1123.1950	-1044.3480	2358.6203					

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1079 ARB6	1034.5461	-1044.1981	2342.6512	1047.2487	-1017.6779	2332.7122					LSDECK 26
	-2271.0229	872.4934	2432.0596	-2245.8768	1646.9425	1744.9869					
	-2234.1725	1627.6511	1723.6711	-2259.3186	853.2021	2410.7438					
	-1479.3018	1646.9425	2165.8665	-1467.5975	1627.6511	2144.5508					
1080 ARB6	-2271.0229	872.4934	2432.0596	-1479.3018	1646.9425	2165.8665					LSDECK 26
	-1469.3247	1626.7941	2142.7448	-2261.0458	854.3451	2408.9379					
	-1153.9265	1588.2683	2352.3033	-1143.9494	1570.1199	2329.1815					
1081 ARB6	-2271.0229	872.4934	2432.0596	-1014.9880	1582.9342	2471.5491					LSDECK26
	-1001.6631	1560.2951	2455.0111	-2257.6980	849.8543	2415.5216					
	-1153.9265	1588.2683	2352.3033	-1140.6017	1565.6291	2335.7653					
1082 ARB8	1198.8847	-1162.8166	1280.1650	1198.8847	1162.8166	1280.1650					BOTTOM PLT
	1252.4789	1146.5605	1290.0711	1252.4789	-1146.5605	1290.0711					BEHIND BOW
	1193.4135	-1162.8166	1309.7612	1193.4135	1162.8166	1309.7612					
	1247.0077	1146.5605	1319.6673	1247.0077	-1146.5605	1319.6673					
1083 ARB6	-1141.2265	1611.3823	2457.4597	-1241.5569	1613.6684	2336.0472					LSDECK26
	-1238.5089	1644.5041	2334.1168	-1138.1785	1642.2181	2455.5293					
	-1015.4960	1598.9363	2457.4597	-1012.4480	1629.7720	2455.5293					
1084 ARB6	-728.4749	1558.0421	2480.5585	-540.5141	1250.7009	2486.4666					LSDECK19
	-563.5749	1236.3067	2471.4831	-751.5356	1543.6479	2465.5750					
	-568.9622	1536.9601	2255.2749	-592.0230	1522.5658	2240.2914					
1085 ARB8	1252.4789	-1012.4480	1290.0711	1198.8847	-1020.9062	1280.1650					
	1198.8847	-1020.9062	2355.7653	1252.4789	-1012.4480	2347.9852					
	1245.5472	-968.5388	1290.0711	1191.9530	-976.9971	1280.1650					
	1191.9530	-976.9971	2355.7653	1245.5472	-968.5388	2347.9852					
1086 ARB6	-611.1264	1554.9941	2250.1949	-631.9545	1406.9115	2467.8737					LSDECK19
	-658.3452	1394.6687	2457.0279	-637.5171	1542.7513	2239.3490					
	-567.1842	1402.5935	2315.2191	-593.5749	1390.3507	2304.3733					
1087 ARB6	-567.1842	1402.5935	2315.2191	-631.9545	1406.9115	2467.8737					LSDECK19
	-654.8400	1388.0393	2458.7043	-590.0697	1383.7212	2306.0497					
	-514.8600	1262.8930	2472.1917	-537.7455	1244.0207	2463.0223					
1088 ARB8	-568.9622	1536.9601	2255.2749	-540.5141	1250.7009	2486.4666					LSDECK43

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1089 RCC	-240.5389	1194.3127	2495.9002	-70.8663	1447.2977	2267.6854					
1090 RCC	-571.8909	1517.3690	2231.3785	-543.4428	1231.1098	2462.5702					
1091 ARB6	-243.4676	1174.7216	2472.0038	-73.7949	1427.7066	2243.7890					
	0.0000	985.7779	673.1027	0.0000	-193.5488	0.0000	SHIELD FIN				
	271.7811	0.0000	0.0000	0.0000	0.0000	0.0000	DR LEFT				
1090 RCC	0.0000	960.3778	673.1027	0.0000	-142.7486	0.0000	AIR IN SHI				
	248.9210	0.0000	0.0000	0.0000	0.0000	0.0000	ELD LEFT				
1091 ARB6	1112.5244	1064.5182	2368.3053	1002.0339	935.2317	2384.0534	SFOR DECK				
	997.6092	935.2698	2353.3294	1108.0997	1064.5563	2337.5814					
1092 RCC	1252.4789	935.2317	2347.9852	1248.0542	935.2698	2317.2613					
	0.0000	-985.7779	673.1027	0.0000	193.5488	0.0000	SHIELD FIN				
	271.7811	0.0000	0.0000	0.0000	0.0000	0.0000	DRIVE RITE				
1093 ARB6	-70.8663	1447.2977	2267.6854	-240.5389	1194.3127	2495.9002	LSDECK44				
	-224.0898	1171.4729	2482.8115	-54.4172	1424.4579	2254.5967					
	69.0883	1411.7376	2505.6335	85.5348	1388.8978	2492.5448					
1094 RCC	0.0000	-960.3778	673.1027	0.0000	142.7486	0.0000	AIR IN SHI				
	248.9210	0.0000	0.0000	0.0000	0.0000	0.0000	ELD RIGHT				
1095 ARB8	264.0086	1016.0040	608.5712	264.0086	1016.0040	254.0010	DUMMY REG				
	-167.8769	1016.0040	254.0010	-167.8769	1016.0040	459.3684					
	264.0086	-1016.0040	608.5712	264.0086	-1016.0040	254.0010					
1096 ARB8	-167.8769	-1016.0040	254.0010	-167.8769	-1016.0040	459.3684					
	1252.4789	935.2317	2347.9852	1252.4789	-893.3215	2347.9852	SFORDECK				
	144.5266	-893.3215	2508.0059	144.5266	935.2317	2508.0059					
	1248.0339	935.2317	2317.2765	1248.0339	-893.3215	2317.2765					
	140.0816	-893.3215	2477.2972	140.0816	935.2317	2477.2972					
1097 ARB8	144.5266	-893.3215	2508.0059	1110.4924	-893.3215	2368.5593	SFORDECK				
	1110.4924	-1070.8682	2368.5593	144.5266	-943.6137	2508.0059					
	140.0816	-893.3215	2477.2972	1106.0474	-893.3215	2337.8506					
	1106.0474	-1070.8682	2337.8506	140.0816	-943.6137	2477.2972					
1098 ARB8	1110.4924	-893.3215	2368.5593	1252.4789	-893.3215	2347.9852	SFORDECK				
	1252.4789	-1012.4480	2347.9852	1110.4924	-1070.8682	2368.5593					

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1099 ARB6	1106.0474	-893.3215	2337.8506	1248.0339	-893.3215	2317.2765	-1012.4480	1394.1460	935.2317	2317.2765	SFORDECK
	1248.0339	-1012.4480	2317.2765	1106.0474	-1070.8682	2508.0059	144.5266	140.2162	1394.1480	2337.8506	
	144.5266	1394.1460	2508.0059	144.5266	1394.1480	2478.2166	319.2869	323.5973	1354.5873	2508.0059	
	140.2162	935.2317	2478.2166	140.2162	1394.1480	2482.0978	319.2869	323.5973	1354.5873	2478.2166	
1100 ARB6	323.5973	1354.5873	2482.0978	319.2869	1354.5873	2508.0059	323.5973	140.0816	935.2317	2452.3085	SFORDECK
	144.5266	935.2317	2508.0059	323.5973	1354.5873	2451.3891	323.5973	140.0816	935.2317	2482.0978	
	319.1523	1354.5873	2451.3891	140.0816	935.2317	2473.7157	377.5725	323.5973	935.2317	2477.2972	
	382.0175	935.2317	2473.7157	377.5725	935.2317	2473.7157	323.5973	377.5725	935.2317	2443.0070	
1101 ARB6	362.0175	935.2317	2473.7157	323.5973	1354.5873	2451.3891	377.5725	517.5270	1285.7531	2482.0978	SFORDECK
	319.1523	1354.5873	2451.3891	377.5725	1285.7531	2453.3957	517.5270	382.0175	1285.7531	2443.0070	
	521.9721	1285.7531	2453.3957	382.0175	1285.7531	2442.9816	517.5524	582.0687	935.2317	2422.6615	SFORDECK
	377.5979	935.2063	2442.9816	517.5524	935.2063	2444.2516	582.0687	521.9721	935.2063	2413.5175	
1103 ARB6	586.4883	935.2317	2444.2516	521.9721	1285.7531	2422.6615	562.0687	713.6412	1214.8868	2453.3957	SFORDECK
	586.4883	935.2317	2444.2516	521.9721	1285.7531	2422.6615	562.0687	713.6412	1214.8868	2413.5175	
	517.5524	1285.7531	2422.6615	562.0687	1214.8868	2425.2015	586.4883	713.6158	935.2317	2394.4674	
	718.0608	1214.8868	2425.2015	586.4883	1214.8868	2425.2015	586.4883	713.6158	935.2317	2444.2516	SFORDECK
1104 ARB6	718.0608	1214.8868	2425.2015	586.4883	1214.8868	2413.5429	792.8641	718.0608	1214.8868	2394.4928	
	582.0433	935.2317	2413.5429	792.8641	935.2317	2413.7715	718.0608	792.8641	935.2317	2383.0628	SFORDECK
	797.3091	935.2317	2413.7715	718.0608	935.2317	2413.7715	718.0608	792.8641	935.2317	2425.2015	
	797.3091	935.2317	2413.7715	718.0608	935.2317	2413.7715	718.0608	792.8641	935.2317	2383.0628	
1105 ARB6	713.6158	1214.8868	2394.4928	792.8641	1214.8868	2395.9914	916.0546	916.0546	1139.7025	2365.2827	SFORDECK
	920.4996	1139.7025	2395.9914	916.0546	1139.7025	2395.9914	916.0546	916.0546	1139.7025	2365.2827	
	920.4996	1139.7025	2395.9914	916.0546	1139.7025	2383.0628	916.0292	997.5635	1139.7279	2413.7715	SFORDECK
	792.8387	935.2571	2383.0628	916.0292	935.2571	2384.0534	997.5635	920.4996	1139.7279	2365.2827	
1106 ARB6	1002.0339	935.2317	2384.0534	997.5635	935.2317	2384.0534	997.5635	920.4996	1139.7025	2353.3447	SFORDECK
	1002.0339	935.2317	2384.0534	997.5635	935.2317	2384.0534	997.5635	920.4996	1139.7025	2395.9914	
	916.0800	1139.7279	2365.2573	997.6143	1139.7279	2368.3053	1108.1048	1252.4789	935.2571	2353.3193	
	1112.5244	1064.5182	2368.3053	1108.1048	1064.5182	2347.9852	1252.4789	1248.0187	1012.4480	2337.5712	SFOR DECK
1107 ARB6	1252.4789	1012.4480	2347.9852	1252.4789	1012.4480	2317.2664	1248.0187	1012.4480	1012.4480	2347.9852	
	1248.0187	935.2317	2317.2664	1248.0187	935.2317	2317.2664	1248.0187	1012.4480	1012.4480	2317.2664	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1109 AR88	1112.5244	1064.5182	2368.3053	1108.0641	1064.5182	2337.5864	MIDBOT				
	-2271.0229	958.8538	406.4016	-2737.8729	958.8538	406.4016					
	-737.8729	-958.8538	406.4016	-2271.0229	-958.8538	406.4016					
	-2271.0229	958.8538	436.5007	-737.8729	958.8538	436.5007					
1110 RPP	-737.8729	-958.8538	436.5007	-2271.0229	-958.8538	436.5007	FW080T-1 BOT PLATE				
	-737.8729	-342.6473	-985.7779	985.7779	406.4016	436.5007					
	-342.6473	985.7779	406.4016	-342.6473	-985.7779	406.4016					
	-134.6205	-985.7779	433.3257	-134.6205	985.7779	433.3257					
1112 AR88	-346.5107	985.7779	436.2493	-346.5107	-985.7779	436.2493	AIR ABOVE SOLID 1111				
	-138.4839	-985.7779	463.1734	-138.4839	985.7779	463.1734					
	-342.6473	985.7779	406.4016	-342.6473	-985.7779	406.4016					
	-134.6205	-985.7779	433.3257	-134.6205	985.7779	433.3257					
1113 AR88	-342.6473	985.7779	1066.8042	-342.6473	-985.7779	1066.8042	BOT PLATE				
	-134.6205	-985.7779	1066.8042	-134.6205	985.7779	1066.8042					
	-134.6205	985.7779	433.3257	-134.6205	-985.7779	433.3257					
	73.4063	-985.7779	491.7459	73.4063	985.7779	491.7459					
1114 AR88	-142.7562	985.7779	462.3021	-142.7562	-985.7779	462.3021	AIR ABOVE SOLID 1113				
	65.2681	-985.7779	520.7224	65.2681	985.7779	520.7224					
	-134.6205	985.7779	433.3257	-134.6205	-985.7779	433.3257					
	73.4063	-985.7779	491.7459	73.4063	985.7779	491.7459					
1115 AR88	-134.6205	985.7779	1066.8042	-134.6205	-985.7779	1066.8042	BOT PLATE				
	73.4063	-985.7779	1066.8042	73.4063	985.7779	1066.8042					
	73.4063	985.7779	491.7459	73.4063	-985.7779	491.7459					
	222.7589	-985.7779	539.4981	222.7589	985.7779	539.4981					
1116 AR88	64.2394	985.7779	520.4150	64.2394	-985.7779	520.4150	AIR ABOVE SOLID 1115				
	213.5920	-985.7779	568.1672	213.5920	985.7779	568.1672					
	73.4063	985.7779	491.7459	73.4063	-985.7779	491.7459					
	222.7589	-985.7779	539.4981	222.7589	985.7779	539.4981					
1117 AR88	73.4063	985.7779	1066.8042	73.4063	-985.7779	1066.8042	BOT PLATE				
	222.7589	-985.7779	1066.8042	222.7589	985.7779	1066.8042					
	222.7589	959.1076	539.4981	222.7589	-959.1076	539.4981					

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1118 ARB8	390.1455	-959.1078	666.4986	390.1455	959.1078	666.4986					
	204.5724	959.1078	563.4758	204.5724	-959.1078	563.4758					
	371.9591	-959.1078	690.4763	371.9591	959.1078	690.4763					
	222.7589	959.1078	539.4981	222.7589	-959.1078	539.4981					AIR ABOVE
	390.1455	-959.1078	666.4986	390.1455	959.1078	666.4986					SOLID 1117
1119 ARB8	222.7589	959.1078	1066.8042	222.7589	-959.1078	1066.8042					
	390.1455	-959.1078	1066.8042	390.1455	959.1078	1066.8042					
	1252.4789	1625.6064	1290.0711	1198.8847	1625.6064	1280.1650					DUMMY
	525.5281	1625.6064	798.3251	390.1455	1625.6064	666.4986					UNDER
	1252.4789	-1625.6064	1290.0711	1198.8847	-1625.6064	1280.1650					BOTTOM
1120 ARB8	525.5281	-1625.6064	798.3251	390.1455	-1625.6064	666.4986					FRONT
	525.5281	1624.0824	798.3251	390.1455	1624.0824	666.4986					
	390.1455	-1624.0824	666.4986	525.5281	-1624.0824	798.3251					
	504.5222	1624.0824	819.8898	369.1397	1624.0824	688.0633					
	369.1397	-1624.0824	688.0633	504.5222	-1624.0824	819.8898					
1121 ARB8	1198.8847	1162.8166	1280.1650	525.5281	1624.0824	798.3251					
	525.5281	-1624.0824	798.3251	1198.8847	-1162.8166	1280.1650					
	1216.3981	1162.8166	1255.6870	543.0414	1624.0824	773.8471					
	543.0414	-1624.0824	773.8471	1216.3981	-1162.8166	1255.6870					
	1252.4789	1012.4480	1290.0711	1198.8847	1020.9062	1280.1650					
1122 ARB8	1198.8847	1020.9062	2355.7653	1252.4789	1012.4480	2347.9852					
	1245.5472	968.5388	1290.0711	1191.9530	976.9971	1280.1650					
	1191.9530	976.9971	2355.7653	1245.5472	968.5388	2347.9852					
	1252.4789	1012.4480	1290.0711	1198.8847	1020.9062	1280.1650					AIR BETWEEN
	1198.8847	1020.9062	2355.7653	1252.4789	1012.4480	2347.9852					N SOLIDS
1123 ARB8	1252.4789	-1012.4480	1290.0711	1198.8847	-1020.9062	1280.1650					1122 AND
	1198.8847	-1020.9062	2355.7653	1252.4789	-1012.4480	2347.9852					1085
	1252.4789	935.2317	2347.9852	1002.0339	935.2317	2384.0534					TOP DECK
	997.6092	935.2698	2353.3294	1248.0542	935.2698	2317.2613					FRONT NEAR
	1112.5244	1064.5182	2368.3053	1108.0997	1064.5563	2337.5814					SOLID 1108
1125 ARB6	-540.5141	1250.7009	2486.4666	-744.7309	1250.7009	2480.0480					MIDDECK 4

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-743.7835	1250.6984	2449.9616	-539.5667	1250.6984	2456.3802	OUTER				
	-728.4749	1558.0421	2480.5585	-727.5274	1558.0396	2450.4721					
1126 AR88	386.0815	-893.3215	2473.1341	386.0815	-927.4847	2473.1341	AIR UNDER				
	588.5203	-956.1106	2443.9087	588.5203	-893.3215	2443.9087	SOLID 1097				
	386.0815	-893.3215	2316.4891	386.0815	-927.4847	2316.4891					
	588.5203	-956.1106	2316.4891	588.5203	-893.3215	2316.4891					
1127 AR88	588.5203	-893.3215	2443.9087	588.5203	-956.1106	2443.9087	AIR UNDER				
	799.3411	-985.9557	2413.4769	799.3411	-893.3215	2413.4769	SOLID 1097				
	588.5203	-893.3215	2316.4891	588.5203	-956.1106	2316.4891					
	799.3411	-985.9557	2316.4891	799.3411	-893.3215	2316.4891					
1128 AR88	799.3411	-893.3215	2413.4769	799.3411	-985.9557	2413.4769	AIR UNDER				
	1006.0980	-1015.2166	2383.6292	1006.0980	-893.3215	2383.6292	SOLID 1097				
	799.3411	-893.3215	2316.4891	799.3411	-985.9557	2316.4891					
1129 AR86	1006.0980	-1015.2166	2316.4891	1006.0980	-893.3215	2316.4891					
	-6024.5557	958.9808	1676.4066	-6024.5557	1587.2141	1676.4066	LT STERN				
	-5989.7551	1587.2141	1683.0792	-5989.7551	958.9808	1683.0792	CLOSURE				
	-6145.5542	872.4934	2307.3451	-6110.7535	872.4934	2314.0177	PLATE				
1130 SPH	0.0000	0.0000	0.0000	2.5400	0.0000	0.0000					
1131 AR86	-6024.5557	-958.9808	1676.4066	-6024.5557	-1587.2141	1676.4066	RT STERN				
	-5989.7551	-1587.2141	1683.0792	-5989.7551	-958.9808	1683.0792	CLOSURE				
	-6145.5542	-872.4934	2307.3451	-6110.7535	-872.4934	2314.0177	PLATE				
1132 AR88	1006.0980	-893.3215	2383.6292	1006.0980	-1012.6766	2383.6292	AIR UNDER				
	1110.4924	-1068.3282	2368.5593	1110.4924	-893.3215	2368.5593	SOLID 1097				
	1006.0980	-893.3215	2316.4891	1006.0980	-1012.6766	2316.4891					
	1110.4924	-1068.3282	2316.4891	1110.4924	-893.3215	2316.4891					
1133 AR88	1227.0788	-1012.4480	2347.9598	1227.0788	-1012.4480	1290.0711	FWD BULK				
	1227.0788	1012.4480	1290.0711	1227.0788	1012.4480	2347.9598					
	1252.4789	-1012.4480	2347.9598	1252.4789	-1012.4480	1290.0711					
	1252.4789	1012.4480	1290.0711	1252.4789	1012.4480	2347.9598					
1134 AR86	54.1022	-1432.0576	1411.4836	179.3247	-1624.0824	1296.5227	RTP0D68				
	179.0707	-1619.3072	1288.2677	53.8482	-1427.2824	1403.2285					

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1135 ARB6	1605.7943	-874.5254	1684.7886	1605.5403	-869.7502	1676.5336	RTP0066				
	179.3247	-1624.0824	1315.7252	413.0056	-1624.0824	1250.9549					
	411.2022	-1617.4022	1244.4017	177.5213	-1617.4022	1309.1720					
	1605.7943	-874.5254	1684.7886	1603.9909	-867.8452	1678.2354					
1136 ARB6	413.0056	-1624.0824	1250.9549	500.3820	-1624.0824	1140.4645	RTP0066				
	496.4450	-1616.0352	1137.3403	409.0686	-1616.0052	1247.8307					
	1605.7943	-874.5254	1684.7886	1601.8573	-866.4482	1681.6644					
	500.3820	-1624.0824	1140.4645	525.5281	-1624.0824	1015.2420					
1137 ARB6	520.5496	-1616.0306	1014.2514	495.4036	-1616.0306	1139.4739	RTP0068				
	1605.7943	-874.5254	1684.7886	1600.8159	-866.4736	1683.7980					
	525.5281	-1624.0824	1015.2420	525.5281	-1624.0824	798.3251					
	520.0924	-1616.2592	798.3251	520.0924	-1616.2592	1015.2420					
1138 ARB6	1605.7943	-874.5254	1684.7886	1600.8159	-866.4736	1683.7980	RTP0068				
	525.5281	-1624.0824	1015.2420	525.5281	-1624.0824	798.3251					
	520.0924	-1616.2592	798.3251	520.0924	-1616.2592	1015.2420					
	1605.7943	-874.5254	1684.7886	1600.8159	-866.4736	1683.7980					
1139 ARB6	1605.7943	-874.5254	1684.7886	1600.3587	-860.7022	1684.7886	LTP0068				
	54.1022	1432.0576	1411.4836	179.3247	1624.0824	1296.5227					
	179.0707	1619.3072	1288.2677	53.8482	1427.2824	1403.2285					
	1605.7943	874.5254	1684.7886	1605.5403	869.7502	1676.5336					
1140 ARB6	179.3247	1624.0824	1315.7252	413.0056	1624.0824	1250.9549	LTP0068				
	411.2022	1617.4022	1244.4017	177.5213	1617.4022	1309.1720					
	1605.7943	874.5254	1684.7886	1603.9909	867.8452	1678.2354					
	413.0056	1624.0824	1250.9549	500.3820	1624.0824	1140.4645					
1141 ARB6	496.4450	1616.0352	1137.3403	409.0686	1616.0052	1247.8307	LTP0068				
	1605.7943	874.5254	1684.7886	1601.8573	866.4482	1681.6644					
	500.3820	1624.0824	1140.4645	525.5281	1624.0824	1015.2420					
	520.5496	1616.0306	1014.2514	495.4036	1616.0306	1139.4739					
1142 ARB6	1605.7943	874.5254	1684.7886	1600.8159	866.4736	1683.7980	LTP0068				
	525.5281	1624.0824	1015.2420	525.5281	1624.0824	798.3251					
	520.0924	1616.2592	798.3251	520.0924	1616.2592	1015.2420					
	1605.7943	874.5254	1684.7886	1600.3587	866.7022	1684.7886					
1143 ARB6	54.1022	1432.0576	1411.4836	-945.8997	1599.1903	1323.0912	LTCL0571				
	-945.8997	1624.0824	1308.3592	179.3247	1624.0824	1296.5227					
	54.0260	1427.2062	1403.2793	-945.9759	1594.3389	1314.8870					

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1145 ARB8	-945.9759	1619.2310	1300.1549	179.2485	1619.2310	1288.3185					RTCLOS71
	54.1022	-1432.0576	1411.4836	-945.8997	-1599.1903	1323.0912					
	-945.8997	-1624.0824	1308.3592	179.3247	-1624.0824	1296.5227					
	54.0260	-1427.2062	1403.2793	-945.9759	-1594.3389	1314.8870					
	-945.9759	-1619.2310	1300.1549	179.2485	-1619.2310	1288.3185					
1146 ARB8	-945.8997	-1624.0824	1308.3592	179.3247	-1624.0824	1297.4371					RTSUTP70
	0.0000	-1624.0824	1052.8341	-945.8997	-1624.0824	1052.8341					
	-945.8997	-1614.5574	1308.3592	179.3247	-1614.5574	1297.4371					
	0.0000	-1614.5574	1052.8341	-945.8997	-1614.5574	1052.8341					
1147 ARB6	0.0000	-1624.0824	1052.8341	179.3247	-1624.0824	1297.4371					RTSUTP70
	179.3247	-1614.5574	1297.4371	0.0000	-1614.5574	1052.8341					
	413.0056	-1624.0824	1250.9549	413.0056	-1614.5574	1250.9549					
1148 ARB6	0.0000	-1624.0824	1052.8341	413.0056	-1624.0824	1250.9549					RTSUTP70
	413.0056	-1614.5574	1250.9549	0.0000	-1614.5574	1052.8341					
	152.1466	-1624.0824	1023.6240	152.1466	-1614.5574	1023.6240					
1149 ARB6	152.1466	-1624.0824	1023.6240	413.0056	-1624.0824	1250.9549					RTSUTP70
	413.0056	-1614.5574	1250.9549	152.1466	-1614.5574	1023.6240					
	500.3820	-1624.0824	1140.4645	500.3820	-1614.5574	1140.4645					
1150 ARB6	500.3820	-1624.0824	1140.4645	152.1466	-1624.0824	1023.6240					RTSUTP70
	152.1466	-1614.5574	1023.6240	500.3820	-1614.5574	1140.4645					
	285.7511	-1624.0824	940.3117	285.7511	-1614.5574	940.3117					
1151 ARB6	285.7511	-1624.0824	940.3117	500.3820	-1624.0824	1140.4645					RTSUTP70
	500.3820	-1614.5574	1140.4645	285.7511	-1614.5574	940.3117					
	525.5281	-1624.0824	1015.2420	525.5281	-1614.5574	1015.2420					
1152 ARB6	525.5281	-1624.0824	1015.2420	285.7511	-1624.0824	940.3117					RTSUTP70
	285.7511	-1614.5574	940.3117	525.5281	-1614.5574	1015.2420					
	354.5854	-1624.0824	833.8853	354.5854	-1614.5574	833.8853					
1153 ARB6	354.5854	-1624.0824	833.8853	525.5281	-1624.0824	1013.2100					RTSUTP70
	525.5281	-1614.5574	1013.2100	354.5854	-1614.5574	833.8853					
	525.5281	-1624.0824	881.8915	525.5281	-1614.5574	881.8915					
1154 ARB6	383.7955	-1624.0824	727.4589	525.5281	-1624.0824	881.8915					RTSUTP70

TABLE B-I. SOLID TABLE FOR LVIPT7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1155 ARB8	525.5281	-1614.5574	881.8915	383.7955	-1614.5574	727.4589	RTSUIPT70				
	354.5854	-1624.0824	833.8853	354.5854	-1614.5574	833.8853					
	383.7955	-1624.0824	727.4589	525.5281	-1624.0824	881.8915					
	525.5281	-1624.0824	785.8791	452.6298	-1624.0824	727.4589					
1156 ARB8	383.7955	-1614.5574	727.4589	525.5281	-1614.5574	881.8915	LTSUIPT70				
	525.5281	-1614.5574	785.8791	452.6298	-1614.5574	727.4589					
	-945.8997	1624.0824	1308.3592	179.3247	1624.0824	1297.4371					
	0.0000	1624.0824	1052.8341	-945.8997	1624.0824	1052.8341					
1157 ARB6	-945.8997	1614.5574	1308.3592	179.3247	1614.5574	1297.4371	LTSUIPT70				
	0.0000	1614.5574	1052.8341	-945.8997	1614.5574	1052.8341					
	0.0000	1624.0824	1052.8341	179.3247	1624.0824	1297.4371					
	179.3247	1614.5574	1297.4371	0.0000	1614.5574	1052.8341					
1158 ARB6	413.0056	1624.0824	1250.9549	413.0056	1614.5574	1250.9549	LTSUIPT70				
	0.0000	1624.0824	1052.8341	413.0056	1624.0824	1250.9549					
	413.0056	1614.5574	1250.9549	0.0000	1614.5574	1052.8341					
	152.1466	1624.0824	1023.6240	152.1466	1614.5574	1023.6240					
1159 ARB6	152.1466	1624.0824	1023.6240	413.0056	1624.0824	1250.9549	LTSUIPT70				
	413.0056	1614.5574	1250.9549	152.1466	1614.5574	1023.6240					
	500.3820	1624.0824	1140.4645	500.3820	1614.5574	1140.4645					
	500.3820	1624.0824	1140.4645	152.1466	1624.0824	1023.6240					
1160 ARB6	152.1466	1614.5574	1023.6240	500.3820	1614.5574	1140.4645	LTSUIPT70				
	285.7511	1624.0824	940.3117	285.7511	1614.5574	940.3117					
	285.7511	1624.0824	940.3117	500.3820	1624.0824	1140.4645					
	500.3820	1614.5574	1140.4645	285.7511	1614.5574	940.3117					
1161 ARB6	525.5281	1624.0824	1015.2420	525.5281	1614.5574	1015.2420	LTSUIPT70				
	525.5281	1624.0824	1015.2420	285.7511	1624.0824	940.3117					
	285.7511	1614.5574	940.3117	525.5281	1614.5574	1015.2420					
	354.5854	1624.0824	833.8853	354.5854	1614.5574	833.8853					
1162 ARB6	354.5854	1624.0824	833.8853	525.5281	1624.0824	1013.2100	LTSUIPT70				
	525.5281	1614.5574	1013.2100	354.5854	1614.5574	833.8853					
	525.5281	1624.0824	881.8915	525.5281	1614.5574	881.8915					
	525.5281	1624.0824	881.8915	525.5281	1614.5574	881.8915					

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
11164 AR86	383.7955	1624.0824	727.4589	525.5281	1624.0824	881.8915	LTSUPT70
	525.5281	1614.5574	881.8915	383.7955	1614.5574	727.4589	
	354.5854	1624.0824	833.8853	354.5854	1614.5574	833.8853	
	383.7955	1624.0824	727.4589	525.5281	1624.0824	881.8915	LTSUPT70
11165 AR88	525.5281	1624.0824	785.8791	452.6298	1624.0824	727.4589	
	383.7955	1614.5574	727.4589	525.5281	1614.5574	881.8915	
	525.5281	1614.5574	785.8791	452.6298	1614.5574	727.4589	
	1252.4789	-1012.4480	2347.9852	1252.4789	1012.4480	2347.9852	TOP80W
11166 AR88	1678.1846	830.3293	2291.5970	1678.1846	-830.3293	2291.5970	
	1251.2343	-1012.4480	2338.5364	1251.2343	1012.4480	2338.5364	
	1676.9400	830.3293	2282.1482	1676.9400	-830.3293	2282.1482	
	1252.4789	-1012.4480	2347.9852	1678.1846	-830.3293	2291.5970	RT80W62
11167 AR88	1678.1846	-830.3293	1649.2285	1252.4789	-1012.4480	1290.0711	
	1248.7451	-1003.6850	2347.9852	1674.4508	-821.5662	2291.5970	
	1674.4508	-821.5662	1649.2285	1248.7451	-1003.6850	1290.0711	
	1252.4789	1012.4480	2347.9852	1678.1846	830.3293	2291.5970	LT80W62
11168 AR88	1678.1846	830.3293	1649.2285	1252.4789	1012.4480	1290.0711	
	1248.7451	1003.6850	2347.9852	1674.4508	821.5662	2291.5970	
	1674.4508	821.5662	1649.2285	1248.7451	1003.6850	1290.0711	
	1678.1846	-830.3293	2291.5970	1678.1846	830.3293	2291.5970	FRONT80W
11169 AR88	1678.1846	830.3293	1649.2285	1678.1846	-830.3293	1649.2285	
	1668.6596	-830.3293	2291.5970	1668.6596	830.3293	2291.5970	
	1668.6596	830.3293	1649.2285	1668.6596	-830.3293	1649.2285	
	1252.4789	1012.4480	1290.0711	1678.1846	830.3293	1649.2285	80TTM80W
11170 AR88	1678.1846	-830.3293	1649.2285	1252.4789	-1012.4480	1290.0711	
	1246.3321	1012.4480	1297.3609	1672.0378	830.3293	1656.5183	
	1672.0378	-830.3293	1656.5183	1246.3321	-1012.4480	1297.3609	
	1252.4789	1146.5605	1290.0711	1252.4789	1012.4480	1290.0711	LTFILLER
11171 AR86	1246.3321	1012.4480	1297.3609	1246.3321	1146.5605	1297.3609	
	1678.1846	830.3293	1649.2285	1672.0378	830.3293	1656.5183	
	1252.4789	-1146.5605	1290.0711	1252.4789	-1012.4480	1290.0711	
	1252.4789	-1146.5605	1290.0711	1252.4789	-1012.4480	1290.0711	RTFILLER

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1173 ARB8	1246.3321	-1012.4480	1297.3609	1246.3321	-1146.5605	1297.3609					
	1678.1846	-830.3293	1649.2285	1672.0378	-830.3293	1656.5183					
	-5064.5259	-1646.9425	1667.2626	-2843.2872	-1646.9425	1365.2554					RSJET2
	-2843.2872	-1646.9425	1057.1522	-5064.5259	-1646.9425	1086.1083					
	-5064.5259	-1634.2424	1667.2626	-2843.2872	-1634.2424	1365.2554					
1174 ARB8	-2843.2872	-1634.2424	1057.1522	-5064.5259	-1634.2424	1086.1083					
	-5064.5259	1646.9425	1667.2626	-2843.2872	1646.9425	1365.2554					
	-2843.2872	1646.9425	1057.1522	-5064.5259	1646.9425	1086.1083					LSJET2
	-5064.5259	1634.2424	1667.2626	-2843.2872	1634.2424	1365.2554					
	-2843.2872	1634.2424	1057.1522	-5064.5259	1634.2424	1086.1083					
1175 ARB8	-5552.7159	-1646.9425	1098.8083	-5494.2956	-1646.9425	1098.8083					
	-5494.2956	-1646.9425	978.1579	-5552.7159	-1646.9425	978.1579					
	-5552.7159	-1662.9445	1098.8083	-5494.2956	-1662.9445	1098.8083					RTPLATE1
	-5494.2956	-1662.9445	978.1579	-5552.7159	-1662.9445	978.1579					
	-5494.2956	-1646.9425	1098.8083	-5425.7154	-1646.9425	1098.8083					
1176 ARB8	-5425.7154	-1646.9425	1048.0081	-5494.2956	-1646.9425	978.1579					
	-5494.2956	-1662.9445	1098.8083	-5425.7154	-1662.9445	1098.8083					
	-5425.7154	-1662.9445	1048.0081	-5494.2956	-1662.9445	978.1579					
	-5552.7159	1646.9425	1098.8083	-5494.2956	1646.9425	1098.8083					RTPLATE2
	-5494.2956	1646.9425	978.1579	-5552.7159	1646.9425	978.1579					
1177 ARB8	-5552.7159	1662.9445	1098.8083	-5494.2956	1662.9445	1098.8083					
	-5494.2956	1646.9425	1098.8083	-5552.7159	1646.9425	1098.8083					
	-5552.7159	1662.9445	978.1579	-5494.2956	1662.9445	978.1579					
	-5494.2956	1662.9445	1098.8083	-5552.7159	1662.9445	1098.8083					LTPLATE1
	-5425.7154	1646.9425	1048.0081	-5494.2956	1646.9425	978.1579					
1178 ARB8	-5494.2956	1662.9445	1098.8083	-5552.7159	1662.9445	1098.8083					
	-5494.2956	1662.9445	978.1579	-5552.7159	1662.9445	978.1579					
	-5425.7154	1646.9425	1048.0081	-5494.2956	1646.9425	978.1579					
	-5494.2956	1662.9445	1098.8083	-5425.7154	1662.9445	1098.8083					LTPLATE2
	-5425.7154	1662.9445	1048.0081	-5494.2956	1662.9445	978.1579					
1179 RPP	-422.9117	1252.4789	-1012.4480	1012.4480	1290.0711	2316.9971					BULK REAR
1180 ARB8	1252.4789	935.2317	2347.9852	1252.4789	-893.3215	2347.9852					AIR FROM
	144.5266	-893.3215	2508.0059	144.5266	935.2317	2508.0059					BULKHEAD
	1252.4789	935.2317	2316.4891	1252.4789	-893.3215	2316.4891					BELOW 1096
	144.5266	-893.0675	2316.4891	144.5266	935.2317	2316.4891					

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
11181 AR88	1110.4924	-893.3215	2368.5593	1252.4789	-893.3215	2347.9852	AIR FROM
	1252.4789	-1012.4480	2347.9852	1110.4924	-1070.8682	2368.5593	BULKHEAD
	1110.4924	-893.3215	2316.4891	1252.4789	-893.3215	2316.4891	BELOW 1098
	1252.4789	-1012.4480	2316.4891	1110.4924	-1070.8682	2316.4891	
11182 AR88	144.5266	-893.3215	2508.0059	144.5266	-943.6137	2508.0059	AIR UNDER
	386.0815	-927.4847	2473.1341	386.0815	-893.3215	2473.1341	SOLID 1097
	144.5266	-893.3215	2316.4891	144.5266	-943.6137	2316.4891	
	386.0815	-927.4847	2316.4891	386.0815	-893.3215	2316.4891	
11183 AR88	144.5266	-943.6137	2508.0059	144.5266	451.8678	2508.0059	AIR BELOW
	-422.9117	451.8678	2490.2258	-422.9117	-961.1398	2490.2258	SOLID 962
	144.5266	-943.6137	2316.4891	144.5266	451.8678	2316.4891	
	-422.9117	451.8678	2316.4891	-422.9117	-961.1398	2316.4891	
11184 AR88	144.5266	1394.1480	2508.0059	69.0883	1411.7376	2505.6335	AIR BELOW
	-240.5389	1194.3127	2495.9002	144.5266	451.8678	2508.0160	SOLD 963
	144.5266	1394.1480	1066.8042	69.0883	1411.7376	1066.8042	
	-240.5389	1194.3127	1066.8042	144.5266	451.8678	1066.8042	
11185 AR88	144.5266	451.8678	2508.0059	-240.5389	1194.3127	2495.9002	AIR BELOW
	-540.5141	1250.7009	2486.4666	-540.5141	451.8678	2486.4615	SOLID 964
	144.5266	451.8678	1066.8042	-240.5389	1194.3127	1066.8042	
	-540.5141	1250.7009	1066.8042	-540.5141	451.8678	1066.8042	
11186 AR88	-422.9117	-961.1398	2490.2258	-422.9117	451.8678	2490.2258	AIR FROM
	-2271.0229	451.8678	2432.0596	-2271.0229	-872.4934	2432.0596	SOLID 968
	-422.9117	-961.1398	1066.8042	-422.9117	451.8678	1066.8042	TO SPONSON
	-2271.0229	451.8678	1066.8042	-2271.0229	-872.4934	1066.8042	
11187 AR88	-1060.9622	451.8678	2470.1038	-2271.0229	451.8678	2432.0596	AIR FROM
	-2271.0229	872.4934	2432.0596	-1014.9880	1582.9342	2471.5491	SOLID 967
	-1060.9622	451.8678	1066.8042	-2271.0229	451.8678	1066.8042	TO SPONSON
	-2271.0229	872.4934	1066.8042	-1014.9880	1582.9342	1066.8042	
11188 AR88	-1043.6901	-1599.6983	2470.6677	-422.9117	-961.1398	2490.2258	AIR FROM
	-2271.0229	-872.4934	2432.0596	-1540.7701	-1646.9425	2455.0213	SOLID 969
	-1043.6901	-1599.6983	1066.8042	-422.9117	-961.1398	1066.8042	TO SPONSON

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
11189 ARB8	-2271.0229	-872.4934	1066.8042	-1540.7701	-1646.9425	1066.8042	2470.1038	1066.8042	2470.1038	AIR FROM	
	-744.7309	451.8678	2480.0480	-1060.9622	451.8678	2480.0480	2480.5585	2480.0480	2480.5585	SOLID 966	
	-1014.9880	1582.9342	2471.5491	-728.4749	1558.0421	2471.5491	1066.8042	1066.8042	1066.8042	TO SPONSON	
	-744.7309	451.8678	1066.8042	-1060.9622	451.8678	1066.8042	1066.8042	1066.8042	1066.8042	TO SPONSON	
11190 ARB8	-1014.9880	1582.9342	1066.8042	-728.4749	1558.0421	1066.8042	2486.4666	2486.4666	2486.4666	AIR FROM	
	-540.5141	451.8678	2486.4656	-540.5141	1250.7009	2486.4656	2480.0480	2480.0480	2480.0480	SOLID 965	
	-744.7309	1516.1320	2480.0480	-744.7309	451.8678	2480.0480	1066.8042	1066.8042	1066.8042	TO SPONSON	
	-540.5141	451.8678	1066.8042	-540.5141	1250.7009	1066.8042	1066.8042	1066.8042	1066.8042	TO SPONSON	
11191 ARB6	-744.7309	1516.1320	1066.8042	-744.7309	451.8678	1066.8042	1744.9869	1744.9869	1744.9869	AIR FROM	
	-2271.0229	872.4934	2432.0596	-2245.8768	1646.9425	2432.0596	1066.8042	1066.8042	1066.8042	SOLID 1079	
	-2245.8768	1646.9425	1066.8042	-2271.0229	872.4934	1066.8042	1066.8042	1066.8042	1066.8042	TO SPONSON	
	-1479.3018	1646.9425	2117.4819	-1479.3018	1646.9425	2117.4819	2117.4819	2117.4819	2117.4819	AIR FROM	
11192 ARB6	-2271.0229	872.4934	2432.0596	-1479.3018	1646.9425	2432.0596	1066.8042	1066.8042	1066.8042	SOLID 1080	
	-1479.3018	1646.9425	1066.8042	-2271.0229	872.4934	1066.8042	1066.8042	1066.8042	1066.8042	TO SPONSON	
	-1153.9265	1588.2683	2352.3033	-1153.9265	1588.2683	2352.3033	2471.5491	2471.5491	2471.5491	AIR FROM	
	-2271.0229	872.4934	2432.0596	-1014.9880	872.4934	2432.0596	1066.8042	1066.8042	1066.8042	SOLID 1081	
11193 ARB6	-1014.9880	1582.9342	1066.8042	-2271.0229	872.4934	1066.8042	1066.8042	1066.8042	1066.8042	TO SPONSON	
	-1153.9265	1588.2683	2352.3033	-1153.9265	1588.2683	2352.3033	1280.1650	1280.1650	1280.1650	AIR BEHIND	
	1198.8847	1020.9062	2355.7653	1198.8847	1020.9062	2355.7653	2355.7653	2355.7653	2355.7653	SOLID 1038	
	1198.8847	-25.4001	1280.1650	1198.8847	-25.4001	1280.1650	1202.1918	1202.1918	1202.1918	AIR BEHIND	
11194 ARB6	1089.9183	1061.2162	1202.1918	1089.9183	1061.2162	1202.1918	2368.3053	2368.3053	2368.3053	SOLID 1037	
	1089.9183	1061.2162	1202.1918	1089.9183	1061.2162	1202.1918	2347.9852	2347.9852	2347.9852	AIR BEHIND	
	1112.5244	-25.4001	2368.3053	1112.5244	-25.4001	2368.3053	1044.0610	1044.0610	1044.0610	AIR BEHIND	
	1252.4789	1012.4480	2347.9852	1252.4789	1012.4480	2347.9852	1142.4965	1142.4965	1142.4965	SOLID 1036	
11195 ARB6	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	1202.1867	1202.1867	1202.1867	AIR BEHIND	
	868.9374	-25.4001	1044.0610	868.9374	-25.4001	1044.0610	2395.9914	2395.9914	2395.9914	AIR BEHIND	
	1089.9183	1061.2162	1202.1867	1089.9183	1061.2162	1202.1867	1044.0610	1044.0610	1044.0610	SOLID 1035	
	868.9374	1142.4965	1044.0610	868.9374	1142.4965	1044.0610	1139.7025	1139.7025	1139.7025	AIR BEHIND	
11196 ARB6	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	1044.0610	1044.0610	1044.0610	SOLID 1035	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	2368.3053	2368.3053	2368.3053	AIR BEHIND	
	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	894.6576	894.6576	894.6576	AIR BEHIND	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	894.6576	894.6576	894.6576	AIR BEHIND	
11197 ARB6	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	1232.1589	1232.1589	1232.1589	AIR BEHIND	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	894.6576	894.6576	894.6576	AIR BEHIND	
	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	1232.1589	1232.1589	1232.1589	AIR BEHIND	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	894.6576	894.6576	894.6576	AIR BEHIND	
11198 ARB6	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	1232.1589	1232.1589	1232.1589	AIR BEHIND	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	894.6576	894.6576	894.6576	AIR BEHIND	
	920.4996	-25.4001	2395.9914	920.4996	-25.4001	2395.9914	1232.1589	1232.1589	1232.1589	AIR BEHIND	
	1112.5244	1064.5182	2368.3053	1112.5244	1064.5182	2368.3053	894.6576	894.6576	894.6576	AIR BEHIND	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1199 ARB6	660.1486	-25.4001	894.6576	920.4996	-25.4001	2395.9914	2395.9914	SOLID 1034			
	868.9374	1142.4965	1044.0610	868.9374	-25.4001	1044.0610	1044.0610				
	660.1486	1232.1589	894.6576	718.0608	1214.8868	2425.2015	2425.2015	AIR BEHIND			
	718.0608	-25.4001	2425.2015	660.1486	-25.4001	894.6576	894.6576	SOLID 1033			
1200 ARB6	920.4996	1139.7025	2395.9914	920.4996	-25.4001	2395.9914	2395.9914				
	718.0608	1214.8868	2425.2015	451.3598	1307.3431	729.3639	729.3639	AIR BEHIND			
	451.3598	-25.4001	729.3639	718.0608	-25.4001	2425.2015	2425.2015	SOLID 1032			
	660.1486	1232.1589	894.6576	660.1486	-25.4001	894.6576	894.6576				
1201 ARB6	521.9721	1285.7531	2453.3957	718.0608	1214.8868	2425.2015	2425.2015	AIR BEHIND			
	718.0608	-25.4001	2425.2015	521.9721	-25.4001	2453.3957	2453.3957	SOLID 1031			
	451.3598	1307.3431	729.3639	451.3598	-25.4001	729.3639	729.3639				
	390.6535	1324.1072	667.0193	451.3598	1307.3431	729.3639	729.3639	AIR BEHIND			
1202 ARB6	451.3598	-25.4001	729.3639	390.6535	-25.4001	667.0193	667.0193	SOLID 1030			
	521.9721	1285.7531	2453.3957	521.9721	-25.4001	2453.3957	2453.3957				
	323.5973	1354.5873	2482.0978	521.9721	1285.7531	2453.3957	2453.3957	AIR BEHIND			
	521.9721	-25.4001	2453.3957	323.5973	-25.4001	2482.0978	2482.0978	SOLID 1029			
1204 ARB6	390.6535	1324.1072	667.0193	390.6535	-25.4001	667.0193	667.0193				
	390.6535	1324.1072	668.0226	167.1327	1388.8775	660.4026	660.4026	AIR BEHIND			
	167.1327	-25.4001	660.4026	390.6535	-25.4001	668.0226	668.0226	SOLID 1028			
	323.5973	1354.5873	2482.0978	323.5973	-25.4001	2482.0978	2482.0978				
1205 ARB6	144.5266	1394.1480	2508.0059	323.5973	1354.5873	2482.0978	2482.0978	AIR BEHIND			
	323.5973	-25.4001	2482.0978	144.5266	-25.4001	2508.0059	2508.0059	SOLID 1027			
	167.1327	1388.8775	660.4026	167.1327	-25.4001	660.4026	660.4026				
	69.0883	1411.7376	660.4026	167.1327	1388.8775	660.4026	660.4026	AIR BEHIND			
1206 ARB6	167.1327	-25.4001	660.4026	69.0883	-25.4001	660.4026	660.4026	SOLID 1026			
	144.5266	1394.1480	2508.0059	144.5266	-25.4001	2508.0059	2508.0059				
	69.0883	1411.7376	2505.6335	144.5266	1394.1480	2508.0059	2508.0059	AIR BEHIND			
	144.5266	-25.4001	2508.0059	69.0883	-25.4001	2505.6335	2505.6335	SOLID 1025			
1207 ARB6	69.0883	1411.7376	660.4026	69.0883	-25.4001	660.4026	660.4026				
	69.0883	1411.7376	660.4026	69.0883	-25.4001	660.4026	660.4026	AIR BEHIND			
	69.0883	1411.7376	660.4026	69.0883	-25.4001	660.4026	660.4026				
	69.0883	1411.7376	660.4026	69.0883	-25.4001	660.4026	660.4026	SOLID 1024			

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1209 ARB6	69.0883	1411.7376	2505.6335	69.0883	-25.4001	2505.6335	-25.4001	2505.6335			AIR BEHIND SOLID 1023
	69.0883	1411.7376	2505.6335	-70.8663	1447.2977	2267.6854	1447.2977	2267.6854			
	-70.8663	-25.4001	2267.6854	69.0883	-25.4001	2505.6335	-25.4001	2505.6335			
1210 ARB6	-70.8663	1447.2977	660.4026	-70.8663	-25.4001	660.4026	-25.4001	660.4026			AIR BEHIND
	-70.8663	1447.2977	1057.1522	-202.1848	1474.4756	1057.1522	1474.4756	1057.1522			SOLID 1022
	-202.1848	-25.4001	1057.1522	-70.8663	-25.4001	1057.1522	-25.4001	1057.1522			
1211 ARB6	-70.8663	1447.2977	2267.6854	-70.8663	-25.4001	2267.6854	-25.4001	2267.6854			AIR BEHIND
	-70.8663	1447.2977	2267.6854	-202.1848	1470.9350	2264.4138	1470.9350	2264.4138			SOLID 1021
	-202.1848	-25.4001	2264.4138	-70.8663	-25.4001	2267.6854	-25.4001	2267.6854			
1212 ARB6	-202.1848	1474.4758	1057.1522	-202.1848	-25.4001	1057.1522	-25.4001	1057.1522			AIR BEHIND
	-202.1848	1474.4758	1057.1522	-379.9855	1503.6859	1057.1522	1503.6859	1057.1522			SOLID 1020
	-379.9855	-25.4001	1057.1522	-202.1848	-25.4001	1057.1522	-25.4001	1057.1522			
1213 ARB6	-202.1848	1470.9350	2264.4138	-202.1848	-25.4001	2264.4138	-25.4001	2264.4138			AIR BEHIND
	-202.1848	1470.9350	2264.4138	-379.9855	1502.9392	2259.9841	1502.9392	2259.9841			SOLID 1019
	-379.9855	-25.4001	2259.9841	-202.1848	-25.4001	2264.4138	-25.4001	2264.4138			
1214 ARB6	-379.9855	1503.6859	1057.1522	-379.9855	-25.4001	1057.1522	-25.4001	1057.1522			AIR BEHIND
	-379.9855	1503.6859	1057.1522	-568.9622	1536.9601	1057.1522	1536.9601	1057.1522			SOLID 1018
	-568.9622	-25.4001	1057.1522	-379.9855	-25.4001	1057.1522	-25.4001	1057.1522			
1215 ARB6	-379.9855	1502.9392	2259.9841	-379.9855	-25.4001	2259.9841	-25.4001	2259.9841			AIR BEHIND
	-379.9855	1502.9392	2259.9841	-568.9622	1536.9601	2255.2749	1536.9601	2255.2749			SOLID 1017
	-568.9622	-25.4001	2255.2749	-379.9855	-25.4001	2259.9841	-25.4001	2259.9841			
1216 ARB6	-568.9622	1536.9601	1057.1522	-568.9622	-25.4001	1057.1522	-25.4001	1057.1522			AIR BEHIND
	-568.9622	1536.9601	1057.1522	-728.4749	1558.0421	1057.1522	1558.0421	1057.1522			SOLID 1016
	-728.4749	-25.4001	1057.1522	-568.9622	-25.4001	1057.1522	-25.4001	1057.1522			
1217 ARB8	-568.9622	1536.9601	2255.2749	-568.9622	-25.4001	2255.2749	-25.4001	2255.2749			HULAIR41
	1252.4789	-1012.4480	2347.9852	1252.4789	1012.4480	2347.9852	1012.4480	2347.9852			
	1252.4789	1012.4480	1290.0711	1252.4789	-1012.4480	1290.0711	-1012.4480	1290.0711			
	1678.1846	-830.3293	2291.5970	1678.1846	830.3293	2291.5970	830.3293	2291.5970			
	1678.1846	830.3293	1649.2285	1678.1846	-830.3293	1649.2285	-830.3293	1649.2285			
1218 ARB8	-945.8997	1599.1876	1323.0912	283.6455	1381.9382	1439.7310	1381.9382	1439.7310			HULAIR42
	179.3247	1624.0824	1297.4371	-945.8997	1624.0824	1308.3592	1624.0824	1308.3592			

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-945.8997	1599.1903	1052.8341	0.0000	1432.0576	1052.8341					
	0.0000	1624.0824	1052.8341	-945.8997	1624.0824	1052.8341					
1219 ARB5	54.1022	1432.0576	1411.4836	179.3247	1624.0824	1315.7252					HULAIR43
	179.3247	1624.0824	1019.5600	54.1022	1432.0576	1048.7701					
	1605.7943	874.5254	1684.7886	0.0000	0.0000	0.0000					
1220 ARB5	179.3247	1624.0824	1315.7252	413.0056	1624.0824	1250.9549					HULAIR44
	413.0056	1624.0824	723.3948	179.3247	1624.0824	1019.5600					
	1605.7943	874.5254	1684.7886	0.0000	0.0000	0.0000					
1221 ARB5	413.0056	1624.0824	1250.9549	500.3820	1624.0824	1140.4645					HULAIR45
	500.3820	1624.0824	771.4010	413.0056	1624.0824	723.3948					
	1605.7943	874.5254	1684.7886	0.0000	0.0000	0.0000					
1222 ARB5	500.3820	1624.0824	1140.4645	525.5281	1624.0824	1015.2420					HULAIR46
	525.5281	1624.0824	798.3251	500.3820	1624.0824	771.4010					
	1605.7943	874.5254	1684.7886	0.0000	0.0000	0.0000					
1223 ARB8	-945.8997	-1599.1903	1323.0912	283.6455	-1381.9382	1439.7310					HULAIR47
	179.3247	-1624.0824	1297.4371	-945.8997	-1624.0824	1308.3592					
	-945.8997	-1599.1903	1052.8341	0.0000	-1432.0576	1052.8341					
	0.0000	-1624.0824	1052.8341	-945.8997	-1624.0824	1052.8341					
1224 ARB5	54.1022	-1432.0576	1411.4836	179.3247	-1624.0824	1315.7252					HULAIR48
	179.3247	-1624.0824	1019.5600	54.1022	-1432.0576	1048.7701					
	1605.7943	-874.5254	1684.7886	0.0000	0.0000	0.0000					
1225 ARB5	179.3247	-1624.0824	1315.7252	413.0056	-1624.0824	1250.9549					HULAIR49
	413.0056	-1624.0824	723.3948	179.3247	-1624.0824	1019.5600					
	1605.7943	-874.5254	1684.7886	0.0000	0.0000	0.0000					
1226 ARB5	413.0056	-1624.0824	1250.9549	500.3820	-1624.0824	1140.4645					HULAIR50
	500.3820	-1624.0824	771.4010	413.0056	-1624.0824	723.3948					
	1605.7943	-874.5254	1684.7886	0.0000	0.0000	0.0000					
1227 ARB5	500.3820	-1624.0824	1140.4645	525.5281	-1624.0824	1015.2420					HULAIR51
	525.5281	-1624.0824	798.3251	500.3820	-1624.0824	771.4010					
	1605.7943	-874.5254	1684.7886	0.0000	0.0000	0.0000					
1228 RPP	-6350.0250	-5715.0225	-933.4537	933.4537	591.5277	2266.0293					DUMARB8

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1229 ARB8	-6144.3604	1000.5353	2301.1221	-5840.4457	1000.5353	716.3641	2301.1221	716.3641	2301.1221	716.3641	MAIN RAMP DOOR
	-5840.4457	-1000.5353	716.3641	-6144.3604	-1000.5353	2277.2002	692.4423	2277.2002	692.4423	2277.2002	
	-6269.0876	1000.5353	692.4423	-5965.1754	1000.5353	723.9029	513.8440	723.9029	513.8440	723.9029	BOTTOM OF RAMP DOOR
1230 ARB8	-5965.1754	-1000.5353	723.9029	-5801.6089	1000.5353	692.4423	489.9222	692.4423	489.9222	692.4423	
	-5801.6089	1000.5353	692.4423	-5841.8960	-1000.5353	724.0527	2283.8652	724.0527	2283.8652	724.0527	INSIDE
	-5965.1754	1000.5353	489.9222	-5926.3361	-1000.5353	707.3064	2267.1189	707.3064	2267.1189	707.3064	MAIN RAMP
1231 ARB8	-5926.3361	-1000.5353	707.3064	-6254.2234	-987.8353	1753.6229	0.0000	1753.6229	0.0000	1753.6229	
	-6166.9131	987.8353	0.0000	-5867.7863	987.8353	0.0000	0.0000	0.0000	0.0000	0.0000	RAMP DOOR
	-5867.7863	-987.8353	0.0000	-6166.9131	-987.8353	1152.6565	23.9193	1152.6565	23.9193	1152.6565	
1232 RCC	-6254.2234	987.8353	1152.6565	-5955.0941	987.8353	124.7272	0.0000	124.7272	0.0000	124.7272	RAMP DOOR
	-5955.0941	-987.8353	124.7272	-6254.2234	-987.8353	0.0000	0.0000	0.0000	0.0000	0.0000	
1233 RCC	-6168.6810	437.1357	0.0000	-5926.3361	437.1357	0.0000	0.0000	0.0000	0.0000	0.0000	
	381.0015	0.0000	0.0000	-5867.7863	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1234 ARB8	-6043.9538	818.1372	1777.5422	-5928.7008	818.1372	56.1342	818.1372	56.1342	818.1372	56.1342	RAMP DOOR
	-5928.7008	56.1342	1777.5422	-6043.9538	56.1342	1753.6229	1152.6565	1753.6229	1152.6565	1753.6229	
	-6168.6810	818.1372	1753.6229	-6053.4280	818.1372	650.7506	625.8585	650.7506	625.8585	650.7506	
1235 ARB8	-6053.4280	56.1342	1152.6565	-6168.6810	56.1342	638.8633	613.9712	638.8633	613.9712	638.8633	
	-5989.3436	540.2601	650.7506	-5981.7236	540.2601	488.9519	513.8694	488.9519	513.8694	488.9519	RAMHINGE
	-5981.7236	395.4796	625.8585	-5989.3436	395.4796	523.4707	548.3882	523.4707	548.3882	548.3882	
	-6028.2057	540.2601	638.8633	-6020.5857	540.2601	650.7506	650.7506	650.7506	650.7506	650.7506	
1236 ARB8	-6020.5857	395.4796	613.9712	-6028.2057	395.4796	488.9519	488.9519	488.9519	488.9519	488.9519	RAMHINGE
	-5962.6735	540.2601	488.9519	-5912.9147	540.2601	513.8694	488.9519	513.8694	488.9519	488.9519	
	-5912.9147	395.4796	513.8694	-5962.6735	395.4796	642.4955	642.4955	642.4955	642.4955	642.4955	
	-5979.9455	540.2601	523.4707	-5930.1867	540.2601	650.7506	650.7506	650.7506	650.7506	650.7506	
1237 ARB8	-5930.1867	395.4796	548.3882	-5979.9455	395.4796	488.9519	488.9519	488.9519	488.9519	488.9519	
	-5989.3436	486.4119	650.7506	-5989.3436	486.4119	642.4955	642.4955	642.4955	642.4955	642.4955	
	-5962.6735	445.0098	488.9519	-5962.6735	445.0098	642.4955	642.4955	642.4955	642.4955	642.4955	
	-6039.4580	486.4119	642.4955	-6039.4580	486.4119	642.4955	642.4955	642.4955	642.4955	642.4955	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-6012.7879	445.0098	480.6969	-6012.7879	486.4119	480.6969					
1238 RCC	-5965.2135	486.4119	567.6922	0.0000	50.8002	567.6922					RAMHINGE
	44.4502	0.0000	0.0000	0.0000	0.0000	0.0000					
1239 RCC	-5840.2450	485.1419	485.1419	0.0000	40.6402	485.1419					RAMHINGE
	28.4481	0.0000	0.0000	0.0000	0.0000	0.0000					
1240 ARB8	-5811.7969	485.1419	444.5018	-5811.7969	485.1419	444.5018					RAMHINGE
	-5840.2450	485.1419	525.7821	-5840.2450	485.1419	525.7821					
	-5811.7969	525.7821	444.5018	-5811.7969	525.7821	444.5018					
	-5840.2450	525.7821	525.7821	-5840.2450	525.7821	525.7821					
1241 RCC	-5840.2450	519.6860	485.1419	0.0000	101.6004	485.1419					RAMHINGE
	28.4481	0.0000	0.0000	0.0000	0.0000	0.0000					
1242 ARB8	-5833.5140	519.6860	513.5900	-5853.8340	519.6860	513.5900					RAMHINGE
	-5902.4752	519.6860	523.2421	-5861.9621	519.6860	523.2421					
	-5833.5140	560.3262	513.5900	-5853.8340	560.3262	513.5900					
	-5902.4752	560.3262	523.2421	-5861.9621	560.3262	523.2421					
1243 ARB8	-5989.3436	-540.2601	650.7506	-5981.7236	-540.2601	650.7506					RAMHINGE
	-5981.7236	-395.4796	625.8585	-5989.3436	-395.4796	625.8585					
	-6028.2057	-540.2601	638.8633	-6020.5857	-540.2601	638.8633					
	-6020.5857	-395.4796	613.9712	-6028.2057	-395.4796	613.9712					
1244 ARB8	-5962.6735	-540.2601	488.9519	-5912.9147	-540.2601	488.9519					RAMHINGE
	-5912.9147	-395.4796	513.8694	-5962.6735	-395.4796	513.8694					
	-5979.9455	-540.2601	523.4707	-5930.1867	-540.2601	523.4707					
	-5930.1867	-395.4796	548.3882	-5979.9455	-395.4796	548.3882					
1245 ARB8	-5989.3436	-486.4119	650.7506	-5989.3436	-445.0098	650.7506					RAMHINGE
	-5962.6735	-445.0098	488.9519	-5962.6735	-486.4119	488.9519					
	-6039.4580	-486.4119	642.4955	-6039.4580	-445.0098	642.4955					
	-6012.7879	-445.0098	480.6969	-6012.7879	-486.4119	480.6969					
1246 RCC	-5965.2135	-486.4119	567.6922	0.0000	-50.8002	567.6922					RAMHINGE
	44.4502	0.0000	0.0000	0.0000	0.0000	0.0000					
1247 RCC	-5840.2450	-485.1419	485.1419	0.0000	-40.6402	485.1419					RAMHINGE
	28.4481	0.0000	0.0000	0.0000	0.0000	0.0000					

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1248 ARB8	-5811.7969	-485.1419	444.5018	-5811.7969	-485.1419	525.7821	525.7821	525.7821	525.7821	525.7821	RAMHINGE
	-5840.2450	-485.1419	525.7821	-5840.2450	-485.1419	444.5018	444.5018	444.5018	444.5018	444.5018	
	-5811.7969	-525.7821	444.5018	-5811.7969	-525.7821	525.7821	525.7821	525.7821	525.7821	525.7821	
1249 RCC	-5840.2450	-525.7821	525.7821	-5840.2450	-525.7821	444.5018	444.5018	444.5018	444.5018	444.5018	RAMHINGE
	-5840.2450	-519.6860	485.1419	0.0000	-101.6004	0.0000	0.0000	0.0000	0.0000	0.0000	
	28.4481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1250 ARB8	-5833.5140	-519.6860	513.5900	-5853.8340	-519.6860	533.9101	533.9101	533.9101	533.9101	533.9101	RAMHINGE
	-5902.4752	-519.6860	523.2421	-5861.9621	-519.6860	474.9819	474.9819	474.9819	474.9819	474.9819	
	-5833.5140	-560.3262	513.5900	-5853.8340	-560.3262	533.9101	533.9101	533.9101	533.9101	533.9101	
	-5902.4752	-560.3262	523.2421	-5861.9621	-560.3262	474.9819	474.9819	474.9819	474.9819	474.9819	
1251 RCC	-5924.0653	9.9060	1102.8723	28.7021	0.0000	145.0346	145.0346	145.0346	145.0346	145.0346	LDORHING
	44.4502	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1252 ARB8	-5949.4654	9.9060	1153.6725	-5957.5935	9.9060	1194.3127	1194.3127	1194.3127	1194.3127	1194.3127	LDORHING
	-5957.5935	181.3567	1194.3127	-5949.4654	181.3567	1153.6725	1153.6725	1153.6725	1153.6725	1153.6725	
	-5974.3829	9.9060	1148.6941	-5982.5110	9.9060	1189.3343	1189.3343	1189.3343	1189.3343	1189.3343	
	-5982.5110	181.3567	1189.3343	-5974.3829	181.3567	1148.6941	1148.6941	1148.6941	1148.6941	1148.6941	
1253 RCC	-6051.3198	9.9060	1658.3725	28.7021	0.0000	145.0346	145.0346	145.0346	145.0346	145.0346	UDORHING
	44.4502	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1254 ARB8	-6076.3135	9.9060	1709.1727	-6084.8480	9.9060	1749.8129	1749.8129	1749.8129	1749.8129	1749.8129	UDORHING
	-6084.8480	181.3567	1749.8129	-6076.3135	181.3567	1709.1727	1709.1727	1709.1727	1709.1727	1709.1727	
	-6101.1802	9.9060	1703.9403	-6109.7147	9.9060	1744.5805	1744.5805	1744.5805	1744.5805	1744.5805	
	-6109.7147	181.3567	1744.5805	-6101.1802	181.3567	1703.9403	1703.9403	1703.9403	1703.9403	1703.9403	
1255 RCC	-6135.9987	785.8791	1457.9226	-29.9340	0.0000	-5.7404	-5.7404	-5.7404	-5.7404	-5.7404	DOOR HANDL
	50.8002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1256 RCC	-6111.0532	785.8791	1453.1397	-24.9454	0.0000	-4.7828	-4.7828	-4.7828	-4.7828	-4.7828	DOOR HANDL
	12.7001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1257 RCC	-6154.9116	722.3788	1466.0582	-40.9196	0.0000	213.3608	213.3608	213.3608	213.3608	213.3608	DOOR HANDL
	12.7001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1258 RCC	-2811.5371	558.8022	2398.0234	0.0000	0.0000	-30.0991	-30.0991	-30.0991	-30.0991	-30.0991	DUMRCCDR
	203.2008	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1259 RCC	-2811.5371	-558.8022	2398.0234	0.0000	0.0000	-30.0991	-30.0991	-30.0991	-30.0991	-30.0991	DUMRCCDR

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	203.2008	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1260 RCC	-5148.3463	558.8022	2322.8391	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-30.0991	DUMRCCDR
	203.2008	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1261 RCC	-5148.3463	-558.8022	2322.8391	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	-30.0991	DUMRCCDR
	203.2008	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1262 ARB8	-2811.5371	762.0030	2398.0234	-2811.5371	-2811.5371	-2811.5371	-2811.5371	-762.0030	2398.0234	2398.0234	DUMARBDR
	-5148.3463	-762.0030	2322.8391	-5148.3463	-5148.3463	-5148.3463	-5148.3463	762.0030	2322.8391	2322.8391	
	-2810.5719	762.0030	2367.9497	-2810.5719	-2810.5719	-2810.5719	-2810.5719	-762.0030	2367.9497	2367.9497	
	-5147.3811	-762.0030	2292.7654	-5147.3811	-5147.3811	-5147.3811	-5147.3811	762.0030	2292.7654	2292.7654	
1263 ARB8	-2811.5371	558.8022	2398.0234	-2608.3363	-2608.3363	-2608.3363	-2608.3363	558.8022	2404.1195	2404.1195	DUMARBDR
	-2608.3363	-558.8022	2404.1195	-2811.5371	-2811.5371	-2811.5371	-2811.5371	-558.8022	2398.0234	2398.0234	
	-2810.6227	558.8022	2367.9497	-2607.4219	-2607.4219	-2607.4219	-2607.4219	558.8022	2374.0457	2374.0457	
	-2607.4219	-558.8022	2374.0457	-2810.6227	-2810.6227	-2810.6227	-2810.6227	-558.8022	2367.9497	2367.9497	
1264 ARB8	-5148.3463	558.8022	2322.8391	-5351.5471	-5351.5471	-5351.5471	-5351.5471	558.8022	2320.8071	2320.8071	DUMARBDR
	-5351.5471	-558.8022	2320.8071	-5148.3463	-5148.3463	-5148.3463	-5148.3463	-558.8022	2322.8391	2322.8391	
	-5148.0415	558.8022	2292.7400	-5351.2423	-5351.2423	-5351.2423	-5351.2423	558.8022	2290.7080	2290.7080	
	-5351.2423	-558.8022	2290.7080	-5148.0415	-5148.0415	-5148.0415	-5148.0415	-558.8022	2292.7400	2292.7400	
1265 RCC	-2811.5371	558.8022	2398.0234	0.0000	0.0000	0.0000	0.0000	0.0000	30.0991	30.0991	LTCARDOR
	215.9009	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1266 RCC	-5148.3463	558.8022	2322.8391	0.0000	0.0000	0.0000	0.0000	0.0000	30.0991	30.0991	LTCARDOR
	215.9009	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1267 ARB8	-2811.5371	774.7031	2398.0234	-2811.5371	-2811.5371	-2811.5371	-2811.5371	121.9205	2398.0234	2398.0234	LTCARDOR
	-5148.3463	121.9205	2322.8391	-5148.3463	-5148.3463	-5148.3463	-5148.3463	774.7031	2322.8391	2322.8391	
	-2812.5023	774.7031	2428.0972	-2812.5023	-2812.5023	-2812.5023	-2812.5023	121.9205	2428.0972	2428.0972	
	-5149.3115	121.9205	2352.9129	-5149.3115	-5149.3115	-5149.3115	-5149.3115	774.7031	2352.9129	2352.9129	
1268 ARB8	-2811.5371	558.8022	2398.0234	-2595.6362	-2595.6362	-2595.6362	-2595.6362	558.8022	2404.1195	2404.1195	LTCARDOR
	-2595.6362	121.9205	2404.1195	-2811.5371	-2811.5371	-2811.5371	-2811.5371	121.9205	2398.0234	2398.0234	
	-2812.3753	558.8022	2428.1226	-2596.4744	-2596.4744	-2596.4744	-2596.4744	558.8022	2434.2186	2434.2186	
	-2596.4744	121.9205	2434.2186	-2812.3753	-2812.3753	-2812.3753	-2812.3753	121.9205	2428.1226	2428.1226	
1269 ARB8	-5148.3463	558.8022	2322.8391	-5364.2471	-5364.2471	-5364.2471	-5364.2471	558.8022	2320.8071	2320.8071	LTCARDOR
	-5364.2471	121.9205	2320.8071	-5148.3463	-5148.3463	-5148.3463	-5148.3463	121.9205	2322.8391	2322.8391	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1270 RCC	-5148.6257	558.8022	2352.9383	-5364.5265	558.8022	2350.9063					
	-5364.5265	121.9205	2350.9063	-5148.6257	121.9205	2352.9383					
	-2811.5371	-558.8022	2398.0234	0.0000	0.0000	30.0991					RTCARDOR
	215.9009	0.0000	0.0000	0.0000	0.0000	0.0000					
1271 RCC	-5148.3463	-558.8022	2322.8391	0.0000	0.0000	30.0991					RTCARDOR
	215.9009	0.0000	0.0000	0.0000	0.0000	0.0000					
	-2811.5371	-774.7031	2398.0234	-2811.5371	-121.9205	2398.0234					RTCARDOR
	-5148.3463	-121.9205	2322.8391	-5148.3463	-774.7031	2322.8391					
1272 ARB8	-2812.5023	-774.7031	2428.0972	-2812.5023	-121.9205	2428.0972					
	-5149.3115	-121.9205	2352.9129	-5149.3115	-774.7031	2352.9129					
	-2811.5371	-558.8022	2398.0234	-2595.6362	-558.8022	2404.1195					RTCARDOR
	-2595.6362	-121.9205	2404.1195	-2811.5371	-121.9205	2398.0234					
1273 ARB8	-2812.3753	-558.8022	2428.1226	-2596.4744	-558.8022	2434.2186					
	-2596.4744	-121.9205	2434.2186	-2812.3753	-121.9205	2428.1226					
	-5148.3463	-558.8022	2322.8391	-5364.2471	-558.8022	2320.8071					RTCARDOR
	-5364.2471	-121.9205	2320.8071	-5148.3463	-121.9205	2322.8391					
1274 ARB8	-5148.6257	-558.8022	2352.9383	-5364.5265	-558.8022	2350.9063					
	-5364.5265	-121.9205	2350.9063	-5148.6257	-121.9205	2352.9383					
	-5370.5971	121.9205	2320.8071	-2589.2862	121.9205	2406.1515					CARBEAM
	-2589.2862	-121.9205	2406.1515	-5370.5971	-121.9205	2320.8071					
1275 ARB8	-5373.1372	121.9205	2403.3067	-2591.8262	121.9205	2488.6510					
	-2591.8262	-121.9205	2488.6510	-5373.1372	-121.9205	2403.3067					
	-5358.4889	109.2204	2340.2357	-2602.5654	109.2204	2424.8028					INSIDBEA
	-2602.5654	-109.2204	2424.8028	-5358.4889	-109.2204	2340.2357					
1276 ARB8	-5360.0510	109.2204	2391.0003	-2604.1275	109.2204	2475.5674					
	-2604.1275	-109.2204	2475.5674	-5360.0510	-109.2204	2391.0003					
	-2808.9971	-691.8987	2478.7958	-2828.0471	-691.8987	2478.7958					HINCARDOR
	-2828.0471	-856.9994	2478.7958	-2808.9971	-856.9994	2478.7958					
1277 ARB8	-2808.9971	-691.8987	2504.1959	-2828.0471	-691.8987	2504.1959					
	-2828.0471	-856.9994	2504.1959	-2808.9971	-856.9994	2504.1959					
	-5111.7701	-691.8987	2403.6115	-5130.8202	-691.8987	2403.6115					HINCARDOR

TABLE 8-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1279 AR88	-5130.8202	-856.9994	2403.6115	-5111.7701	-856.9994	2403.6115	2403.6115	-856.9994	2403.6115		HINCARDR
	-5111.7701	-691.8987	2429.0116	-5130.8202	-691.8987	2429.0116	2429.0116	-691.8987	2429.0116		
	-5130.8202	-856.9994	2429.0116	-5111.7701	-856.9994	2429.0116	2429.0116	-856.9994	2429.0116		
	-5111.7701	691.8987	2403.6115	-5130.8202	691.8987	2403.6115	2403.6115	691.8987	2403.6115		
	-5130.8202	856.9994	2403.6115	-5111.7701	856.9994	2403.6115	2403.6115	856.9994	2403.6115		
1280 AR88	-5111.7701	691.8987	2429.0116	-5130.8202	691.8987	2429.0116	2429.0116	691.8987	2429.0116		HINCARDR
	-5130.8202	856.9994	2429.0116	-5111.7701	856.9994	2429.0116	2429.0116	856.9994	2429.0116		
	-2808.9971	691.8987	2478.7958	-2828.0471	691.8987	2478.7958	2478.7958	691.8987	2478.7958		
	-2828.0471	856.9994	2478.7958	-2808.9971	856.9994	2478.7958	2478.7958	856.9994	2478.7958		
	-2808.9971	691.8987	2504.1959	-2828.0471	691.8987	2504.1959	2504.1959	691.8987	2504.1959		
1281 RCC	-2828.0471	856.9994	2504.1959	-2808.9971	856.9994	2504.1959	2504.1959	856.9994	2504.1959		HINGANCH
	-2828.0471	-825.5033	2455.1737	-19.0501	-825.5033	2455.1737	0.0000	0.0000	0.0000		
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
	-2828.0471	-781.0531	2398.0234	-2828.0471	-781.0531	2398.0234	2398.0234	-781.0531	2398.0234		HINCARDR
	-2828.0471	-860.8094	2429.7736	-2828.0471	-860.8094	2429.7736	2398.0234	-848.8713	2398.0234		
1283 RCC	-2808.9971	-781.0531	2398.0234	-2808.9971	-781.0531	2398.0234	2429.7736	-791.2131	2429.7736		
	-2808.9971	-860.8094	2429.7736	-2808.9971	-860.8094	2429.7736	2398.0234	-848.8713	2398.0234		
	-5111.7701	-825.5033	2379.9894	19.0501	-825.5033	2379.9894	0.0000	0.0000	0.0000		RTRHINCA
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
	-5111.7701	-781.0531	2322.8391	-5111.7701	-781.0531	2322.8391	2379.9894	-791.2131	2379.9894		RTRHINCA
1285 RCC	-5111.7701	-860.8094	2379.9894	-5111.7701	-860.8094	2379.9894	2322.8391	-848.8713	2322.8391		
	-5092.7201	-781.0531	2322.8391	-5092.7201	-781.0531	2322.8391	2379.9894	-791.2131	2379.9894		
	-5092.7201	-860.8094	2379.9894	-5092.7201	-860.8094	2379.9894	2322.8391	-848.8713	2322.8391		
	-2828.0471	825.5033	2455.1737	-19.0501	825.5033	2455.1737	0.0000	0.0000	0.0000		LTFHINCA
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
1286 AR88	-2828.0471	781.0531	2398.0234	-2828.0471	781.0531	2398.0234	2429.7736	791.2131	2429.7736		LTFHINCA
	-2828.0471	860.8094	2429.7736	-2828.0471	860.8094	2429.7736	2398.0234	848.8713	2398.0234		
	-2808.9971	781.0531	2398.0234	-2808.9971	781.0531	2398.0234	2429.7736	791.2131	2429.7736		
	-2808.9971	860.8094	2429.7736	-2808.9971	860.8094	2429.7736	2398.0234	848.8713	2398.0234		
	-5111.7701	825.5033	2379.9894	19.0501	825.5033	2379.9894	0.0000	0.0000	0.0000		LTRHINCA
1287 RCC	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1288 ARB8	-5111.7701	781.0531	2322.8391	-5111.7701	791.2131	2354.5893	LTRHINCA
	-5111.7701	860.8094	2354.5893	-5111.7701	848.8713	2322.8391	
	-5092.7201	781.0531	2322.8391	-5092.7201	791.2131	2354.5893	
	-5092.7201	860.8094	2354.5893	-5092.7201	848.8713	2322.8391	
1289 RCC	-2828.0471	-825.5033	2455.1737	-2586.7462	0.0000	-85.3443	TORBARDR
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000	
1290 RCC	-5414.7933	-825.5033	2375.9254	-33.0201	0.0000	0.0000	TORBARDR
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	
1291 RCC	-5419.8733	-825.5033	2375.9254	0.0000	352.2994	0.0000	LINKTBAR
	5.0800	0.0000	0.0000	0.0000	0.0000	0.0000	
1292 RCC	-5386.5992	-473.2039	2375.9254	-66.0403	0.0000	0.0000	ANCHORBR
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	
1293 ARB8	-5419.8733	-473.2039	2375.9254	-5419.8733	107.1884	2375.9254	ARMCARDR
	-5461.0215	107.1884	2375.9254	-5461.0215	-498.6040	2375.9254	
	-5419.8733	-473.2039	2404.3735	-5419.8733	107.1884	2404.3735	
	-5461.0215	107.1884	2404.3735	-5461.0215	-498.6040	2404.3735	
1294 RCC	-5370.5971	71.6283	2356.8753	-50.8002	0.0000	0.0000	ARMCARDR
	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	
1295 RCC	-5370.5971	-79.2483	2356.8753	-50.8002	0.0000	0.0000	ARMCARDR
	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	
1296 RCC	-2589.2862	71.6283	2444.2516	50.8002	0.0000	0.0000	ARMCARDR
	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	
1297 RCC	-2589.2862	-79.2483	2444.2516	50.8002	0.0000	0.0000	ARMCARDR
	19.0501	0.0000	0.0000	0.0000	0.0000	0.0000	
1298 ARB8	-2538.4860	-473.2039	2463.3017	-2538.4860	107.1884	2463.3017	ARMCARDR
	-2497.0838	107.1884	2463.3017	-2497.0838	-473.2039	2463.3017	
	-2538.4860	-473.2039	2491.7498	-2538.4860	107.1884	2491.7498	
	-2497.0838	107.1884	2491.7498	-2497.0638	-473.2039	2491.7498	
1299 RCC	-2589.2862	-473.2039	2463.3017	66.0403	0.0000	0.0000	ARMCARDR
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	
1300 RCC	-5111.7701	825.5033	2379.9894	-19.0501	0.0000	0.0000	ARMCARDR

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1301 ARB8	-5111.7701	781.0531	2322.8391	-5111.7701	791.2131	2379.9894	791.2131	2379.9894	2322.8391	2379.9894	ARMCARDR
	-5111.7701	860.8094	2379.9894	-5111.7701	848.8713	2322.8391	848.8713	2379.9894	2322.8391	2379.9894	
	-5130.8202	781.0531	2322.8391	-5130.8202	791.2131	2379.9894	791.2131	2379.9894	2322.8391	2379.9894	
	-5130.8202	860.8094	2379.9894	-5130.8202	848.8713	2322.8391	848.8713	2379.9894	2322.8391	2379.9894	
1302 RCC	-5111.7701	825.5033	2379.9894	2586.7462	0.0000	85.3443	0.0000	85.3443	0.0000	85.3443	TORSIONB
	10.1600	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1303 RCC	-2525.0239	825.5033	2431.5516	33.0201	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	TORMOUNT
	31.7501	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1304 RPP	-923.5476	-915.9276	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 34
1305 RPP	-923.5476	-848.1093	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 34
1306 RPP	-1055.1202	-1047.5001	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 35
1307 RPP	-1130.5585	-1055.1202	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 35
1308 RPP	-1627.6384	-1620.0184	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 72
1309 RPP	-1627.6384	-1552.2001	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 72
1310 RPP	-2180.5986	-2172.9786	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 40
1311 RPP	-2249.1789	-2172.9786	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 40
1312 RPP	-2618.7503	-2611.1303	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 40
1313 RPP	-2611.1303	-2535.6920	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 40
1314 RPP	-2993.4018	-2985.7818	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 40
1315 RPP	-3068.8401	-2993.4018	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 40
1316 RPP	-3423.9335	-3416.3135	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 39
1317 RPP	-3423.9335	-3348.4952	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 39
1318 RPP	-3825.2551	-3817.6350	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 38
1319 RPP	-3905.7734	-3825.2551	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 38
1320 RPP	-4211.3366	-4203.7166	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 37
1321 RPP	-4203.7166	-4128.2783	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 37
1322 RPP	-4595.6401	-4588.0201	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 36
1323 RPP	-4671.0784	-4595.6401	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 36
1324 RPP	-5422.9214	-5415.3013	-959.1078	959.1078	436.5007	565.1522	436.5007	565.1522	565.1522	565.1522	STIFN 33
1325 RPP	-5804.4309	-5422.9214	-959.1078	959.1078	546.1022	565.1522	546.1022	565.1522	565.1522	565.1522	STIFN 33

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS				REMARKS	
1326 RPP	-5133.8682	-5126.2482	-228.6009	228.6009	436.5007	STIFN 54
1327 RPP	-5209.3065	-5133.8682	-228.6009	228.6009	546.1022	STIFN 54
1328 RPP	-5029.9818	-5022.3618	-730.5069	-501.9060	436.5007	STIFN 55
1329 RPP	-5105.4201	-5029.9818	-730.5069	-501.9060	546.1022	STIFN 55
1330 RPP	-5029.9818	-5022.3618	501.9060	730.5069	436.5007	STIFN 55
1331 RPP	-5105.4201	-5029.9818	501.9060	730.5069	546.1022	STIFN 55
1332 RPP	-1770.1330	-1762.5129	-152.4006	152.4006	436.5007	STIFN 58
1333 RPP	-1845.5713	-1770.1330	-152.4006	152.4006	546.1022	STIFN 58
1334 RPP	-1620.0184	-1500.3839	-639.3205	639.3205	436.5007	WCSECTION
1335 RPP	-1612.3983	-1508.0039	-639.3205	639.3205	436.5007	INSDUMRP
1336 RPP	-5804.4309	-1614.9384	-934.7237	934.7237	565.1522	FLOOR
1337 RPP	-5311.6689	-5133.8682	-147.3206	-139.7006	436.5007	GUSSET
1338 RPP	-5311.6689	-5133.8682	139.7006	147.3206	436.5007	GUSSET
1339 RPP	-5138.1862	-5029.9818	654.3066	661.9266	436.5007	GUSSET
1340 RPP	-5138.1862	-5029.9818	-661.9266	-654.3066	436.5007	GUSSET
1341 ARB8	1155.7046	1014.4800	1574.0442	533.6561	1240.0329	PANEL68
	533.6561	478.2839	1321.0592	1155.7046	478.2839	1574.0442
	1154.2567	1014.4800	1577.5748	532.2083	1240.0329	1324.5898
	532.2083	478.2839	1324.5898	1154.2567	478.2839	1577.5748
1342 ARB8	1155.7046	1014.4800	1574.0442	1227.0788	982.9839	PANEL68
	1227.0788	478.2839	1574.0442	1155.7046	478.2839	1574.0442
	1155.7046	1014.4800	1577.8542	1227.0788	982.9839	1577.8542
	1227.0788	478.2839	1577.8542	1155.7046	478.2839	1577.8542
1343 ARB8	533.6561	478.2839	1321.0592	492.2539	478.2839	PANEL68
	492.2539	1256.5429	1321.0592	533.6561	1240.0329	1321.0592
	533.6561	478.2839	1324.8692	492.2539	478.2839	1324.8692
	492.2539	1256.5429	1324.8692	533.6561	1240.0329	1324.8692
1344 ARB8	492.2539	1256.5429	1321.0592	492.2539	910.8476	PANEL68
	-193.0408	910.8476	1321.0592	193.0408	1440.6937	1321.0592
	492.2539	1256.5429	1324.8692	492.2539	910.8476	1324.8692
	-193.0408	910.8476	1324.8692	-193.0408	1440.6937	1324.8692

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1345 AR88	-193.0408	1440.6937	1321.0592	-193.0408	478.2839	1321.0592	PANEL68
	-234.4429	478.2839	1321.0592	-234.4429	1449.0757	1321.0592	
	-193.0408	1440.6937	1324.8692	-193.0408	478.2839	1324.8692	
1346 AR88	-234.4429	478.2839	1324.8692	-234.4429	1449.0757	1324.8692	PANEL68
	-317.2472	1463.5538	1321.0592	-234.4429	1449.0757	1321.0592	
	-234.4429	554.7382	1321.0592	-317.2472	554.7382	1321.0592	
1347 AR88	-317.2472	1463.5538	1324.8692	-234.4429	1449.0757	1324.8692	PANEL68
	-234.4429	554.7382	1324.8692	-317.2472	554.7382	1324.8692	
	-486.6659	554.7382	1321.0592	-486.6659	966.7278	1321.0592	
1348 AR88	-317.2472	966.7278	1324.8692	-317.2472	554.7382	1324.8692	PANEL68
	-692.4067	966.7278	721.1088	-486.6659	966.7278	1321.0592	
	-486.6659	554.7382	1321.0592	-692.4067	554.7382	721.1088	
1349 AR88	-696.0135	966.7278	722.3534	-490.2727	966.7278	1322.3038	PANEL68
	-490.2727	554.7382	1322.3038	-696.0135	554.7382	722.3534	
	-1483.3658	554.7382	721.1088	-692.4067	554.7382	721.1088	
1350 AR88	-692.4067	966.7278	721.1088	-1483.3658	966.7278	721.1088	PANEL68
	-1483.3658	554.7382	724.9189	-692.4067	554.7382	724.9189	
	-692.4067	966.7278	724.9189	-1483.3658	966.7278	724.9189	
1351 AR88	-1681.2326	554.7382	721.1088	-1615.4464	554.7382	565.1522	PANEL68
	-1615.4464	966.7278	565.1522	-1681.2326	966.7278	721.1088	
	-1677.7198	554.7382	722.5871	-1611.9335	554.7382	566.6305	
1352 AR88	-1611.9335	966.7278	566.6305	-1677.7198	966.7278	722.5871	PANEL68
	-1483.3658	554.7382	565.1522	-1620.0184	554.7382	565.1522	
	-1620.0184	966.7278	565.1522	-1483.3658	966.7278	565.1522	
1352 AR88	-1483.3658	554.7382	568.9622	-1620.0184	554.7382	568.9622	PANEL
	-1620.0184	966.7278	568.9622	-1483.3658	966.7278	568.9622	
	-1681.2326	554.7382	1186.9467	-1681.2326	-958.9808	1186.9467	
	-1615.4464	-958.9808	565.1522	-1615.4464	554.7382	565.1522	
	-1677.4429	554.7382	1187.3455	-1677.4429	-958.9808	1187.3455	

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1353 RPP	-1611.6567	-958.9808	565.5510	-1611.6567	554.7382	554.7382	554.7382	554.7382	554.7382	565.5510	PANEL65
1354 ARB8	-1681.2326	-1677.4226	-689.8667	554.7382	554.7382	1186.9467	2403.8655	718.0608	718.0608	2403.8655	PANEL65
	-1483.3658	554.7382	718.0608	-692.4067	554.7382	554.7382	2409.9615	718.0608	718.0608	2409.9615	
	-692.4067	554.7382	2424.6935	-1483.3658	554.7382	554.7382	718.0608	2409.9615	2409.9615	718.0608	
1355 ARB8	-1483.3658	550.9282	718.0608	-692.4067	550.9282	550.9282	2429.0116	718.0608	2429.0116	718.0608	PANEL65
	-692.4067	550.9282	2424.6935	-1483.3658	554.7382	554.7382	2429.0116	718.0608	2429.0116	718.0608	
	-692.4067	554.7382	2424.6935	-486.6659	554.7382	554.7382	2429.0116	718.0608	2429.0116	718.0608	
	-486.6659	554.7382	1319.0272	-692.4067	550.9282	550.9282	2429.0116	718.0608	2429.0116	718.0608	
1356 ARB8	-692.4067	550.9282	2424.6935	-486.6659	550.9282	550.9282	2429.0116	718.0608	2429.0116	718.0608	PANEL65
	-486.6659	554.7382	1319.0272	-486.6659	554.7382	554.7382	1319.0272	2456.1897	1319.0272	2456.1897	
	-234.4429	554.7382	2429.0116	-94.4884	554.7382	554.7382	2456.1897	1319.0272	2456.1897	1319.0272	
	-486.6659	550.9282	1319.0272	-486.6659	550.9282	550.9282	2456.1897	1319.0272	2456.1897	1319.0272	
1357 ARB8	-486.6659	550.9282	2429.0116	-94.4884	554.7382	554.7382	2456.1897	1319.0272	2456.1897	1319.0272	PANEL65
	-234.4429	554.7382	1319.0272	-234.4429	478.2839	478.2839	1318.5700	2455.7325	1318.5700	2455.7325	
	-94.4884	478.2839	2456.1897	-94.4884	554.7382	554.7382	2455.7325	1319.0272	2455.7325	1319.0272	
	-230.6583	554.7382	1318.5700	-230.6583	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	
	-90.7038	478.2839	2455.7325	-90.7038	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	
1358 ARB8	-234.4429	478.2839	1319.0272	-193.0408	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	PANEL52
	-46.2282	478.2839	2458.2217	-94.4884	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	
	-234.4429	474.4739	1319.0272	-193.0408	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
	-46.2282	474.4739	2458.2217	-94.4884	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
1359 ARB8	-46.2282	478.2839	2458.2217	204.7248	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	PANEL52
	204.7248	478.2839	1835.1572	-134.3665	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	
	-46.2282	474.4739	2458.2217	204.7248	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
	204.7248	474.4739	1835.1572	-134.3665	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
1360 ARB8	204.7248	478.2839	1835.1572	492.2539	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	PANEL52
	492.2539	478.2839	2433.0756	204.7248	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	
	204.7248	474.4739	1835.1572	492.2539	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
	492.2539	474.4739	2433.0756	204.7248	474.4739	474.4739	2456.1897	1319.0272	2456.1897	1319.0272	
1361 ARB8	492.2539	478.2839	2433.0756	533.6561	478.2839	478.2839	2456.1897	1319.0272	2456.1897	1319.0272	PANEL65

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1362 AR88	533.6561	478.2839	1319.0272	492.2539	478.2839	1319.0272	478.2839	1319.0272	478.2839	1319.0272	PANEL65
	492.2539	474.4739	2433.0756	533.6561	474.4739	2433.0756	474.4739	2433.0756	474.4739	2433.0756	
	533.6561	474.4739	1319.0272	492.2539	474.4739	1319.0272	474.4739	1319.0272	474.4739	1319.0272	
	533.6561	478.2839	1319.0272	1155.7046	478.2839	1319.0272	1155.7046	478.2839	1574.0442	1574.0442	
	1155.7046	478.2839	2336.5552	533.6561	478.2839	2336.5552	533.6561	478.2839	2424.6935	2424.6935	
1363 AR88	533.6561	474.4739	1319.0272	1155.7046	474.4739	1319.0272	1155.7046	474.4739	1574.0442	1574.0442	PANEL52
	1155.7046	474.4739	2336.5552	533.6561	474.4739	2336.5552	533.6561	474.4739	2424.6935	2424.6935	
	1155.7046	478.2839	2336.5552	1227.0788	478.2839	2336.5552	1227.0788	478.2839	2316.9971	2316.9971	
	1227.0788	478.2839	1574.0442	1155.7046	478.2839	1574.0442	1155.7046	478.2839	1574.0442	1574.0442	
	1227.0788	474.4739	2336.5552	1227.0788	474.4739	2336.5552	1227.0788	474.4739	2316.9971	2316.9971	
1364 AR88	1227.0788	474.4739	1574.0442	1155.7046	474.4739	1574.0442	1155.7046	474.4739	1574.0442	1574.0442	PANEL52
	-193.0408	478.2839	1319.0272	-134.3665	478.2839	1319.0272	-134.3665	478.2839	1835.1572	1835.1572	
	492.2539	478.2839	1835.1572	492.2539	478.2839	1835.1572	492.2539	478.2839	1319.0272	1319.0272	
	-193.0408	474.4739	1319.0272	-134.3665	474.4739	1319.0272	-134.3665	474.4739	1835.1572	1835.1572	
	492.2539	474.4739	1835.1572	492.2539	474.4739	1835.1572	492.2539	474.4739	1319.0272	1319.0272	
1365 AR88	492.2539	478.2839	1319.0272	492.2539	478.2839	1319.0272	492.2539	478.2839	2431.8056	2431.8056	PANEL52
	1155.7046	478.2839	2336.5552	1155.7046	478.2839	2336.5552	1155.7046	478.2839	1574.0442	1574.0442	
	492.2539	474.4739	1319.0272	492.2539	474.4739	1319.0272	492.2539	474.4739	2431.8056	2431.8056	
	1155.7046	474.4739	2336.5552	1155.7046	474.4739	2336.5552	1155.7046	474.4739	1574.0442	1574.0442	
	1155.7046	478.2839	2336.5552	1155.7046	478.2839	2336.5552	1155.7046	478.2839	1574.0442	1574.0442	
1366 RPP	-304.8012	-279.4011	554.7382	1463.5538	1066.6042	554.7382	1463.5538	1066.6042	1319.0272	1319.0272	SUPT6185 PLAT6220 PLAT6220
	566.4222	751.0810	-882.9075	-81.7883	976.6338	-882.9075	-81.7883	976.6338	984.2539	984.2539	
	629.4145	-882.9075	893.0675	566.4222	-882.9075	893.0675	566.4222	-882.9075	984.2539	984.2539	
	566.4222	-81.7883	984.2539	629.4145	-81.7883	984.2539	629.4145	-81.7883	893.0675	893.0675	
	635.6883	-882.9075	897.4109	572.6961	-882.9075	897.4109	572.6961	-882.9075	988.5973	988.5973	
1369 RPP 1370 AR88	572.6961	-81.7883	988.5973	635.6883	-81.7883	988.5973	635.6883	-81.7883	897.4109	897.4109	PLAT6219 PLAT6219
	566.4222	751.0810	203.2008	882.9075	976.6338	203.2008	882.9075	976.6338	984.2539	984.2539	
	629.4145	882.9075	893.0675	566.4222	882.9075	893.0675	566.4222	882.9075	984.2539	984.2539	
	566.4222	203.2008	984.2539	629.4145	203.2008	984.2539	629.4145	203.2008	893.0675	893.0675	
	635.6883	882.9075	897.4109	572.6961	882.9075	897.4109	572.6961	882.9075	988.5973	988.5973	
1371 RPP	572.6961	203.2008	988.5973	635.6883	203.2008	988.5973	635.6883	203.2008	897.4109	897.4109	PLAT6799
	1077.9802	1227.0788	-660.4026	-101.6004	1370.8434	-660.4026	-101.6004	1370.8434	1378.4634	1378.4634	

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1372 ARB8	107L9802	-660.4026	1378.4634	1077.9802	-101.6004	1378.4634	1378.4634	1378.4634	1378.4634	1378.4634	PLAT6799
	1168.9126	-101.6004	1275.8470	1168.9126	-660.4026	1275.8470	1275.8470	1275.8470	1275.8470	1275.8470	
	1083.6953	-660.4026	1383.5180	1083.6953	-101.6004	1383.5180	1383.5180	1383.5180	1383.5180	1383.5180	
	1174.6276	-101.6004	1280.9016	1174.6276	-660.4026	1280.9016	1280.9016	1280.9016	1280.9016	1280.9016	
1373 ARB8	-1681.2326	-958.8538	1186.9467	-718.3148	-958.8538	1186.9467	1186.9467	1186.9467	1186.9467	1186.9467	FILTER
	-718.3148	-481.0779	1186.9467	-1681.2326	-481.0779	1186.9467	1186.9467	1186.9467	1186.9467	1186.9467	
	-1483.3658	-958.8538	584.2023	-718.3148	-958.8538	584.2023	584.2023	584.2023	584.2023	584.2023	
	-718.3148	-481.0779	584.2023	-1483.3658	-481.0779	584.2023	584.2023	584.2023	584.2023	584.2023	
1374 ARB8	-1676.0205	-955.0438	1183.1367	-722.1223	-955.0438	1183.1367	1183.1367	1183.1367	1183.1367	1183.1367	INSIDFIL
	-722.1248	-484.8879	1183.1367	-1676.0205	-484.8879	1183.1367	1183.1367	1183.1367	1183.1367	1183.1367	
	-1480.5794	-955.0438	588.0123	-722.1248	-955.0438	588.0123	588.0123	588.0123	588.0123	588.0123	
	-722.1248	-484.8879	588.0123	-1480.5794	-484.8879	588.0123	588.0123	588.0123	588.0123	588.0123	
1375 ARB8	-3083.0641	-1001.2719	1797.8191	-3083.0641	-1001.2719	1797.8191	1797.8191	1797.8191	1797.8191	1797.8191	BATTERY
	-3766.3268	-1001.2719	1499.8759	-3766.3268	-1001.2719	1797.8191	1797.8191	1797.8191	1797.8191	1797.8191	
	-3083.0641	-1590.8083	1797.8191	-3083.0641	-1590.8083	1797.8191	1797.8191	1797.8191	1797.8191	1797.8191	
	-3766.3268	-1590.8083	1499.8759	-3766.3268	-1590.8083	1797.8191	1797.8191	1797.8191	1797.8191	1797.8191	
1376 ARB8	-2908.3115	-1052.5801	2147.0705	-2908.3115	-1052.5801	2147.0705	2147.0705	2147.0705	2147.0705	2147.0705	CENELECT
	-2908.3115	-1018.2900	1911.6115	-2908.3115	-1018.2900	1911.6115	1911.6115	1911.6115	1911.6115	1911.6115	
	-3279.1529	-1052.5801	2147.0705	-3279.1529	-1052.5801	2147.0705	2147.0705	2147.0705	2147.0705	2147.0705	
	-3279.1529	-1018.2900	1911.6115	-3279.1529	-1018.2900	1911.6115	1911.6115	1911.6115	1911.6115	1911.6115	
1377 ARB8	-1715.2688	562.2566	2449.5856	-1715.2688	562.2566	2449.5856	2449.5856	2449.5856	2449.5856	2449.5856	RPLENPLT
	-689.1047	-520.6004	2481.8438	-689.1047	-520.6004	2481.8438	2481.8438	2481.8438	2481.8438	2481.8438	
	-1714.7100	562.2566	2431.8056	-1714.7100	562.2566	2431.8056	2431.8056	2431.8056	2431.8056	2431.8056	
	-688.5459	-520.6004	2464.0637	-688.5459	-520.6004	2464.0637	2464.0637	2464.0637	2464.0637	2464.0637	
1378 ARB8	-1652.2765	511.4564	2465.8417	-1652.2765	511.4564	2465.8417	2465.8417	2465.8417	2465.8417	2465.8417	RPLENTOP
	-794.2611	-469.8002	2492.7658	-794.2611	-469.8002	2492.7658	2492.7658	2492.7658	2492.7658	2492.7658	
	-1648.7967	511.4564	2355.1481	-1648.7967	511.4564	2355.1481	2355.1481	2355.1481	2355.1481	2355.1481	
	-790.7813	-469.8002	2382.0722	-790.7813	-469.8002	2382.0722	2382.0722	2382.0722	2382.0722	2382.0722	
1379 ARB8	188.7227	-842.5213	2511.0539	188.7227	-842.5213	2511.0539	2511.0539	2511.0539	2511.0539	2511.0539	FPLENTOP
	1111.5084	429.2617	2395.4834	1111.5084	429.2617	2395.4834	2395.4834	2395.4834	2395.4834	2395.4834	
	174.9559	-842.5213	2401.1731	174.9559	-842.5213	2401.1731	2401.1731	2401.1731	2401.1731	2401.1731	

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1380 AR88	1097.7415	429.2617	2285.6026	1097.7415	-842.5213	2285.6026	-842.5213	2285.6026	-842.5213	2285.6026	REAR PLENN
	174.9559	-842.5213	2401.1731	188.7227	-842.5213	1593.8563	-842.5213	1593.8563	-842.5213	1593.8563	
	954.0278	-842.5213	1684.0016	1097.7415	-842.5213	2285.6026	-842.5213	2285.6026	-842.5213	2285.6026	
	174.9559	429.2617	2401.1731	188.7227	429.2617	1593.8563	429.2617	1593.8563	429.2617	1593.8563	
1381 AR88	954.0278	429.2617	1884.0016	1097.7415	429.2617	2285.6026	429.2617	2285.6026	429.2617	2285.6026	AIR IN REAR PLENN
	178.7735	-838.7113	2400.6955	192.4388	-838.7113	1599.3402	-838.7113	1599.3402	-838.7113	1599.3402	
	951.0331	-838.7113	1886.9404	1093.8680	-838.7113	2286.0877	-838.7113	2286.0877	-838.7113	2286.0877	
	178.7735	391.1615	2400.6955	192.4388	391.1615	1599.3402	391.1615	1599.3402	391.1615	1599.3402	
1382 AR88	951.0331	391.1615	1886.9404	1093.8680	391.1615	2286.0877	391.1615	2286.0877	391.1615	2286.0877	RPLENUM
	-1664.4686	511.4564	2355.1481	-1465.8398	511.4564	1892.0534	511.4564	1892.0534	511.4564	1892.0534	
	-1033.6317	511.4564	1688.8526	-602.9984	511.4564	2387.9904	511.4564	2387.9904	511.4564	2387.9904	
	-1664.4686	-469.8002	2355.1481	-1465.8398	-469.8002	1892.0534	-469.8002	1892.0534	-469.8002	1892.0534	
1383 AR88	-1033.6317	-469.8002	1688.8526	-602.9984	-469.8002	2387.9904	-469.8002	2387.9904	-469.8002	2387.9904	PANEL67
	-1674.8826	-686.8187	1348.2373	-1566.1702	-686.8187	1350.2693	-686.8187	1350.2693	-686.8187	1350.2693	
	-1610.1123	-686.8187	2415.2955	-1678.9466	-686.8187	2413.2635	-686.8187	2413.2635	-686.8187	2413.2635	
	-1674.8826	-690.6287	1348.2373	-1566.1702	-690.6287	1350.2693	-690.6287	1350.2693	-690.6287	1350.2693	
1384 RCC	-1610.1123	-690.6287	2415.2955	-1678.9466	-690.6287	2413.2635	-690.6287	2413.2635	-690.6287	2413.2635	PANEL67
	-1261.8770	-1030.9901	1356.6193	-6.3500	0.0000	1058.6762	0.0000	1058.6762	0.0000	1058.6762	
1385 RCC	476.2519	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUMRCC67
	-1261.8770	-1030.9901	1356.6193	-6.3500	-6.3500	1058.6762	0.0000	1058.6762	0.0000	1058.6762	
1386 AR88	472.4419	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	DUMARB67
	-1574.8062	-686.8187	2415.2955	-762.0030	-686.8187	2427.9956	-958.8538	2427.9956	-958.8538	2427.9956	
	-762.0030	-1761.2429	2427.9956	-1574.8062	-1761.2429	2415.2955	-1761.2429	2415.2955	-1761.2429	2415.2955	
	-1566.1702	-687.4766	1350.2693	-755.3990	-687.4766	1373.3834	-958.8538	1373.3834	-958.8538	1373.3834	
1387 AR88	-755.3990	-1761.2429	1373.3834	-1566.1702	-1761.2429	1350.2693	-1761.2429	1350.2693	-1761.2429	1350.2693	PANEL67
	-754.1290	-958.8538	2427.9956	-754.1290	-958.8538	2427.9956	-1341.3793	2427.9956	-1341.3793	2427.9956	
	-754.1290	-1341.3793	1579.1242	-754.1290	-1341.3793	1579.1242	-958.8538	1579.1242	-958.8538	1579.1242	
	-757.9390	-958.8538	2427.9956	-757.9390	-958.8538	2427.9956	-1341.3793	2427.9956	-1341.3793	2427.9956	
1388 AR88	-757.9390	-1341.3793	1579.1242	-757.9390	-1341.3793	1579.1242	-958.8538	1579.1242	-958.8538	1579.1242	PANEL67
	-754.1290	-1341.3793	2427.9956	-754.1290	-1341.3793	2195.5846	-1534.9280	2195.5846	-1534.9280	2195.5846	
	-754.1290	-1534.9280	1579.1242	-754.1290	-1534.9280	1579.1242	-1341.3793	1579.1242	-1341.3793	1579.1242	
	-754.1290	-1534.9280	1579.1242	-754.1290	-1534.9280	1579.1242	-1341.3793	1579.1242	-1341.3793	1579.1242	

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1389 ARB8	-757.9390	-1341.3793	2427.9956	-757.9390	-1534.9280	2195.5846					
	-757.9390	-1534.9280	1579.1242	-757.9390	-1341.3793	1579.1242					PANEL69
	-1681.2326	-478.2839	2411.2315	-1111.5084	-478.2839	2415.2955					
	-1111.5084	-478.2839	2283.7230	-1685.2966	-478.2839	2160.5325					
1390 ARB8	-1681.2326	-482.0939	2411.2315	-1111.5084	-482.0939	2415.2955					
	-1111.5084	-482.0939	2283.7230	-1685.2966	-482.0939	2160.5325					PANEL69
	-1111.5084	-478.2839	2283.7230	-714.2508	-596.1403	2223.2708					
	-720.6008	-596.1403	2427.9956	-1111.5084	-479.5031	2415.2955					
1391 ARB8	-1112.6006	-481.9415	2283.6976	-715.3430	-599.7980	2223.2454					
	-721.6930	-599.7980	2427.9702	-1112.6006	-483.1607	2415.2701					PANEL69
	-720.6008	-596.1403	2427.9956	-720.6006	-879.8595	2427.9956					
	-714.2508	-879.8595	2223.2708	-714.2508	-596.1403	2223.2708					
1392 RCC	-724.4109	-596.1403	2427.8686	-724.4109	-879.8595	2427.8686					
	-718.0608	-879.8595	2223.1438	-718.0608	-596.1403	2223.1438					
	-718.3148	-815.5972	2313.1871	-6.3500	0.0000	58.4202					MOUNT87
	66.8023	0.0000	0.0000	0.0000	0.0000	0.0000					
1393 RCC	-714.5048	-815.5972	2313.1871	-6.3500	0.0000	62.2302					DUMRCC87
	62.9922	0.0000	0.0000	0.0000	0.0000	0.0000					
	-720.6008	-879.8595	2427.9956	-714.2508	-879.8595	2223.2708					PANEL69
	-764.0350	-921.2616	2223.2708	-770.3850	-921.2616	2427.9956					
1395 ARB8	-723.0392	-876.9385	2427.9194	-716.6692	-876.9385	2223.1946					
	-766.4734	-918.3406	2223.1946	-772.8234	-918.3406	2427.9194					PANEL69
	-1678.6926	-958.8538	2160.2785	-791.4671	-958.8538	2225.0488					
	-772.6710	-596.1403	2225.0488	-1678.6926	-596.1403	2158.9069					
1396 ARB8	-1678.9720	-958.8284	2164.0885	-791.7465	-958.8284	2228.8588					
	-772.9504	-596.1149	2228.8588	-1678.9720	-596.1149	2162.7169					
	-1678.6926	-478.2839	2160.2785	-1111.5084	-478.2839	2208.2847					PANEL69
	-772.6710	-596.1403	2225.0488	-1678.6926	-596.1403	2148.3659					
1397 RPP	-1679.0228	-478.6649	2164.0631	-1111.8386	-478.6649	2212.0693					
	-773.0012	-596.5213	2228.8334	-1679.0228	-596.5213	2152.1505					
	-754.1290	-750.3190	-1537.9761	-960.1238	1060.8042	1295.6591					PANEL18

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1398 RPP	-313.1832	-305.5632	-958.8538	-831.8533	436.5007	1043.1821	STIFNE15
1399 RPP	-305.5632	-235.9669	-839.4733	-831.8533	436.5007	1043.1821	STIFNE15
1400 RPP	-289.5611	-281.9411	831.8533	958.8538	436.5007	1043.1821	STIFNE15
1401 RPP	-281.9411	-212.3448	831.8533	839.4733	436.5007	1043.1821	STIFNE15
1402 RPP	-2897.6434	-2821.4431	-952.7578	-927.3577	907.5456	2222.7628	STANCHIN
1403 RPP	-2457.4597	-2381.2594	927.3577	952.7578	907.5456	2324.1092	STANCHIN
1404 ARB8	-330.2013	554.7382	1319.0272	-330.2013	554.7382	1066.8042	SUPTFLOR
	-542.0381	554.7382	1066.8042	-456.1858	554.7382	1319.0272	
	-330.2013	558.5482	1319.0272	-330.2013	558.5482	1066.8042	
	-542.0381	558.5482	1066.8042	-456.1858	558.5482	1319.0272	
1405 ARB8	-1658.1312	507.6439	2351.5311	-1462.9238	507.6439	1996.5139	INSIDE
	-1034.7493	507.6439	1694.3035	-609.9555	507.6439	2383.9594	REAR
	-1658.1312	-465.9877	2351.5311	-1462.9238	-465.9877	1996.5139	PLENUM
	-1034.7493	-465.9877	1694.3035	-609.9529	-465.9877	2383.9645	
1406 ARB8	-5488.4536	994.4139	1625.6064	-5488.4536	994.4139	2188.7241	FUELCELL
	-5488.4536	1646.9425	1641.1005	-5488.4536	1646.9425	1625.6064	
	-2808.7431	994.4139	1352.8093	-2808.7431	994.4139	2274.8330	
	-2808.7431	1646.9425	1727.2068	-2808.7431	1646.9425	1352.8093	
1407 ARB8	-5484.6436	998.2239	1637.9839	-5484.6436	998.2239	2145.0384	INSIDCEL
	-5484.6436	1602.4923	1637.9915	-5484.6436	1602.4923	1637.9839	
	-2812.5531	998.2239	1365.9615	-2812.5531	998.2239	2230.9771	
	-2812.5531	1602.4923	1723.8565	-2812.5531	1602.4923	1365.9615	
1408 RPP	-5751.9288	-1627.6384	-959.1078	959.1078	436.5007	487.3009	WATERFLO
1409 SPH	1678.1846	-554.2810	2036.8340	196.8508	0.0000	0.0000	RHEADLIT
1410 SPH	1678.1846	554.2810	2036.8340	196.8508	0.0000	0.0000	LHEADLIT
1411 SPH	1678.1846	-554.2810	2036.8340	187.3257	0.0000	0.0000	DUMSPHR
1412 SPH	1678.1846	554.2810	2036.8340	187.3257	0.0000	0.0000	DUMSPHL
1413 SPH	1678.1846	-647.7534	1943.3617	50.8002	0.0000	0.0000	RLIGHT1
1414 SPH	1678.1846	-460.8086	1943.3617	50.8002	0.0000	0.0000	RLIGHT2
1415 SPH	1678.1846	-554.2810	2130.3064	50.8002	0.0000	0.0000	RLIGHT3
1416 SPH	1678.1846	647.7534	1943.3617	50.8002	0.0000	0.0000	LLIGHT1

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1417 SPH	1678.1846	460.8086	1943.3617	50.8002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LLIGHT2
1418 SPH	1678.1846	554.2810	2130.3064	50.8002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LLIGHT3
1419 RPP	1678.1846	1876.3054	-830.3293	830.3293	1649.2285	1596.9043	1320.8052	1549.4061	2291.5970	1698.5047	DUMRPP
1420 RPP	-1702.8227	-1422.4056	-1600.2063	-1498.6059	1311.9152	1473.2058	1320.8052	1549.4061	1698.5047	1549.4061	FIRSTAID
1421 RPP	-1879.6074	-1600.2063	1311.9152	1515.1160	1311.9152	1473.2058	1320.8052	1549.4061	1549.4061	1549.4061	5.56AMMO
1422 RPP	-2209.8087	-1879.6074	1311.9152	1515.1160	1311.9152	1473.2058	1320.8052	1549.4061	1549.4061	1549.4061	45AMMO
1423 RPP	-749.3030	-416.3076	-1414.7856	-1313.1852	1566.9322	1744.7329	1566.9322	1744.7329	1744.7329	1744.7329	PYROTECH
1424 RCC	-2224.7948	-1371.6054	1554.9941	0.0000	304.8012	0.0000	304.8012	0.0000	0.0000	0.0000	SLEEPBAG
	143.5106	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1425 RCC	-2224.7948	-1465.5858	1758.1949	0.0000	304.8012	0.0000	304.8012	0.0000	0.0000	0.0000	SLEEPBAG
	143.5106	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1426 RCC	-2224.7948	-1166.6266	1961.3957	0.0000	304.8012	0.0000	304.8012	0.0000	0.0000	0.0000	SLEEPBAG
	143.5106	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1427 RPP	-1600.2063	-1016.0040	1311.9152	1473.2058	1320.8052	1549.4061	1320.8052	1549.4061	1549.4061	1549.4061	C RATION
1428 RPP	-956.8218	-777.2431	-1498.6059	-1397.0055	1483.1118	2184.4086	1483.1118	2184.4086	2184.4086	2184.4086	M72 LAW
1429 RPP	-2032.0080	-1930.4076	-1600.2063	-838.2033	1066.8042	1117.6044	1066.8042	1117.6044	1117.6044	1117.6044	RIFLE
1430 RPP	-1460.5058	-1358.9054	-1498.6059	-736.6029	1295.4051	1346.2053	1295.4051	1346.2053	1346.2053	1346.2053	RIFLE
1431 RPP	-2081.2842	-1937.7736	609.6024	1371.6054	2021.3400	2105.1603	2021.3400	2105.1603	2105.1603	2105.1603	RIFLE
1432 RPP	-762.0030	-584.2023	1320.8052	1488.4459	1889.7674	2092.9682	1889.7674	2092.9682	2092.9682	2092.9682	MGPARTS
1433 ARB8	-2488.1938	-1356.1113	1961.6497	-2679.7106	-1356.1113	1961.6497	-1356.1113	1961.6497	1961.6497	1961.6497	IRPERISC
	-2679.7106	-1126.4944	2165.1045	-2488.1938	-1126.4944	2165.1045	-1126.4944	2165.1045	2165.1045	2165.1045	
	-2488.1938	-1288.7249	1885.6018	-2679.7106	-1288.7249	1885.6018	-1288.7249	1885.6018	1885.6018	1885.6018	
	-2679.7106	-1059.1080	2089.0566	-2458.1938	-1059.1080	2089.0566	-1059.1080	2089.0566	2089.0566	2089.0566	
1434 RPP	-2184.4086	-1803.4071	-1600.2063	-1447.8057	1196.0907	1423.1676	1196.0907	1423.1676	1423.1676	1423.1676	TOOL BOX
1435 RPP	-1266.1950	-955.0438	-1498.6059	-1346.2053	1295.4051	1651.0065	1295.4051	1651.0065	1651.0065	1651.0065	AMMO .50
1436 RPP	-5340.3710	-5029.2198	-1168.4046	-1016.0040	1676.4066	2032.0080	1676.4066	2032.0080	2032.0080	2032.0080	AMMO .50
1437 RCC	-2575.5701	-1498.6059	1066.8042	0.0000	0.0000	215.9009	0.0000	215.9009	215.9009	215.9009	OIL CAN
	63.5003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
1438 RPP	-2512.0699	-2207.2687	-1524.0060	-1371.6054	1066.8042	1524.0060	1066.8042	1524.0060	1524.0060	1524.0060	WATERCAN
1439 ARB8	-4978.4196	-1146.8145	1356.1113	-4216.4166	-1146.8145	1450.8537	-1146.8145	1450.8537	1450.8537	1450.8537	CROWBAR
	-4216.4166	-1172.2146	1450.8537	-4978.4196	-1172.2146	1356.1113	-1172.2146	1356.1113	1356.1113	1356.1113	

TABLE B-I. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-4981.5438	-1146.8145	1381.3082	-4219.5408	-1146.8145	1476.0506	-1172.2146	1381.3082	1476.0506		
1440 RPP	-4219.5408	-1172.2146	1476.0506	-4981.5438	-1172.2146	1381.3082	-1146.8145	1476.0506	1381.3082		
1441 ARB8	-4665.4904	-3732.2907	882.6535	984.2539	1928.8836	2247.6548	993.1439	1514.3540	1514.3540	HOIST	
	-4809.0009	993.1439	1555.5021	-4402.0913	993.1439	1580.9022	993.1439	1580.9022	1580.9022	DRIFT PIN	
	-4402.0913	993.1439	1539.7541	-4809.0009	993.1439	1580.9022	993.1439	1580.9022	1580.9022		
	-4809.0009	967.7438	1555.5021	-4402.0913	967.7438	1580.9022	967.7438	1580.9022	1580.9022		
	-4402.0913	967.7438	1539.7541	-4809.0009	967.7438	1580.9022	967.7438	1580.9022	1580.9022		
1442 RPP	-5003.8197	-4597.4181	-1327.1552	-955.8058	1698.2507	1900.9435	1698.2507	1900.9435	1900.9435	RADIO	
1443 RPP	-4540.2679	-4412.2514	-1406.1495	-1096.7763	1644.9105	1841.2532	1644.9105	1841.2532	1841.2532	RADIO	
1444 RPP	-4360.9432	-4232.9267	-1406.1495	-1096.7763	1593.6023	1819.9172	1593.6023	1819.9172	1819.9172	RADIO	
1445 RPP	-4177.3004	-3782.3289	-1406.1495	-1096.7763	1601.9843	1798.5811	1601.9843	1798.5811	1798.5811	RADIO	
1446 RPP	-4109.7362	-1365.5094	-642.6225	642.6225	436.5007	442.8507	436.5007	442.8507	442.8507	CONTICOL	
1447 RPP	-409.9576	-11.6840	959.1078	1646.9425	254.0010	1054.1042	254.0010	1054.1042	1054.1042	DUMRPPSP	
1448 ARB8	-11.6840	959.1078	660.4026	377.4455	959.1078	731.5229	959.1078	731.5229	731.5229	DUMAR88	
	377.4455	959.1078	254.0010	-11.6840	959.1078	254.0010	959.1078	254.0010	254.0010		
	-11.6840	1646.9425	660.4026	377.4455	1646.9425	731.5229	1646.9425	731.5229	731.5229		
	377.4455	1646.9425	254.0010	-11.6840	1646.9425	254.0010	1646.9425	254.0010	254.0010		
1449 RCC	-1997.9719	635.0025	580.3923	0.0000	0.0000	1117.6044	0.0000	1117.6044	1117.6044	DRAGON	
	63.5003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	MISSILE	
1450 RCC	-1997.9719	635.0025	1697.9967	0.0000	0.0000	304.8012	0.0000	304.8012	304.8012	MISSILE	
	95.2504	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	TRACKER	
1451 RCC	-1997.9719	-233.6809	580.3923	0.0000	0.0000	1117.6044	0.0000	1117.6044	1117.6044	DRAGON	
	63.5003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	MISSILE	
1452 BOX	-1128.3385	-892.5595	2516.9873	207.1810	0.0000	-96.6093	0.0000	-96.6093	-96.6093	ELEVATING	
	0.0000	50.8002	0.0000	21.4682	0.0000	46.0402	0.0000	46.0402	46.0402	MECHANISM	
1453 ARB6	-728.4749	1558.0421	2480.5585	-568.9622	1536.9601	2255.2749	1536.9601	2255.2749	2255.2749	AIR BEHIND	
	-568.9622	1003.3040	2255.2749	-728.4749	1003.3040	2480.5585	1003.3040	2480.5585	2480.5585	SOLID 1015	
	-728.4749	1558.0421	1057.1522	-728.4749	1003.3040	1057.1522	1003.3040	1057.1522	1057.1522		
1454 ARB6	-40.6402	-1406.9115	1979.0463	86.3603	-1375.4154	2010.6719	-1375.4154	2010.6719	2010.6719	AIR BEHIND	
	86.3603	0.0000	2010.6719	-40.6402	0.0000	1979.0463	0.0000	1979.0463	1979.0463	SOLID 990	
	86.3603	-1375.4154	660.4026	86.3603	0.0000	660.4026	0.0000	660.4026	660.4026		

TABLE B-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1455 ARB6	-167.6407	-1438.4077	1947.4257	-40.6402	-1406.9115	1979.0463	1979.0463	1947.4257	1057.1522	1057.1522	AIR BEHIND SOLID 988
	-40.6402	0.0000	1979.0463	-40.6402	0.0000	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	
1456 ARB6	-40.6402	-1398.2755	1057.1522	-40.6402	0.0000	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	AIR BEHIND SOLID 981
	-427.9917	-1488.6999	1057.1522	-548.6422	-1517.9100	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	
	-548.6422	0.0000	1057.1522	-427.9917	0.0000	1993.3389	1993.3389	1993.3389	1993.3389	1993.3389	
1457 ARB6	-548.6422	-1510.2950	1993.3389	-548.6422	0.0000	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	AIR BEHIND SOLID 979
	-548.6422	-1517.9100	1057.1522	-675.6427	-1530.6100	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	
	-675.6427	0.0000	1057.1522	-548.6422	0.0000	2122.1479	2122.1479	2122.1479	2122.1479	2122.1479	
1458 ARB6	-675.6427	-1533.0256	2122.1479	-675.6427	0.0000	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	AIR BEHIND SOLID 977
	-675.6427	-1530.6100	1057.1522	-802.6432	-1555.7561	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	
	-802.6432	0.0000	1057.1522	-675.6427	0.0000	2200.1567	2200.1567	2200.1567	2200.1567	2200.1567	
1459 ARB6	-802.6432	-1555.7561	2200.1567	-802.6432	0.0000	2425.2015	2425.2015	2425.2015	2425.2015	2425.2015	AIR UNDER SOLID 1104
	718.0608	1214.8868	2425.2015	586.4883	935.2317	2444.2516	2444.2516	2444.2516	2444.2516	2444.2516	
	586.4883	935.2317	2316.4891	718.0608	1214.8868	2316.4891	2316.4891	2316.4891	2316.4891	2316.4891	
1460 ARB6	797.3091	935.2317	2413.7715	797.3091	935.2317	2413.7715	2413.7715	2413.7715	2413.7715	2413.7715	AIR UNDER SOLID 1103
	586.4883	935.2317	2444.2516	521.9721	1285.7531	2316.4891	2316.4891	2316.4891	2316.4891	2316.4891	
	521.9721	1285.7531	2316.4891	586.4883	935.2317	2425.2015	2425.2015	2425.2015	2425.2015	2425.2015	
1461 ARB6	718.0608	1214.8868	2425.2015	718.0608	1214.8868	2425.2015	2425.2015	2425.2015	2425.2015	2425.2015	AIR UNDER SOLID 1102
	521.9721	1285.7531	2453.3957	382.0175	935.2317	2453.3957	2453.3957	2453.3957	2453.3957	2453.3957	
	382.0175	935.2317	2316.4891	586.4883	935.2317	2444.2516	2444.2516	2444.2516	2444.2516	2444.2516	
1462 ARB6	586.4883	935.2317	2444.2516	382.0175	935.2317	2473.7157	2473.7157	2473.7157	2473.7157	2473.7157	AIR UNDER SOLID 1101
	382.0175	935.2317	2473.7157	323.5973	1354.5873	2316.4891	2316.4891	2316.4891	2316.4891	2316.4891	
	323.5973	1354.5873	2316.4891	521.9721	1285.7531	2453.3957	2453.3957	2453.3957	2453.3957	2453.3957	
1463 ARB6	521.9721	1285.7531	2453.3957	144.5266	935.2317	2508.0059	2508.0059	2508.0059	2508.0059	2508.0059	AIR UNDER SOLID 1100
	144.5266	935.2317	2508.0059	323.5973	1354.5873	2316.4891	2316.4891	2316.4891	2316.4891	2316.4891	
	323.5973	1354.5873	2316.4891	382.0175	935.2317	2473.7157	2473.7157	2473.7157	2473.7157	2473.7157	
1464 ARB6	382.0175	935.2317	2473.7157	144.5266	1394.1480	2508.0059	2508.0059	2508.0059	2508.0059	2508.0059	AIR UNDER SOLID 1099
	144.5266	1394.1480	2508.0059	144.5266	935.2317	2316.4891	2316.4891	2316.4891	2316.4891	2316.4891	
	144.5266	935.2317	2316.4891	323.5973	1354.5873	2482.0978	2482.0978	2482.0978	2482.0978	2482.0978	
1465 ARB6	323.5973	1354.5873	2482.0978	-728.4749	1558.0421	2480.5585	2480.5585	2480.5585	2480.5585	2480.5585	AIR UNDER

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
	-540.5141	1003.3040	2486.4666	-728.4749	1003.3040	2480.5585	2480.5585	1003.3040	2480.5585	2480.5585	SOLID 1084
	-568.9622	1536.9601	2255.2749	-568.9622	1003.3040	2255.2749	2255.2749	1003.3040	2255.2749	2255.2749	
1466 ARB6	1198.8847	-1162.8166	1280.1650	1198.8847	-1162.8166	1290.0711	1290.0711	-1162.8166	1290.0711	1290.0711	AIR ABOVE
	1198.8847	1162.8166	1290.0711	1198.8847	1162.8166	1280.1650	1280.1650	1162.8166	1280.1650	1280.1650	SOLID 1082
1467 ARB6	1252.4789	-1146.5605	1290.0711	1252.4789	1146.5605	1290.0711	1290.0711	1146.5605	1290.0711	1290.0711	BOTTOM PLT
	-1014.9880	1582.9342	1057.1522	-728.4749	1558.0421	1057.1522	1057.1522	1558.0421	1057.1522	1057.1522	AIR BEHIND
	-728.4749	-25.4001	1057.1522	-1014.9880	-25.4001	1057.1522	1057.1522	-25.4001	1057.1522	1057.1522	SOLID 1014
1468 ARB8	-728.4749	1558.0421	2480.5585	-728.4749	-25.4001	2480.5585	2480.5585	-25.4001	2480.5585	2480.5585	
	1252.4789	1012.4480	2345.4452	1252.4789	-893.3215	2345.4452	2345.4452	-893.3215	2345.4452	2345.4452	DUMMY REG
	144.5266	-893.3215	2505.4659	144.5266	1394.1480	2505.4659	2505.4659	1394.1480	2505.4659	2505.4659	FOR SOLID
	1252.4789	1012.4480	2540.0100	1252.4789	-893.3215	2540.0100	2540.0100	-893.3215	2540.0100	2540.0100	1096
1469 ARB8	144.5266	-893.3215	2540.0100	144.5266	1394.1480	2540.0100	2540.0100	1394.1480	2540.0100	2540.0100	
	905.5136	1364.4934	1057.4062	905.5136	-1364.4934	1057.4062	1057.4062	-1364.4934	1057.4062	1057.4062	
	697.4867	-1488.1919	895.3535	697.4867	1488.1919	895.3535	895.3535	1488.1919	895.3535	895.3535	AIR ABOVE
	905.5136	1364.4934	1290.0711	905.5136	-1364.4934	1290.0711	1290.0711	-1364.4934	1290.0711	1290.0711	SOLIDS
1470 ARB6	697.4867	-1488.1919	1290.0711	697.4867	1488.1919	1290.0711	1290.0711	1488.1919	1290.0711	1290.0711	1123 +1124
	1110.4924	-1070.8682	2368.5593	1110.4924	-1020.9062	2368.5593	2368.5593	-1020.9062	2368.5593	2368.5593	RIGHT CORN
	1194.6683	-1006.5044	2382.9358	1194.6683	-1056.4664	2382.9358	2382.9358	-1056.4664	2382.9358	2382.9358	ER BEHIND
1471 ARB6	1034.5461	-1044.1981	2342.6512	1034.5461	-1029.7963	2342.6512	2342.6512	-1029.7963	2342.6512	2342.6512	BOW
	1110.4924	-1070.8682	2368.5593	1110.4924	-1020.9062	2368.5593	2368.5593	-1020.9062	2368.5593	2368.5593	DUMMY FOR
	1205.7681	-1044.4775	2311.3075	1205.7681	-1094.4395	2311.3075	2311.3075	-1094.4395	2311.3075	2311.3075	1132 SUBTR
1472 ARB6	1034.5461	-1044.1981	2342.6512	1034.5461	-1067.7694	2342.6512	2342.6512	-1067.7694	2342.6512	2342.6512	ACTION
	1034.5461	-1044.1981	2342.6512	1034.5461	-1020.9062	2342.6512	2342.6512	-1020.9062	2342.6512	2342.6512	DUMMY FOR
	1206.0120	-1071.2035	2355.7653	1206.0120	-1094.4954	2355.7653	2355.7653	-1094.4954	2355.7653	2355.7653	1132 SUBTR
1473 ARB6	1198.8847	-1020.9062	1280.1650	1198.8847	-1071.2035	1280.1650	1280.1650	-1071.2035	1280.1650	1280.1650	ACTION
	-1043.6901	-1599.6983	2470.6677	-1078.2342	-1602.9749	2470.6677	2470.6677	-1602.9749	2470.6677	2470.6677	DUMMY FOR
	-1073.4336	-1653.5465	1057.1522	-1038.6895	-1650.2699	1057.1522	1057.1522	-1650.2699	1057.1522	1057.1522	973
1474 ARB6	-1392.6875	-1632.8708	1057.1522	-1387.8869	-1683.4424	1057.1522	1057.1522	-1683.4424	1057.1522	1057.1522	MINUS 1188
	-1043.6901	-1599.6983	2470.6677	-929.6437	-1568.2022	2470.6677	2470.6677	-1568.2022	2470.6677	2470.6677	DUMMY FOR
	-916.3848	-1617.2498	2308.6659	-1030.4313	-1648.7459	2308.6659	2308.6659	-1648.7459	2308.6659	2308.6659	974
	-1078.2342	-1602.9749	1057.1522	-1064.9754	-1652.0225	1057.1522	1057.1522	-1652.0225	1057.1522	1057.1522	MINUS 1188

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1475 ARB6	-1078.2342	-1602.9749	1057.1522	-802.6432	-1555.7561	1057.1522	1057.1522	1057.1522	1057.1522	1057.1522	DUMMY FOR
	-794.0579	-1605.8197	1057.5332	-1069.6490	-1653.0639	1057.5332	1057.5332	1057.5332	1057.5332	1057.5332	SUBTRACTIO
	-929.6437	-1568.2022	2308.8691	-921.0584	-1618.2658	2308.8691	2308.8691	2308.8691	2308.8691	2308.8691	N 1188
1476 RPP	-737.8729	-342.6473	-985.7779	985.7779	406.4016	-985.7779	-985.7779	-985.7779	-985.7779	-985.7779	AIR S-1110
1477 ARB6	-2271.0229	-872.4934	2432.0596	-1540.7701	-1646.9425	2432.0596	2432.0596	2432.0596	2432.0596	2432.0596	AIR UNDER
	-1540.7701	-1646.9425	1066.8042	-2271.0229	-872.4934	1066.8042	1066.8042	1066.8042	1066.8042	1066.8042	SOLID 1057
	-2245.8768	-1646.9425	1744.9869	-2245.8768	-1646.9425	1744.9869	1744.9869	1744.9869	1744.9869	1744.9869	
1478 ARB6	1034.5461	-1044.1981	2342.6512	1198.8847	-1020.9062	2342.6512	2342.6512	2342.6512	2342.6512	2342.6512	AIR BEHIND
	1198.8847	0.0000	2355.7653	1034.5461	0.0000	2355.7653	2355.7653	2355.7653	2355.7653	2355.7653	SOLID 1007
	1198.8847	-1020.9062	1280.1650	1198.8847	0.0000	1280.1650	1280.1650	1280.1650	1280.1650	1280.1650	
1479 ARB6	1034.5461	-1044.1981	1162.5677	1198.8847	-1020.9062	1162.5677	1162.5677	1162.5677	1162.5677	1162.5677	AIR FOR
	1198.8847	0.0000	1280.1650	1034.5461	0.0000	1280.1650	1280.1650	1280.1650	1280.1650	1280.1650	SOLID 1006
	1034.5461	-1044.1981	2342.6512	1034.5461	0.0000	2342.6512	2342.6512	2342.6512	2342.6512	2342.6512	
1480 ARB6	841.2513	-1117.6044	2263.9109	1034.5461	-1044.1981	2263.9109	2263.9109	2263.9109	2263.9109	2263.9109	AIR FOR
	1034.5461	0.0000	2342.6512	841.2513	0.0000	2342.6512	2342.6512	2342.6512	2342.6512	2342.6512	SOLID 1005
	1034.5461	-1044.1981	1162.5677	1034.5461	0.0000	1162.5677	1162.5677	1162.5677	1162.5677	1162.5677	
1481 ARB6	841.2513	-1117.6044	1024.2514	1034.5461	-1044.1981	1024.2514	1024.2514	1024.2514	1024.2514	1024.2514	AIR FOR
	1034.5461	0.0000	1162.5677	841.2513	0.0000	1162.5677	1162.5677	1162.5677	1162.5677	1162.5677	SOLID 1004
	841.2513	-1117.6044	2263.9109	841.2513	0.0000	2263.9109	2263.9109	2263.9109	2263.9109	2263.9109	
1482 ARB6	684.0247	-1176.4666	2206.3263	841.2513	-1117.6044	2206.3263	2206.3263	2206.3263	2206.3263	2206.3263	AIR FOR
	841.2513	0.0000	2263.9109	684.0247	0.0000	2263.9109	2263.9109	2263.9109	2263.9109	2263.9109	SOLID 1003
	841.2513	-1117.6044	1024.2514	841.2513	0.0000	1024.2514	1024.2514	1024.2514	1024.2514	1024.2514	
1483 ARB6	841.2513	-1117.6044	1024.2514	684.0247	-1167.8966	1024.2514	1024.2514	1024.2514	1024.2514	1024.2514	AIR FOR
	684.0247	0.0000	911.7417	841.2513	0.0000	911.7417	911.7417	911.7417	911.7417	911.7417	SOLID 1002
	684.0247	-1176.4666	2206.3263	684.0247	0.0000	2206.3263	2206.3263	2206.3263	2206.3263	2206.3263	
1484 ARB6	594.3623	-1205.7427	2173.4866	684.0247	-1176.4666	2173.4866	2173.4866	2173.4866	2173.4866	2173.4866	AIR FOR
	684.0247	0.0000	2206.3263	594.3623	0.0000	2206.3263	2206.3263	2206.3263	2206.3263	2206.3263	SOLID 1001
	684.0247	-1167.8966	911.7417	684.0247	0.0000	911.7417	911.7417	911.7417	911.7417	911.7417	
1485 ARB6	594.3623	-1205.7427	847.5810	684.0247	-1167.8966	847.5810	847.5810	847.5810	847.5810	847.5810	AIR FOR
	684.0247	0.0000	911.7417	594.3623	0.0000	911.7417	911.7417	911.7417	911.7417	911.7417	SOLID 1000
	594.3623	-1205.7427	2173.4866	594.3623	0.0000	2173.4866	2173.4866	2173.4866	2173.4866	2173.4866	

TABLE 8-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1486 ARB8	594.3623	-1205.7427	847.5810	467.3618	-1253.7489	745.7977	AIR FOR				
	467.3618	-1253.7489	2128.0204	594.3623	-1205.7427	2173.4866	SOLIDS 998				
	594.3623	0.0000	847.5810	467.3618	0.0000	745.7977	AND 999				
1487 ARB8	467.3618	0.0000	2128.0204	594.3623	0.0000	2173.4866	SOLIDS 998				
	467.3618	-1253.7489	2128.0204	340.3613	-1295.6591	2087.3802	AIR BEHIND				
	340.3613	-1295.6591	628.7236	467.3618	-1253.7489	745.7977	SOLIDS				
	467.3618	0.0000	2128.0204	340.3613	0.0000	2087.3802	995 + 996				
	340.3613	0.0000	628.7236	467.3618	0.0000	745.7977					
1488 ARB8	213.3608	-1337.5693	2046.7401	340.3613	-1295.6591	2087.3802	AIR BEHIND				
	340.3613	-1295.6591	660.4026	213.3608	-1337.5693	988.0639	SOLIDS				
	213.3608	0.0000	2046.7401	340.3613	0.0000	2087.3802	993 + 994				
	340.3613	0.0000	660.4026	213.3608	0.0000	988.0639					
	213.3608	-1337.5693	2046.7401	213.3608	-1337.5693	988.0639	AIR BEHIND				
1489 ARB8	86.3603	-1375.4154	1057.1522	86.3603	-1375.4154	2010.6719	SOLIDS				
	213.3608	0.0000	2046.7401	213.3608	0.0000	988.0639	991 & 992				
	86.3603	0.0000	1057.1522	86.3603	0.0000	2010.6719					
	-40.6402	-1398.2755	660.4026	86.3603	-1375.4154	660.4026	AIR BEHIND				
	86.3603	0.0000	660.4026	-40.6402	0.0000	660.4026	SOLID 989				
1491 ARB6	-40.6402	-1406.9115	1979.0463	-40.6402	0.0000	1979.0463					
	-167.6407	-1438.4077	1057.1522	-40.6402	-1398.2755	1057.1522	AIR BEHIND				
	-40.6402	0.0000	1057.1522	-167.6407	0.0000	1057.1522	SOLID 987				
	-167.6407	-1438.4077	1947.4257	-167.6407	0.0000	1947.4257					
	-167.6407	-1438.4077	1947.4257	-294.6412	-1462.9391	1921.9011	AIR BEHIND				
1492 ARB8	-294.6412	-1462.9391	1057.1522	-167.6407	-1438.4077	1057.1522	SOLIDS				
	-167.6407	0.0000	1947.4257	-294.6412	0.0000	1921.9011	985 + 986				
	-294.6412	0.0000	1057.1522	-167.6407	0.0000	1057.1522					
	-427.9917	-1488.6999	1895.1015	-294.6412	-1462.9391	1921.9011	AIR BEHIND				
	-294.6412	-1462.9391	1057.1522	-427.9917	-1488.6999	1057.1522	SOLIDS				
1493 ARB8	-427.9917	0.0000	1895.1015	-294.6412	0.0000	1921.9011	983 + 984				
	-294.6412	0.0000	1057.1522	-427.9917	0.0000	1057.1522					
	-548.6422	-1510.2950	1993.3389	-427.9917	-1488.6999	1895.1015	AIR BEHIND				
1494 ARB6											

TABLE b-1. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
	-427.9917	0.0000	1895.1015	-548.6422	0.0000	1993.3389	SOLID 982
	-427.9917	-1488.6999	1057.1522	-427.9917	0.0000	1057.1522	
11495 ARB6	-675.6427	-1533.0256	2096.7478	-548.6422	-1510.2950	1993.3389	AIR BEHIND
	-548.6422	0.0000	1993.3389	-675.6427	0.0000	2096.7478	SOLID 980
	-548.6422	-1517.9100	1057.1522	-548.6422	0.0000	1057.1522	
11496 ARB6	-802.6432	-1555.7561	2200.1567	-675.6427	-1533.0256	2096.7478	AIR BEHIND
	-675.6427	0.0000	2096.7478	-802.6432	0.0000	2200.1567	SOLID 978
	-675.6427	-1530.6100	1057.1522	-675.6427	0.0000	1057.1522	
11497 ARB6	-929.6437	-1568.2022	2308.8691	-802.6432	-1555.7561	2200.1567	AIR BEHIND
	-802.6432	0.0000	2200.1567	-929.6437	0.0000	2308.8691	SOLD 976
	-802.6432	-1555.7561	1057.1522	-802.6432	0.0000	1057.1522	
11498 ARB6	-1078.2342	-1580.9022	1057.1522	-802.6432	-1555.7561	1057.1522	AIR BEHIND
	-802.6432	0.0000	1057.1522	-1078.2342	0.0000	1057.1522	SOLID 975
	-929.6437	-1568.2022	2308.8691	-929.6437	0.0000	2308.8691	
11499 ARB6	-1043.6901	-1599.6983	2470.6677	-1078.2342	-1580.9022	1057.1522	AIR BEHIND
	-1078.2342	0.0000	1057.1522	-1043.6901	0.0000	2470.6677	SOLID 974
	-929.6437	-1568.2022	2308.8691	-929.6437	0.0000	2308.8691	
1500 ARB6	-1392.6875	-1632.8683	1057.1522	-1043.6901	-1599.6983	2470.6677	AIR BEHIND
	-1043.6901	0.0000	2470.6677	-1392.6875	0.0000	1057.1522	SOLID 973
	-1078.2342	-1602.9825	1057.1522	-1078.2342	0.0000	1057.1522	
1501 ARB6	-1392.6875	-1646.9425	2459.6796	-1043.6901	-1599.6983	2470.6677	AIR BEHIND
	-1043.6901	0.0000	2470.6677	-1392.6875	0.0000	2459.6796	SOLID 972
	-1392.6875	-1646.9425	1057.1522	-1392.6875	0.0000	1057.1522	
1502 ARB6	-728.4749	1558.0421	2480.5585	-1014.9880	1582.9342	2471.5491	AIR BEHIND
	-1014.9880	-25.4001	2471.5491	-728.4749	-25.4001	2480.5585	SOLID 1013
	-1014.9880	1582.9342	1057.1522	-1014.9880	-25.4001	1057.1522	
1503 ARB8	-568.9622	1536.9601	2255.2749	-540.5141	1250.7009	2486.4666	AIR BEHIND
	-240.5389	1194.3127	2495.9002	-70.8663	1447.2977	2267.6854	SOLID 1088
	-568.9622	1003.3040	2255.2749	-540.5141	1003.3040	2486.4666	
	-240.5389	1003.3040	2495.9002	-70.8663	1003.3040	2267.6854	
1504 ARB6	-70.8663	1447.2977	2267.6854	-240.5389	1194.3127	2495.9002	AIR BEHIND

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1505 ARB6	-240.5389	1003.3040	2495.9002	-70.8663	1003.3040	2267.6854	SOLID 1093
	69.0883	1411.7376	2505.6335	69.0883	1003.3040	2505.6335	
	1110.4924	-1070.8682	2368.5593	1006.0980	-1015.2166	2383.6292	AIR BEHIND
	1006.0980	-889.0035	2383.6292	1110.4924	-889.0035	2368.5593	SOLID 1078
1506 ARB6	1034.5461	-1044.1981	2342.6512	1034.5461	-889.0035	2342.6512	
	1006.0980	-1015.2166	2383.6292	1034.5461	-1044.1981	2342.6512	AIR BEHIND
	1034.5461	-889.0035	2342.6512	1006.0980	-889.0035	2383.6292	SOLID 1077
	799.3411	-985.9557	2413.4769	799.3411	-889.0035	2413.4769	
1507 ARB6	799.3411	-985.9557	2413.4769	841.2513	-1117.6044	2263.9109	AIR BEHIND
	841.2513	-889.0035	2263.9109	799.3411	-889.0035	2413.4769	SOLID 1076
	1034.5461	-1044.1981	2342.6512	1034.5461	-889.0035	2342.6512	
	799.3411	-985.9557	2413.4769	841.2513	-1117.6044	2263.9109	AIR BEHIND
1508 ARB6	841.2513	-889.0035	2263.9109	799.3411	-889.0035	2413.4769	SOLID 1075
	588.5203	-956.1106	2443.9087	588.5203	-889.0035	2443.9087	
	594.3623	-1205.7427	2173.4866	841.2513	-1117.6044	2263.9109	AIR BEHIND
	841.2513	-889.0035	2263.9109	594.3623	-889.0035	2173.4866	SOLID 1074
1510 ARB6	588.5203	-956.1106	2443.9087	588.5203	-889.0035	2443.9087	
	386.0815	-927.4847	2473.1341	588.5203	-956.1106	2443.9087	AIR BEHIND
	588.5203	-889.0035	2443.9087	386.0815	-889.0035	2473.1341	SOLID 1073
	594.3623	-1205.7427	2173.4866	594.3623	-889.0035	2173.4866	
1511 ARB6	594.3623	-1205.7427	2173.4866	467.3618	-1253.7489	2128.0204	AIR BEHIND
	467.3618	-889.0035	2128.0204	594.3623	-889.0035	2173.4866	SOLID 1072
	386.0815	-927.4847	2473.1341	386.0815	-889.0035	2473.1341	
	144.5266	-943.6137	2508.0059	386.0815	-927.4847	2473.1341	AIR BEHIND
1512 ARB6	386.0815	-889.0035	2473.1341	144.5266	-889.0035	2508.0059	SOLID 1071
	467.3618	-1253.7489	2128.0204	467.3618	-889.0035	2128.0204	
	467.3618	-1253.7489	2128.0204	213.3608	-1337.5693	2046.7401	AIR BEHIND
	213.3608	-889.0035	2046.7401	467.3618	-889.0035	2128.0204	SOLID 1070
1514 ARB6	144.5266	-943.6137	2508.0059	144.5266	-889.0035	2508.0059	
	20.8281	-957.3298	2504.1298	144.5266	-943.6137	2508.0059	AIR BEHIND
	144.5266	-889.0035	2508.0059	20.8281	-889.0035	2504.1298	SOLID 1069

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1515 ARB6	213.3608	-1337.2693	2046.7401	213.3608	-889.0035	2046.7401					
	20.8281	-956.3138	2504.1298	86.3603	-1375.4154	2010.6719					AIR BEHIND
	86.3603	-889.0035	2010.6719	20.8281	-889.0035	2504.1298					SOLID 1068
1516 ARB6	213.3608	-1337.5693	2046.7401	213.3608	-889.0035	2046.7401					
	20.8281	-957.3298	2504.1298	-185.6747	-950.9797	2497.6579					AIR BEHIND
	-185.6747	-889.0035	2497.6579	20.8281	-889.0035	2504.1298					SOLID 1067
1517 ARB6	86.3603	-1375.4154	2010.6719	86.3603	-889.0035	2010.6719					
	-167.6407	-1438.4077	1947.4257	-185.6747	-950.9797	2497.6579					AIR BEHIND
	-185.6747	-889.0035	2497.6579	-167.6407	-889.0035	1947.4257					SOLID 1066
1518 ARB6	86.3603	-1375.4154	2010.6719	86.3603	-889.0035	2010.6719					
	-422.9117	-961.1398	2490.2258	-185.6747	-950.9797	2497.6579					AIR BEHIND
	-185.6747	-889.0035	2497.6579	-422.9117	-889.0035	2490.2258					SOLID 1065
1519 ARB6	-167.6407	-1438.4077	1947.4257	-167.6407	-889.0035	1947.4257					
	-167.6407	-1438.4077	1947.4257	-422.9117	-961.1398	2490.2258					AIR BEHIND
	-422.9117	-889.0035	2490.2258	-167.6407	-889.0035	1947.4257					SOLID 1064
1520 ARB6	-427.9917	-1488.6999	1895.1015	-427.9917	-889.0035	1895.1015					
	-603.2524	-1146.6469	2484.5438	-422.9117	-961.1398	2490.2258					AIR BEHIND
	-422.9117	-889.0035	2490.2258	-603.2524	-889.0035	2484.5438					SOLID 1063
1521 ARB6	-427.9917	-1488.6999	1895.1015	-427.9917	-889.0035	1895.1015					
	-603.2524	-1146.6469	2484.5438	-802.6432	-1555.7561	2200.1567					AIR BEHIND
	-802.6432	-889.0035	2200.1567	-603.2524	-889.0035	2484.5438					SOLID 1062
1522 ARB6	-427.9917	-1488.6999	1895.1015	-427.9917	-889.0035	1895.1015					
	-802.6432	-1555.7561	2200.1567	-751.3350	-1298.9687	2479.8778					AIR BEHIND
	-751.3350	-889.0035	2479.8778	-802.6432	-889.0035	2200.1567					SOLID 1061
1523 ARB6	-603.2524	-1146.6469	2484.5438	-603.2524	-889.0035	2484.5438					
	-751.3350	-1298.9687	2479.8778	-929.6437	-1568.2022	2308.8691					AIR BEHIND
	-929.6437	-889.0035	2308.8691	-751.3350	-889.0035	2479.8778					SOLID 1060
1524 ARB6	-802.6432	-1555.7561	2200.1567	-802.6432	-889.0035	2200.1567					
	-897.6395	-1449.4643	2475.2677	-929.6437	-1568.2022	2308.8691					AIR BEHIND
	-929.6437	-889.0035	2308.8691	-897.6395	-889.0035	2475.2677					SOLID 1059
	-751.3350	-1298.9687	2479.8778	-751.3350	-889.0035	2479.8778					

TABLE B-I. SOLID TABLE FOR LVTP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS										REMARKS
1525 ARB6	-1043.6901	-1599.6983	2470.6677	-929.6437	-1568.2022	2308.8691	2470.6677	2308.8691	AIR BEHIND		
	-929.6437	-689.0035	2308.8691	-1043.6901	-889.0035	2475.2677	2470.6677	2470.6677	SOLID 1058		
	-897.6395	-1449.4643	2475.2677	-897.6395	-889.0035	1079.5043	2475.2677	2475.2677	AIR BELOW		
1526 RPP	-2271.0229	-422.9117	-959.1078	959.1078	436.5007	1744.1766	1079.5043	1079.5043	AIR NEXT		
1527 ARB5	-2271.0229	-872.4934	1744.1766	-2271.0229	-1646.9425	1744.9869	1744.1766	1744.1766	AIR NEXT		
	-2245.8768	-1646.9425	1744.9869	-2245.8768	-872.4934	0.0000	1744.9869	1744.9869	TO 1057		
	-2271.0229	-872.4934	2432.0596	0.0000	0.0000	1744.1766	0.0000	0.0000	AT RT TOP		
1528 ARB5	-2271.0229	872.4934	1744.1766	-2271.0229	1646.9425	1744.9869	1744.1766	1744.1766	AIR NEXT		
	-2245.8768	1646.9425	1744.9869	-2245.8768	872.4934	0.0000	1744.9869	1744.9869	TO 1079		
	-2271.0229	872.4934	2432.0596	0.0000	0.0000	1057.1522	0.0000	0.0000	AT TOP		
1529 ARB8	-2245.8768	1646.9425	1744.9869	-2245.8768	1646.9425	1728.0044	1057.1522	1057.1522	AIR BEHIND		
	-2773.4369	1646.9425	1054.1042	-2773.4369	1646.9425	1057.1522	1728.0044	1728.0044	SOLID 935		
	-2245.8768	872.4934	1744.9869	-2245.8768	872.4934	1728.0044	1057.1522	1057.1522			
	-2773.4369	872.4934	1054.1042	-2773.4369	872.4934	1728.0044	1728.0044	1728.0044			
1530 ARB8	-2245.8768	-1646.9425	1744.9869	-2245.8768	-1646.9425	1057.1522	1057.1522	1057.1522	AIR BEHIND		
	-2773.4369	-1646.9425	1054.1042	-2773.4369	-1646.9425	1728.0044	1057.1522	1728.0044	SOLID 932		
	-2245.8768	-872.4934	1744.9869	-2245.8768	-872.4934	1728.0044	1057.1522	1057.1522			
	-2773.4369	-872.4934	1054.1042	-2773.4369	-872.4934	1728.0044	1728.0044	1728.0044			
1531 ARB6	-2271.0229	-872.4934	1744.1766	-2271.0229	-1646.9425	1744.1766	1744.1766	1744.1766	AIR BELOW		
	-4980.4516	-1646.9425	1656.9628	-4980.4516	-872.4934	1656.9628	1656.9628	1656.9628	SOLID 920		
	-2271.0229	-872.4934	2432.0596	-4980.4516	-872.4934	2344.8458	2344.8458	2344.8458			
1532 ARB6	-2271.0229	872.4934	1744.1766	-2271.0229	1646.9425	1744.1766	1744.1766	1744.1766	AIR BELOW		
	-5488.4536	1646.9425	1640.6102	-5488.4536	872.4934	1640.6102	1640.6102	1640.6102	SOLID 921		
	-2271.0229	872.4934	2432.0596	-5488.4536	872.4934	2328.4957	2328.4957	2328.4957			
1533 ARB6	-4980.4516	-872.4934	2344.8458	-4980.4516	-872.4934	1656.9628	1656.9628	1656.9628	AIR UNDER		
	-6024.5557	-1646.9425	1676.4066	-6145.5542	-872.4934	2307.3451	2307.3451	2307.3451	RT DECK		
	-4980.4516	-1646.9425	1656.9628	-6024.5557	-1587.2141	1676.4066	1676.4066	1676.4066	AT AFT		
1534 ARB6	-5488.4536	872.4934	2328.4957	-5488.4536	872.4934	1640.6102	1640.6102	1640.6102	AIR UNDER		
	-6024.5557	872.4934	1676.4066	-6145.5542	872.4934	2307.3451	2307.3451	2307.3451	LEFT DECK		
	-5488.4536	1646.9425	1640.6102	-6024.5557	1587.2141	1676.4066	1676.4066	1676.4066	AT AFT END		
1535 ARB8	-2773.4369	-1646.9425	1352.0473	-4980.4516	-1646.9425	1625.6064	1625.6064	1625.6064	AIR ABOVE		

TABLE B-1. SOLID TABLE FOR LVIP7 (CONTINUED)

SOLID NUM TYPE	SOLID PARAMETERS						REMARKS
1536 AR88	-4980.4516	-1646.9425	1656.9628	-2773.4369	-1646.9425	1728.0044	SLOPED
	-2773.4369	-872.4934	1352.0473	-4980.4516	-872.4934	1625.6064	CLOSURE
	-4980.4516	-872.4934	1656.9628	-2773.4369	-872.4934	1728.0044	
	-2773.4369	1646.9425	1352.0473	-5488.4536	1646.9425	1625.6064	AIR ABOVE
	-5488.4536	1646.9425	1640.6102	-2773.4369	1646.9425	1728.0044	SLOPED JET
	-2773.4369	872.4934	1352.0473	-5488.4536	872.4934	1625.6064	COVER
1537 AR86	-5488.4536	872.4934	1640.6102	-2773.4369	872.4934	1728.0044	
	-5488.4536	1646.9425	1640.6102	-5488.4536	1646.9425	1625.6064	AIR ABOVE
	-5488.4536	872.4934	1625.6064	-5488.4536	872.4934	1640.6102	SOLID 947
	-6024.5557	1587.2141	1676.4066	-6024.5557	872.4934	1676.4066	
	-4980.4516	-1646.9425	1656.9628	-4980.4516	-1646.9425	1625.6064	AIR ABOVE
	-4980.4516	-872.4934	1625.6064	-4980.4516	-872.4934	1656.9628	RT CLOSURE
1539 RPP 1540 AR86	-6024.5557	-1587.2141	1676.4066	-6024.5557	-872.4934	1676.4066	PLATE AFT
	-1804.5501	-1531.4990	1482.6546	1574.8062	1500.2823	1718.0882	AUDIO AMPL
	-2773.4369	958.9808	1192.2807	-2773.4369	1159.7686	1352.0473	AIR FILLER
	-5488.4536	1159.7686	1625.6064	-5488.4536	958.9808	1465.8398	NEXT TO
	-2773.4369	958.9808	1352.0473	-5488.4536	958.9808	1625.6064	943
	-2773.4369	-1159.7686	1352.0473	-2773.4369	-958.9808	1192.2807	AIR FILLER
1541 AR86	-4980.4516	-958.9808	1465.8398	-4980.4516	-1159.7686	1625.6064	NEXT TO
	-2773.4369	-958.9808	1352.0473	-4980.4516	-958.9808	1625.6064	942

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7

REG NUM	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
REGION COMBINATION DATA																															
	0	0	-4	0	0	0	-8	0	-11	-11	0	-16	-17	-15	0	-15	-15	-2	-18	0	-20	-24	-24	0	-26	-27	-6	-27	-27	-31	-32
	0	0	-5	0	0	0	-6	0	-2	0	0	-14	-14	-20	0	-18	-19	0	0	0	-6	0	0	-28	-34	-34	-30	-31	-6	0	
	0	0	-2	0	0	0	0	0	-10	0	0	0	0	0	0	0	-20	0	0	0	-23	0	0	0	-32	-32	-6	-32	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-31	0	0	0	
REMARKS																															
0	HUB	FIN	DR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	SHAFT	FD	LE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BELL	HOUSIN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	BELL	HOU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	HUB	FIN	DR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	SHAFT	THRU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BELL	HOUSIN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	BELL	HOU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BORDER	FD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BORDER	FD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	FINAL	D	HOU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	FINAL	D	HOU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	FINAL	D	HOU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUSI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUSI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUSI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	LOWER	GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	UPPER	GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	GEAR	SHAFT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	UNIVERSAL	L	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BORDER	FD	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BORDER	FD	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	BORDER	FD	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	FD	HOUS	RI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	F	DR	HOUS	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUSI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUSI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	IN	FD	HOUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	LOWER	GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	UPPER	GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	
REGION COMBINATION DATA	0	-32	-29	0	0	-32	0	0	0	0	-30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
REMARKS	0 GEAR SHAFT	0 UNIVERSAL	0 FIN DR HOUS	0 GEAR COVER	0 GEAR COVER	0 STEER SEC R	0 OIL STR SEC	0 STEER SEC R	0 OIL STR SEC	0 STEER SEC R	0 OIL STR SEC	0 MID STR SEC	0 OIL STR SEC	0 MID STR SEC	0 OIL STR SEC	0 LOW STR SEC	0 OIL STR SEC	0 STEER GEAR	0 STEER GEAR	0 GEAR SHAFT	0 STEER GEAR	0 STEER SEC	0 OIL STR SEC	0 BRAKE SEC R	0 OIL STR SEC	0 STEER SEC	0 OIL STR SEC	0 S+B SEC RIG	0 OIL S+B SEC	0 OIL S-B SEC	0 S+B SEC RIG	0 OIL S+B SEC

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
63	-78	0	0	0	0	0	0	0	0	0	0 GEAR COVR L
64	-21	-78	0	0	0	0	0	0	0	0	0 GEAR COVR L
65	-66	-67	-68	-72	0	0	0	0	0	0	0 STEER SEC L
66	-75	-68	-78	0	0	0	0	0	0	0	0 OIL STR SEC
67	-68	-78	-1364	0	0	0	0	0	0	0	0 STEER SEC L
68	-78	-75	-1364	0	0	0	0	0	0	0	0 OIL STR SEC
69	-70	-63	-76	-78	-1364	0	0	0	0	0	0 STR SEC LE
70	-78	-76	-1364	0	0	0	0	0	0	0	0 OIL STR SEC
71	-72	-66	-65	0	0	0	0	0	0	0	0 STR SEC LE
72	-66	0	0	0	0	0	0	0	0	0	0 OIL STR SEC
73	-74	0	0	0	0	0	0	0	0	0	0 STEER GEAR
74	0	0	0	0	0	0	0	0	0	0	0 STEER GEAR
75	-78	0	0	0	0	0	0	0	0	0	0 STEER GEAR
76	-63	-78	0	0	0	0	0	0	0	0	0 GEAR SHAFT
77	0	0	0	0	0	0	0	0	0	0	0 STEER GEAR
78	0	0	0	0	0	0	0	0	0	0	0 BRAKE SEC L
79	-80	-118	0	0	0	0	0	0	0	0	0 OIL BRK SEC
80	-118	-119	0	0	0	0	0	0	0	0	0 BRAKE SEC L
81	-82	0	0	0	0	0	0	0	0	0	0 OIL BRK SEC
82	0	0	0	0	0	0	0	0	0	0	0 OIL BRK SEC
83	-84	0	0	0	0	0	0	0	0	0	0 BRAKE SEC L
84	0	0	0	0	0	0	0	0	0	0	0 OIL BRK SEC
85	0	0	0	0	0	0	0	0	0	0	0 SPEED CHANG
86	-60	-59	-62	-61	-97	-119	-1111	-1112	0	0	0 SPEED CHANG
87	-133	-130	0	0	0	0	0	0	0	0	0 CONVERTER
88	-116	-129	-85	-86	0	0	0	0	0	0	0 HYDRO STEER
89	-86	-643	0	0	0	0	0	0	0	0	0 VALVE ASSY
90	0	0	0	0	0	0	0	0	0	0	0 MANIFOLD
91	0	0	0	0	0	0	0	0	0	0	0 FUEL SEPARA
92	-109	-106	0	0	0	0	0	0	0	0	0 OIL FILTER
93	-94	-96	-101	-97	0	0	0	0	0	0	0 POWER TAKEOFF

TABLE 8-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
94	0	C PTO PUMP RI
95	0	O PTO PUMP RI
96	0	O PTO HYDR PM
97	-101	O PTO BOTTOM
98	-537	O PTO YOKE RI
99	-532	O PTO YOKE LE
100	0	O PTO MID FRO
101	-100	O PTO MID FRO
102	0	O PTO HYDR PM
103	-104	C FILL TUBE
104	-105	O FILL TUBE
105	0	O FILL TUBE
106	-107	O TRANS TUBE
107	-106	O TRANS TUBE
108	-87	O TRANS TUBE
109	-110	O TUBE FIL-CO
110	-111	O TUBE FIL-CO
111	-112	O TUBE FIL-CO
112	0	O TUBE FIL-CO
113	-114	O TUBE SC-HYD
114	-115	O TUBE SC-HYD
115	-116	O TUBE SC-HYD
116	0	O TUBE SC-HYD
117	-118	O TUBE SC-HYD
118	-119	O TUBE SC-HYD
119	0	O TUBE SC-HYD
120	-121	O HOSE LI-RM
121	-122	O HOSE LI-RM
122	-123	O HOSE LI-RM
123	-124	O HOSE LI-RM
124	-128	O HOSE LI-RM

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
125	-126	0	0	0	0	0	0	0	0	0	0 HOSE LI-RM
126	-127	-82	-81	-128	0	0	0	0	0	0	0 HOSE LI-RM
127	-81	-82	-128	0	0	0	0	0	0	0	0 HOSE LI-RM
128	-124	-129	0	0	0	0	0	0	0	0	0 REVERSE MEC
129	-113	-88	0	0	0	0	0	0	0	0	0 REVERSE MEC
130	-101	0	0	0	0	0	0	0	0	0	0 CONVERTER
131	0	0	0	0	0	0	0	0	0	0	0 OIL FILTER
132	0	0	0	0	0	0	0	0	0	0	0 OIL FILTER
133	-141	-136	0	0	0	0	0	0	0	0	0 FLYWHEEL HO
134	-133	-141	-142	-143	-158	0	0	0	0	0	0 FLYWHEEL HO
135	-133	-141	-142	-143	0	0	0	0	0	0	0 FLYWHEEL HO
136	0	0	0	0	0	0	0	0	0	0	0 STARTER MOT
137	-133	0	0	0	0	0	0	0	0	0	0 OIL PAN
138	-173	0	0	0	0	0	0	0	0	0	0 OIL PAN
139	-188	0	0	0	0	0	0	0	0	0	0 FUEL FILTER
140	0	0	0	0	0	0	0	0	0	0	0 OIL COOLER
141	-176	0	0	0	0	0	0	0	0	0	0 TIMING GEAR
142	-158	0	0	0	0	0	0	0	0	0	0 CAMSHAFT GR
143	-158	0	0	0	0	0	0	0	0	0	0 CAMSHAFT GR
144	0	0	0	0	0	0	0	0	0	0	0 THERMOSTAT
145	0	0	0	0	0	0	0	0	0	0	0 THERMOSTAT
146	0	0	0	0	0	0	0	0	0	0	0 OIL COOLER
147	-176	-173	0	0	0	0	0	0	0	0	0 ENGIN BLOCK
148	0	0	0	0	0	0	0	0	0	0	0 ENGIN BLOCK
149	-147	-148	-158	0	0	0	0	0	0	0	0 ENGIN BLOCK
150	-147	-148	-158	0	0	0	0	0	0	0	0 ENGIN BLOCK
151	-158	0	0	0	0	0	0	0	0	0	0 ENG HEAD LE
152	-158	0	0	0	0	0	0	0	0	0	0 ENG HEAD RI
153	-155	-151	0	0	0	0	0	0	0	0	0 VALVE COVR
154	-156	0	0	0	0	0	0	0	0	0	0 VALVE COVR
155	0	0	0	0	0	0	0	0	0	0	0 BREATHER LE

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
249	0	0 BENCH CUSHI
250	-1336	0 SEAT SUPPOR
251	-1336	0 SEAT SUPPOR
252	-1336	0 SEAT SUPPOR
253	-922	0 HENGE
254	-252	0 HENGE
255	-255	0 HEAD
256	-255	0 UPPER TORS
257	0	0 LOWER TORS
258	-255	0 HIPS
OR 259	-271	0 ARMS
OR 260	-269	0
OR 261	-271	0
259	0	0
260	0	0
261	0	0
262	0	0
263	-256	0
264	-263	0
265	-257	0
266	0	0
267	0	0
268	-265	0
OR 269	-279	0
OR 270	-281	0
OR 271	-264	0
269	0	0
270	0	0
271	0	0
272	-266	0
273	0	0

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
321	0	O
322	-316	C
323	-317	C
324	-323	O
325	-317	O
326	-323	O
327	-317	O
328	-323	O
OR 329	-317	O
OR 330	-323	O
OR 331	-317	O
329	-323	O
330	-317	O
331	-323	O
332	-317	O
333	-323	O
334	-317	O
335	-323	O
336	-317	O
337	-323	O
338	-317	O
OR 339	-323	O
OR 340	-317	O
OR 341	-323	O
339	-317	O
340	-323	O
341	-317	O
342	-323	O
343	-317	O
344	-323	O
345	-317	O

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
393	0	0
394	-395	0
395	0	0
396	-395	0
397	0	0
398	-395	0
OR 398	-408	0
OR 399	-409	0
OR 400	-408	0
OR 401	-409	0
399	0	0
400	0	0
401	0	0
402	-396	0
403	0	0
404	-405	0
405	0	0
406	-405	0
407	0	0
OR 408	-405	0
OR 409	-405	0
OR 410	-404	0
OR 411	-404	0
409	0	0
410	0	0
411	0	0
412	-406	0
413	0	0
414	-415	0
415	0	0
416	-415	0
417	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REG NUM	REGION COMBINATION DATA	REMARKS
465	465	0	0 UPPER TORS
466	466	-465	0 LOWER TORS
467	467	0	0 HIPS
468	468	-465	0 ARMS
OR	469	-465	0
OR	470	-476	0
OR	471	-480	0
OR	472	-467	0
469	473	-473	0
470	474	0	0
471	475	0	0
472	476	0	0
473	477	0	0
474	478	0	0
475	479	-475	0
476	480	-474	0
477	481	-474	0
478	482	-476	0
OR	483	-485	0
OR	484	-485	0
OR	485	-485	0
OR	486	-485	0
OR	487	-485	0
OR	488	-485	0
OR	489	-485	0
479	482	-477	0
480	483	0	0
481	484	0	0
482	485	0	0
483	486	0	0
484	487	0	0
485	488	0	0
486	489	0	0
487	490	-490	0
488	491	-488	0
489	492	-488	0
490	493	-488	0
491	494	-488	0
492	495	-488	0
493	496	-488	0
494	497	-488	0
495	498	-488	0
496	499	-488	0
497	500	-488	0
498	501	-488	0
499	502	-488	0
500	503	-488	0
501	504	-488	0
502	505	-488	0
503	506	-488	0
504	507	-488	0
505	508	-488	0
506	509	-488	0
507	510	-488	0
508	511	-488	0
509	512	-488	0
510	513	-488	0
511	514	-488	0
512	515	-488	0
513	516	-488	0
514	517	-488	0
515	518	-488	0
516	519	-488	0
517	520	-488	0
518	521	-488	0
519	522	-488	0
520	523	-488	0
521	524	-488	0
522	525	-488	0
523	526	-488	0
524	527	-488	0
525	528	-488	0
526	529	-488	0
527	530	-488	0
528	531	-488	0
529	532	-488	0
530	533	-488	0
531	534	-488	0
532	535	-488	0
533	536	-488	0
534	537	-488	0
535	538	-488	0
536	539	-488	0
537	540	-488	0
538	541	-488	0
539	542	-488	0
540	543	-488	0
541	544	-488	0
542	545	-488	0
543	546	-488	0
544	547	-488	0
545	548	-488	0
546	549	-488	0
547	550	-488	0
548	551	-488	0
549	552	-488	0
550	553	-488	0
551	554	-488	0
552	555	-488	0
553	556	-488	0
554	557	-488	0
555	558	-488	0
556	559	-488	0
557	560	-488	0
558	561	-488	0
559	562	-488	0
560	563	-488	0
561	564	-488	0
562	565	-488	0
563	566	-488	0
564	567	-488	0
565	568	-488	0
566	569	-488	0
567	570	-488	0
568	571	-488	0
569	572	-488	0
570	573	-488	0
571	574	-488	0
572	575	-488	0
573	576	-488	0
574	577	-488	0
575	578	-488	0
576	579	-488	0
577	580	-488	0
578	581	-488	0
579	582	-488	0
580	583	-488	0
581	584	-488	0
582	585	-488	0
583	586	-488	0
584	587	-488	0
585	588	-488	0
586	589	-488	0
587	590	-488	0
588	591	-488	0
589	592	-488	0
590	593	-488	0
591	594	-488	0
592	595	-488	0
593	596	-488	0
594	597	-488	0
595	598	-488	0
596	599	-488	0
597	600	-488	0
598	601	-488	0
599	602	-488	0
600	603	-488	0
601	604	-488	0
602	605	-488	0
603	606	-488	0
604	607	-488	0
605	608	-488	0
606	609	-488	0
607	610	-488	0
608	611	-488	0
609	612	-488	0
610	613	-488	0
611	614	-488	0
612	615	-488	0
613	616	-488	0
614	617	-488	0
615	618	-488	0
616	619	-488	0
617	620	-488	0
618	621	-488	0
619	622	-488	0
620	623	-488	0
621	624	-488	0
622	625	-488	0
623	626	-488	0
624	627	-488	0
625	628	-488	0
626	629	-488	0
627	630	-488	0
628	631	-488	0
629	632	-488	0
630	633	-488	0
631	634	-488	0
632	635	-488	0
633	636	-488	0
634	637	-488	0
635	638	-488	0
636	639	-488	0
637	640	-488	0
638	641	-488	0
639	642	-488	0
640	643	-488	0
641	644	-488	0
642	645	-488	0
643	646	-488	0
644	647	-488	0
645	648	-488	0
646	649	-488	0
647	650	-488	0
648	651	-488	0
649	652	-488	0
650	653	-488	0
651	654	-488	0
652	655	-488	0
653	656	-488	0
654	657	-488	0
655	658	-488	0
656	659	-488	0
657	660	-488	0
658	661	-488	0
659	662	-488	0
660	663	-488	0
661	664	-488	0
662	665	-488	0
663	666	-488	0
664	667	-488	0
665	668	-488	0
666	669	-488	0
667	670	-488	0
668	671	-488	0
669	672	-488	0
670	673	-488	0
671	674	-488	0
672	675	-488	0
673	676	-488	0
674	677	-488	0
675	678	-488	0
676	679	-488	0
677	680	-488	0
678	681	-488	0
679	682	-488	0
680	683	-488	0
681	684	-488	0
682	685	-488	0
683	686	-488	0
684	687	-488	0
685	688	-488	0
686	689	-488	0
687	690	-488	0
688	691	-488	0
689	692	-488	0
690	693	-488	0
691	694	-488	0
692	695	-488	0
693	696	-488	0
694	697	-488	0
695	698	-488	0
696	699	-488	0
697	700	-488	0
698	701	-488	0
699	702	-488	0
700	703	-488	0
701	704	-488	0
702	705	-488	0
703	706	-488	0
704	707	-488	0
705	708	-488	0
706	709	-488	0
707	710	-488	0
708	711	-488	0
709	712	-488	0
710	713	-488	0
711	714	-488	0
712	715	-488	0
713	716	-488	0
714	717	-488	0
715	718	-488	0
716	719	-488	0
717	720	-488	0
718	721	-488	0
719	722	-488	0
720	723	-488	0
721	724	-488	0
722	725	-488	0
723	726	-488	0
724	727	-488	0
725	728	-488	0
726	729	-488	0
727	730	-488	0
728	731	-488	0
729	732	-488	0
730	733	-488	0
731	734	-488	0
732	735	-488	0
733	736	-488	0
734	737	-488	0
735	738	-488	0
736	739	-488	0
737	740	-488	0
738	741	-488	0
739	742	-488	0
740	743	-488	0
741	744	-488	0
742	745	-488	0
743	746	-488	0
744	747	-488	0
745	748	-488	0
746	749	-488	0
747	750	-488	0
748	751	-488	0
749	752	-488	0
750	753	-488	0
751	754	-488	0
752	755	-488	0
753	756	-488	0
754	757	-488	0
755	758	-488	0
756	759	-488	0
757	760	-488	0
758	761	-488	0
759	762	-488	0
760	763	-488	0
761	764	-488	0
762	765	-488	0
763	766	-488	0
764	767	-488	0
765	768	-488	0
766	769	-488	0
767	770	-488	0
768	771	-488	0
769	772	-488	0
770	773	-488	0
771	774	-488	0
772	775	-488	0
773	776	-488	0
774	777	-488	0
775	778	-488	0
776	779	-488	0
777	780	-488	0
778	781	-488	0
779	782	-488	0
780	783	-488	0
781	784	-488	0
782	785	-488	0
783	786	-488	0
784	787	-488	0
785	788	-488	0
786	789	-488	0
787	790	-488	0
788	791	-488	0
789	792	-488	0
790	793	-488	0
791	794	-488	0
792	795	-488	0
793	796	-488	0
794	797	-488	0
795	798	-48	

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
515	-516	-523	-518	-525	-1125	0	0 MID SECTION				
516	0	0	0	0	0	0	0 AIR MID SEC				
517	0	0	0	0	0	0	0 AIR IN HULL				
518	-519	-520	0	0	0	0	0 HATCH COMDR				
519	0	0	0	0	0	0	0 AIR CDR HCH				
520	-521	0	0	0	0	0	0 HATCH DOOR				
521	0	0	0	0	0	0	0 AIR HCH DR				
522	0	0	0	0	0	0	0 AIR BELOWDR				
523	-524	0	0	0	0	0	0 DRIVER HATC				
524	0	0	0	0	0	0	0 AIR DRVR HA				
525	-526	0	0	0	0	0	0 HATCH DOOR				
526	0	0	0	0	0	0	0 AIR HCH DR				
527	-528	-523	0	0	0	0	0 RING HATCH				
528	0	0	0	0	0	0	0 AIR IN RING				
529	-539	0	0	0	0	0	0 RT ANG DRIV				
530	-529	-531	0	0	0	0	0 DRV TO UNIV				
531	0	0	0	0	0	0	0 UNIVERSAL				
532	0	0	0	0	0	0	0 UNIVERSAL				
533	-531	-532	-1355	0	0	0	0 SHAFT TO PT				
534	-551	-981	0	0	0	0	0 RT ANG DRIV				
535	-534	-536	0	0	0	0	0 DRV TO UNIV				
536	0	0	0	0	0	0	0 UNIVERSAL				
537	0	0	0	0	0	0	0 UNIVERSAL				
538	-536	-537	0	0	0	0	0 SHAFT TO PT				
539	-540	0	0	0	0	0	0 SHAFT TO UN				
540	0	0	0	0	0	0	0 UNIVERSAL				
541	-540	-542	0	0	0	0	0 SHAFT BET U				
542	0	0	0	0	0	0	0 UNIVERSAL				
543	-542	-545	0	0	0	0	0 SHAFT TO PR				
544	-554	-555	-940	0	0	0	0 SHAFT TO PR				
545	0	0	0	0	0	0	0 PROPUL UNIT				

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
546	0	0	0	0	0	0	0	0	0	0	0 PROPUL UNIT
547	-548	-933	-948	0	0	0	0	0	0	0	0 DUCT PROP U
548	0	0	0	0	0	0	0	0	0	0	0 DUMMY DUCT
549	-550	-948	0	0	0	0	0	0	0	0	0 DEFLECTOR L
550	0	0	0	0	0	0	0	0	0	0	0 DUMMY DEFLE
551	-552	0	0	0	0	0	0	0	0	0	0 SHAFT TO UN
552	-1397	0	0	0	0	0	0	0	0	0	0 UNIVERSAL
553	-552	-554	-1430	0	0	0	0	0	0	0	0 SHAFT UN-UN
554	0	0	0	0	0	0	0	0	0	0	0 UNIVERSAL
555	0	0	0	0	0	0	0	0	0	0	0 PROP UNIT R
556	0	0	0	0	0	0	0	0	0	0	0 PROP UNIT R
557	-558	-930	-954	0	0	0	0	0	0	0	0 DUCT PROP U
558	0	0	0	0	0	0	0	0	0	0	0 DUMMY
559	-560	-954	0	0	0	0	0	0	0	0	0 DEFLECTOR R
560	0	0	0	0	0	0	0	0	0	0	0 DUMMY
561	-562	0	0	0	0	0	0	0	0	0	0 ACT SHAFT
562	-1129	0	0	0	0	0	0	0	0	0	0 ACT CYLIND
563	-564	0	0	0	0	0	0	0	0	0	0 ACT SHAFT
564	-1131	0	0	0	0	0	0	0	0	0	0 ACT CYLIND
565	-921	-1129	0	0	0	0	0	0	0	0	0 ACT SOLENOI
566	-920	-1131	0	0	0	0	0	0	0	0	0 ACT SOLENOI
567	-568	0	0	0	0	0	0	0	0	0	0 RAMP ACTUAT
568	0	0	0	0	0	0	0	0	0	0	0 CABLE RAMP
569	-1336	0	0	0	0	0	0	0	0	0	0 BILGE PUMP
570	0	0	0	0	0	0	0	0	0	0	0 BILGE PUMP
571	0	0	0	0	0	0	0	0	0	0	0 BILGE PUMP
572	0	0	0	0	0	0	0	0	0	0	0 HYDRA LINES
573	-513	-514	-1314	-1304	-1312	-1320	-1322	0	0	0	0
574	0	0	0	0	0	0	0	0	0	0	0 BILGE PUMP
575	0	0	0	0	0	0	0	0	0	0	0 BILGE PUMP
576	0	0	0	0	0	0	0	0	0	0	0 SOLENOID

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607
	-204	0	-577	-579	0	-581	-582	-583	-584	-581	-586	-587	-581	-589	-590	0	0	0	0	-676	0	0	-598	0	-600	-604	-602	0	-604	-605	-606
	-202	0	0	0	0	-576	-581	-576	-581	0	0	-598	0	0	-600	0	0	0	0	-677	0	0	0	0	-598	0	-604	0	0	0	0
REGION COMBINATION DATA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
REMARKS	0 OIL RESERVO	0 OIL FILTER	0 HOSE	0 HOSE	0 PLENUM SOLE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 CMDR ST SUP	0 CMDR ST SUP	0 CMDR ST SUP	0 CMDR BACK	0 CMDR SEAT	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 HYDRAU LINE	0 ACCELERATO	0 PEDAL SUPPO	0 SUPPUK SHFT	0 LINKAGE	0 LINKAGE	0 LINKAGE

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM									REGION COMBINATION DATA								REMARKS
608	-607	-609															LINKAGE
609	0	0															THROTTLE
610	-608	-609															SHAFT
611	-610	-577															LINKAGE
612	-611	-577															LINKAGE
613	-612	-159															LINKAGE
614	0	0															FUEL SHUTOFF
615	-614	-1380															LINKAGE
616	-615	0															LINKAGE
617	-616	-577															LINKAGE
618	-617	-611															LINKAGE
619	-618	-215															LINKAGE
620	-621	-609															CONTROL
621	0	0															AIR IN CONT
622	-623	-625															CONTROL
623	0	0															AIR IN CONT
624	0	0															FIRE EXTING
625	0	0															STEER SUPPO
626	0	0															STEER WHEEL
627	0	0															STEER SHAFT
628	-627	0															STEER SHAFT
629	0	0															STEER LINK
630	-629	0															STEER LINK
631	-630	-1380															STEER LINK
632	-631	-1380															STEER LINK
633	-632	-634															CONNECT
634	-617	-611															STEER LINK
635	-634	0															STEER LINK
636	0	0															BRACKET
637	0	0															BRAKE PEDAL
638	-637	-636															PEDAL LEVER

TABLE B-II.

REG	NUM
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

REG
NUM

187

TABLE B-II.

[illegible]

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGIUN COMBINATION DATA	REMARKS
785	0	0 AIR
786	-787	0 SPROCKET
787	0	0 AIR
788	-789	0 SPROCKET
789	0	0 AIR
790	-791	0 SPROCKET
791	0	0 AIR
792	0	0 HUB&BEARING
793	-794	0 WHEEL
794	0	0 AIR
795	0	0 SPACER
796	0	0 AXLE&BEARING
797	-798	0 WHEEL
798	0	0 AIR
799	0	0 TORSION BAR
800	0	0 TORBAR BASE
801	0	0 ARM
802	0	0 HUB
803	0	0 HUB CAP
804	0	0 AIR
805	-804	0 WHEEL
806	-805	0 TIRE
807	0	0 AIR
808	-807	0 WHEEL
809	-808	0 TIRE
810	0	0 TORSION BAR
811	0	0 TORBAR BASE
812	0	0 ARM
813	0	0 HUB
814	0	0 HUB CAP
815	0	0 AIR

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846
	-815	-816	0	-818	-819	0	0	0	0	0	0	-826	-827	0	-829	-830	0	0	0	0	0	0	-837	-838	0	-840	-841	0	0	0	0
	-813	0	0	-813	0	0	0	0	0	0	0	-824	0	0	-824	0	0	0	0	0	0	0	-835	0	0	-835	0	0	0	0	0
REGION COMBINATION DATA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
REMARKS	0 WHEEL	0 TIRE	0 AIR	0 WHEEL	0 TIRE	0 TORSION BAR	0 TORBAR BASE	0 ARM	0 HUB	0 HUB CAP	0 AIR	0 WHEEL	0 TIRE	0 AIR	0 WHEEL	0 TIRE	0 TORSION BAR	0 TORBAR BASE	0 ARM	0 HUB	0 HUB CAP	0 AIR	0 WHEEL	0 TIRE	0 AIR	0 WHEEL	0 TIRE	0 TORSION BAR	0 TORBAR BASE	0 ARM	0 HUB

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
847	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
878	878	-379	-677	0	0	0	0	0	0	0	0 WHEEL
879	0	0	0	0	0	0	0	0	0	0	0 AIR
880	880	-883	0	0	0	0	0	0	0	0	0 FRNT SLOPE
881	881	-884	0	0	0	0	0	0	0	0	0 REAR SLOPE
882	882	-880	-881	0	0	-725	-736	-739	-747	-750	0 TRACK BOT
-758	-758	-761	-772	-780	-783	-728	-769	0	0	0	0
883	0	0	0	0	0	0	0	0	0	0	0 DUMMY REGION
884	0	0	0	0	0	0	0	0	0	0	0 DUMMY REGION
885	885	883	-868	0	0	0	0	0	0	0	0 TRCK IDLER
886	886	884	-889	0	0	0	0	0	0	0	0 TRCK DRIVE
887	887	-883	-884	0	0	0	0	0	0	0	0 TRACK TOP
888	0	0	0	0	0	0	0	0	0	0	0 DUMMY REGION
889	0	0	0	0	0	0	0	0	0	0	0 DUMMY REGION
890	890	-893	0	0	0	0	0	0	0	0	0 FRNT SLOPE
891	891	-894	0	0	0	0	0	0	0	0	0 REAR SLOPE
892	892	-890	-891	-806	-809	-817	-820	-828	-831	-831	0 TRACK BOT
-839	-839	-842	-850	-853	-861	-864	0	0	0	0	0
893	0	0	0	0	0	0	0	0	0	0	0 DUMMY REG
894	0	0	0	0	0	0	0	0	0	0	0 DUMMY REG
895	895	893	-898	0	0	0	0	0	0	0	0 TRCK IDLER
896	896	894	-899	0	0	0	0	0	0	0	0 TRCK DRIVE
897	897	-893	-894	0	0	0	0	0	0	0	0 TRACK TOP
898	0	0	0	0	0	0	0	0	0	0	0 DUMMY REG
899	0	0	0	0	0	0	0	0	0	0	0 DUMMY REG
900	900	0	-902	0	0	0	0	0	0	0	0 TRACK ADJUS
901	901	-900	0	0	0	0	0	0	0	0	0 TRACK ADJUS
902	902	0	0	0	0	0	0	0	0	0	0 TRACK ADJUS
903	903	0	0	0	0	0	0	0	0	0	0 SHOCK ABSOR
904	904	-903	-905	0	0	0	0	0	0	0	0 SHOCK ABSOR
905	905	0	0	0	0	0	0	0	0	0	0 SHOCK ABSOR
906	906	0	0	0	0	0	0	0	0	0	0 SHOCK ABSOR

TABLE B-II.

REG	
NUM	
907	
908	
909	
910	
911	
912	
913	
914	
915	
916	
917	
918	
919	
920	
921	
922	
923	
924	
925	
926	
927	
928	
929	
930	
931	
932	
933	
934	
935	
936	

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
937	0	-702	-703	0	0	-952	0	-1174	0	0	0
938	937	-927	-939	-943	-943	-924	-943	-545	0	0	0
939	938	-920	-941	-923	-923	-924	0	0	0	0	0
940	939	-921	-702	-545	-545	0	0	0	0	0	0
941	940	0	-938	-942	-942	-961	0	-924	0	0	0
942	941	-923	-938	-942	-942	-943	-958	-555	0	0	0
943	942	-922	-923	-924	-924	-938	-941	0	0	0	0
944	943	-939	-926	-927	-927	-928	-952	0	0	0	0
945	944	-924	-940	0	0	0	0	0	0	0	0
946	945	-928	-936	0	0	0	0	0	0	0	0
947	946	-929	-920	-922	-922	-941	-1229	-938	-923	-563	0
948	947	-929	-921	-926	-926	-936	-1229	-561	-939	0	0
949	948	-949	-950	-933	-926	-926	-952	0	0	0	0
950	0	0	0	0	0	0	0	0	0	0	0
951	0	0	0	0	0	0	0	0	0	0	0
952	0	0	0	0	0	0	0	0	0	0	0
953	952	-939	0	-951	-951	-545	0	0	0	0	0
954	0	0	0	0	0	0	0	0	0	0	0
955	954	-955	-956	-930	-930	-922	-958	0	0	0	0
956	0	0	0	0	0	0	0	0	0	0	0
957	0	0	0	0	0	0	0	0	0	0	0
958	0	0	0	0	0	0	0	0	0	0	0
959	958	0	0	-942	-942	-957	-555	0	0	0	0
960	0	0	0	0	0	0	0	0	0	0	0
961	960	0	0	0	0	0	0	0	0	0	0
962	961	0	0	0	0	0	0	0	0	0	0
963	962	0	0	0	0	0	0	0	0	0	0
964	963	-523	-515	-527	-527	0	0	0	0	0	0
965	964	-963	-962	-523	-523	-515	-527	-1096	0	0	0
966	965	-964	-518	-515	-515	-201	0	0	0	0	0
	966	-965	-1378	-1377	-1377	-515	-518	-1125	0	0	0

TABLE 8-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
967	-966	-518	0	0	-964	0	-962	0	-1378	0	0
968	-967	-966	-965	-964	0	-962	-962	-962	-504	-506	0
969	-968	-504	-506	0	0	0	0	0	0	0	0
970	-969	0	0	0	0	0	0	0	0	0	0
971	-920	-932	-970	-971	-504	-506	-506	0	0	0	0
972	-969	-970	-971	0	-504	-506	-506	0	0	0	0
973	-972	-969	-971	0	-504	-506	-506	0	0	0	0
974	-973	-969	-506	-1060	-1060	-1059	-1059	0	0	0	0
975	-969	-974	-976	-977	-977	-978	-978	-973	0	0	0
976	-969	-975	-977	-978	-978	-1062	-1062	0	0	0	0
977	-969	-975	-976	0	0	0	0	0	0	0	0
978	-969	-975	-976	-977	-977	-1388	-1388	-1062	0	0	0
979	-969	-978	-980	-981	-981	-982	-982	0	0	0	0
980	-969	-979	-981	-982	-982	0	0	0	0	0	0
981	-969	-979	-980	-982	-982	0	0	0	0	0	0
982	-968	-969	-979	-980	-980	-981	-981	0	0	0	0
983	-982	-962	-969	0	0	0	0	0	0	0	0
984	-983	-962	-969	-968	-968	-982	-982	0	0	0	0
985	-962	-984	-986	-987	-987	-988	-988	0	0	0	0
986	-962	-985	-987	-988	-988	0	0	0	0	0	0
987	-962	-985	-986	-988	-988	0	0	0	0	0	0
988	-962	-985	-986	-987	-987	-1049	-1049	0	0	0	0
989	-962	-988	-990	-991	-991	-992	-992	-1049	0	0	0
990	-962	-989	-991	-992	-992	-1049	-1049	0	0	0	0
991	-962	-989	-990	-991	-991	-1049	-1049	0	0	0	0
992	-962	-990	-991	-992	-992	-1049	-1049	0	0	0	0
993	-992	-1049	0	0	0	0	0	0	0	0	0
994	-993	-992	-1049	0	0	0	0	0	0	0	0
995	-994	-993	-1049	0	0	0	0	0	0	0	0
996	-994	-995	-1049	0	0	0	0	0	0	0	0
997	-993	-995	-994	-996	-996	-998	-998	-1049	0	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
998	-996	-997	-1000	-995	-1071	-1120	0	0	0	0	0
999	-998	-1001	-996	-1071	-1070	0	0	0	0	0	0
1000	-999	0	0	0	0	0	0	0	0	0	0
1001	-998	-999	-1000	-1003	0	0	0	0	0	0	0
1002	-1001	-1004	0	0	0	0	0	0	0	0	0
1003	-1002	-1004	-1005	0	0	0	0	0	0	0	0
1004	-1002	-1003	-1074	0	0	0	0	0	0	0	0
1005	-1004	-1075	0	0	0	0	0	0	0	0	0
1006	-1005	-1077	-1076	-1121	0	0	0	0	0	0	0
1007	-1006	-1077	-1097	-1075	-1076	0	0	0	0	0	0
1008	-967	0	0	0	0	0	0	0	0	0	0
1009	-1008	-967	0	0	0	0	0	0	0	0	0
1010	-1009	-967	-1008	0	0	0	0	0	0	0	0
1011	-966	-967	-1010	-1013	-1081	-1080	0	0	0	0	0
1012	-966	-967	-1011	-1013	0	0	0	0	0	0	0
1013	-966	-1011	-1012	-967	-518	0	0	0	0	0	0
1014	-1013	-966	-965	-1012	0	0	0	0	0	0	0
1015	-965	-1014	-1017	-1013	-966	0	0	0	0	0	0
1016	-1015	-965	-964	-1014	0	0	0	0	0	0	0
1017	-1016	-964	0	0	0	0	0	0	0	0	0
1018	-1017	-964	-1016	0	0	0	0	0	0	0	0
1019	-1018	-964	-1021	0	0	0	0	0	0	0	0
1020	-1019	-964	-1088	-1088	0	0	0	0	0	0	0
1021	-1020	-964	-1344	-1345	-1088	0	0	0	0	0	0
1022	-963	-964	-1020	-1021	-1088	0	0	0	0	0	0
1023	-1022	-963	-1021	-527	-1055	0	0	0	0	0	0
1024	-1023	-963	-1022	-527	-1055	0	0	0	0	0	0
1025	-963	-1024	-1027	-527	-1055	0	0	0	0	0	0
1026	-963	-1025	-1027	-527	-1055	0	0	0	0	0	0
1027	-963	-1025	-1026	-527	-1055	0	0	0	0	0	0
1028	-1027	-527	-658	-1026	-658	-1055	0	0	0	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA												REMARKS
1029	-1028	-1030	-1032	-527	-1055	-1027	0	0	0	0	0	0	0
1030	-1029	-1031	-1032	-1120	-1055	0	0	0	0	0	0	0	0
1031	-1030	-1029	-1120	0	0	0	0	0	0	0	0	0	0
1032	-1031	-1341	-1119	-1034	-1120	0	0	0	0	0	0	0	0
1033	-1032	-1107	0	0	0	0	0	0	0	0	0	0	0
1034	-1033	-1107	0	0	0	0	0	0	0	0	0	0	0
1035	-1034	-1037	-1033	0	0	0	0	0	0	0	0	0	0
1036	-1035	-1037	-1038	0	0	0	0	0	0	0	0	0	0
1037	-1036	-1035	0	0	0	0	0	0	0	0	0	0	0
1038	-1036	-1037	-1341	-1082	-1124	0	0	0	0	0	0	0	0
1039	-1026	-1027	-1028	-1029	-1040	0	0	0	0	0	0	0	0
1040	0	0	0	0	0	0	0	0	0	0	0	0	0
1041	-928	-1042	-1053	-1054	-1089	0	0	0	0	0	0	0	0
	-1112	0	-925	-2	-14	-9	-11	-12	-822	-11	-822	-11	-12
	-10	-13	-14	-18	-19	-800	-811	-18	-800	-811	-18	-800	-811
1042	-1041	-1054	-1055	-14	-12	-18	0	0	0	0	0	0	0
	0	-1119	-1120	-1121	-1122	-2	-9	-2	-11	-9	-11	-2	-11
1043	-924	-925	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	-6	-22	-24	-26	-24	-25	-26	-25	-24	-25
	-23	-34	-30	-31	-719	-730	-741	-730	0	-741	0	-730	0
1044	-1043	-1049	-1113	0	-1115	0	-1117	0	0	-1117	0	0	0
	-1119	-1120	-1121	-1122	-22	-6	-24	-6	-44	-24	-44	-6	-44
	-26	-25	-30	-34	0	0	0	0	0	0	0	0	0
1045	0	0	0	0	0	0	0	0	0	0	0	0	0
1046	0	0	0	0	0	0	0	0	0	0	0	0	0
1047	-944	-971	-972	-973	-974	-975	-1043	-975	-1044	-1043	-1044	-975	-1044
	-1146	-932	0	0	0	0	0	0	0	0	0	0	0
1048	-1047	-944	-974	-975	-976	-977	-978	-977	-979	-978	-979	-977	-979
	-980	-981	-982	-983	-984	-985	-986	-985	-987	-986	-987	-985	-987
	-988	-989	-990	-1043	-1146	0	0	0	0	0	0	0	0
1049	-1048	-1050	-1051	-1052	-1398	-1399	-26	-1399	0	-26	0	-1399	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
	-30	0	-1043	0	-25	0	0	0	0	0	0
1050	0	0	0	0	0	0	0	0	0	0	0
1051	0	0	0	0	0	0	0	0	0	0	0
1052	0	0	0	0	0	0	0	0	0	0	0
1053	1053	-945	-1008	-1009	-1010	-1011	-1012	-1013	-1014	-1014	0
	0	-935	0	0	0	0	0	0	0	0	0
1054	1054	-1053	-1013	-1014	-1015	-1016	-1017	-1018	-1019	-1019	0
	0	-1020	-1021	-1022	-1023	-1024	-592	0	0	0	0
1055	1055	-1054	-1041	-1051	-1052	0	0	0	0	0	0
	-12	-14	-1401	-1400	-1401	-1056	0	0	-18	-18	0
1056	0	0	0	0	0	0	0	0	0	0	0
1057	1057	-919	-920	-932	-962	-968	-969	-970	-971	-971	0
1058	1058	-968	-969	-974	-975	-976	-506	0	0	0	0
1059	1059	-1058	-968	-975	-976	-977	-978	-969	0	0	0
	0	-506	0	0	0	0	0	0	0	0	0
1060	1060	-1059	-968	-975	-976	-977	-978	-979	-980	-980	0
	0	-969	-1387	0	0	0	0	0	0	0	0
1061	1061	-1060	-968	-977	-978	-979	-980	-969	-1059	-1059	0
	-976	0	0	0	0	0	0	0	0	0	0
1062	1062	-1061	-968	-969	-979	-980	-981	-982	-983	-983	0
	0	-984	0	0	0	0	0	0	0	0	0
1063	1063	-1062	-968	-969	-979	-980	-981	-982	-983	-983	0
	0	-984	0	0	0	0	0	0	0	0	0
1064	1064	-1063	-961	-982	-983	-984	-985	-986	-962	-962	0
	-988	-968	0	0	0	0	0	0	0	0	0
1065	1065	-1064	-983	-984	-985	-986	-962	-998	-988	-988	0
1066	1066	-1065	-985	-986	-987	-988	-989	-990	-962	-962	0
	-991	-992	0	0	0	0	0	0	0	0	0
1067	1067	-1066	-985	-986	-987	-988	-969	-990	-962	-962	0
	0	-992	0	0	0	0	0	0	0	0	0
1068	1068	-1067	-989	-990	-991	-992	-993	-994	-962	-962	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
	1069	1068	-989	-990	-991	-992	-993	-994	-1067		
1069	1069	-1068	-989	-990	-991	-992	-993	-994	-1067		
1070	1070	-1069	-991	-992	-993	-994	-995	-996	-997		
1071	-962	-998	0	0	0	0	0	0	0		
1072	1071	-962	0	0	0	0	0	0	0		
1073	1072	-1071	-995	-996	-997	-998	-999	-1000	-1001		
1074	1073	-1072	-995	-996	-997	-998	-999	-1000	-1001		
1075	1074	-1073	-998	-999	-1000	-1001	-1002	-1003	-1004		
1076	1075	-1074	-998	-999	-1000	-1001	-1002	-1003	-1004		
1077	1076	-1075	-1002	-1003	-1004	-1005	0	0	0		
1078	1077	-1076	-1002	-1003	-1004	-1005	0	0	0		
1079	1078	-1077	-1004	-1005	-1006	-1007	0	0	0		
1080	1079	-919	-921	-967	-1008	-1009	0	0	0		
1081	1080	-1079	-967	-1009	-1010	-1008	0	0	0		
1082	1081	-1080	-967	-1009	-1010	-1008	0	0	0		
1083	1082	-1121	-1172	-1007	-1122	-1079	-966	0	0		
1084	1083	0	0	0	0	0	0	0	0		
1085	1084	-965	-966	-1013	-1014	-1015	-1016	-515	-518		
1086	1085	-1007	-1170	-1166	-1082	-1167	0	0	0		
1087	0	0	0	0	0	0	0	0	0		
1088	1088	-1087	-964	-965	-1015	-1016	-1017	-1018	-515		
1089	-527	-963	0	0	0	0	0	0	0		
1090	1089	-1090	1095	-12	-9	-1111	-1113	-1115	-1055		
1091	1090	1095	0	0	0	0	0	0	0		
1092	1091	0	0	0	0	0	0	0	0		
1093	1092	-1094	1095	-25	-22	-30	-1113	-1111	-1115		
	-1043	-1044	0	0	0	0	0	0	0		
1093	1093	0	-964	-1019	-1020	-1021	-1022	-1023	-1024		
	0	-963	-527	-515	0	0	0	0	0		

BOTTOM BOW

RIGHT PLATE

DUMMY REG

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA																REMARKS
	1094	1095	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1094	1094	1095	0	0	0	0	0	0	0	0	0	0	0	0	0	0	DUMMY REG
1095	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1096	1096	-962	-963	-1359	-1069	-1077	-1078	-1006	-1096	-1027	-1028	-1029	-1030	-1031	-1032	-1033	0
1097	1097	-1096	-962	-1069	-1077	-1078	-1006	-1096	-1027	-1028	-1029	-1030	-1031	-1032	-1033	-1034	0
	0	-1075	-1076	-1077	-1078	-1079	-1080	-1081	-1082	-1083	-1084	-1085	-1086	-1087	-1088	-1089	0
1098	1098	-1096	-1097	-1098	-1099	-1100	-1101	-1102	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	0
1099	1099	-963	-964	-965	-966	-967	-968	-969	-970	-971	-972	-973	-974	-975	-976	-977	0
1100	1100	-1099	-1100	-1101	-1102	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	0
	-1029	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1101	1101	-1100	-1101	-1102	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	0
	0	-527	-528	-529	-530	-531	-532	-533	-534	-535	-536	-537	-538	-539	-540	-541	0
1102	1102	-1101	-1102	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	0
1103	1103	-1102	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	0
	0	-527	-528	-529	-530	-531	-532	-533	-534	-535	-536	-537	-538	-539	-540	-541	0
1104	1104	-1103	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	0
1105	1105	-1104	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	0
1106	1106	-1105	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	0
1107	1107	-1106	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	0
1108	1108	-1107	-1108	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	-1121	0
1109	1109	-924	-925	-926	-927	-928	-929	-930	-931	-932	-933	-934	-935	-936	-937	-938	0
1110	1110	-1109	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	-1121	-1122	-1123	0
1111	1111	-1110	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	-1121	-1122	-1123	-1124	0
	-1092	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1112	1112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1113	1113	-1111	-1112	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	-1121	-1122	-1123	-1124	-1125	0
	-18	-1092	-30	-25	-20	-15	-10	-5	0	5	10	15	20	25	30	35	0
1114	1114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1115	1115	-1113	-1114	-1115	-1116	-1117	-1118	-1119	-1120	-1121	-1122	-1123	-1124	-1125	-1126	-1127	0
	-1089	-30	-25	-20	-15	-10	-5	0	5	10	15	20	25	30	35	40	0
1116	1116	-1049	-1050	-1051	-1052	-1053	-1054	-1055	-1056	-1057	-1058	-1059	-1060	-1061	-1062	-1063	0
1117	1117	-1115	-1116	-1117	-1118	-1119	-1120	-1121	-1122	-1123	-1124	-1125	-1126	-1127	-1128	-1129	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
1118	1118	-1049	-1055	0	0	0	0	0	0	0	0
1119	0	0	0	0	0	0	0	0	0	0	0
1120	1120	-995	-996	-1049	-1055	-997	0	0	0	0	0
1121	1121	-1120	-591	-1000	-1001	-1002	-1003	-1004	-1005	-1005	0
	-1032	-1034	-1036	-1038	-1138	-1143	-1367	-1369	-1370	-1370	0
	-998	0	0	0	0	0	0	0	0	0	0
1122	1122	-1038	-1168	-1166	-1170	-1037	-1124	0	0	0	0
1123	1123	0	0	0	0	0	0	0	0	0	0
1124	1124	-1035	-1036	-1037	-1108	0	0	0	0	0	0
1125	1125	-1084	-518	-1015	0	0	0	0	0	0	0
1126	1126	0	0	0	0	0	0	0	0	0	0
1127	1127	0	0	0	0	0	0	0	0	0	0
1128	1128	0	0	0	0	0	0	0	0	0	0
1129	1129	-921	-929	-934	-947	-1130	0	0	0	0	0
1130	0	0	0	0	0	0	0	0	0	0	0
1131	1131	-920	-929	-946	-1132	0	0	0	0	0	0
1132	1132	-1471	-1472	-946	-1132	0	0	0	0	0	0
1133	1133	-1007	-1038	-1098	-1108	-1128	-1139	-1037	-1082	-1082	0
	0	-1085	-1166	-1096	-1091	-1122	0	0	0	0	0
1134	1134	-989	-990	-991	-992	-993	-994	-995	-996	-996	0
	0	-997	-998	-999	-1000	-1001	-1002	-1003	-1004	-1004	0
	0	-1005	-1006	-1007	-1133	-1167	-1085	0	0	0	0
1135	1135	-1134	0	0	0	0	0	0	0	0	0
1136	1136	-1135	0	0	0	0	0	0	0	0	0
1137	1137	-1136	0	0	0	0	0	0	0	0	0
1138	1138	-1137	-1122	-1123	-1124	-1125	-1126	-1127	-1128	-1128	0
	-1120	0	0	0	0	0	0	0	0	0	0
1139	1139	-1023	-1024	-1025	-1026	-1027	-1028	-1029	-1030	-1030	0
	-1122	-1031	-1032	-1033	-1034	-1035	-1036	-1037	-1038	-1038	0
	-1141	-1168	-1143	0	0	0	0	0	0	0	0
1140	1140	-1139	0	0	0	0	0	0	0	0	0

AIR 1065
TOP DECK FR
MIDDECK 4
AIR SOL1097
AIR SOL1097
AIR SOL1097

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA												REMARKS
1141	-1140	0	0	0	0	0	0	0	0	0	0	0	0
1142	-1141	0	0	0	0	0	0	0	0	0	0	0	0
1143	-1142	-1122	-1123	-1124	-1125	-1126	-1127	-1128	-1129	-1130	-1131	-1132	-1128
1144	-1013	-1014	-1015	-1016	-1017	-1018	-1019	-1020	-1021	-1022	-1023	-1024	-1020
0	-1021	-1022	-1023	-1024	-1025	-1026	-1027	-1028	-1029	-1030	-1031	-1032	0
1145	-974	-975	-976	-977	-978	-979	-980	-981	-982	-983	-984	-985	-981
0	-982	-983	-984	-985	-986	-987	-988	-989	-990	-991	-992	-993	-989
0	-990	-1134	-1135	0	0	0	0	0	0	0	0	0	0
1146	-975	-1047	-1048	-1049	-1050	-1051	-1052	-1053	-1054	-1055	-1056	-1057	0
1147	-1049	-1134	-1135	-1136	-1137	-1138	-1139	-1140	-1141	-1142	-1143	-1144	0
1148	-1049	-1135	-1136	-1137	-1138	-1139	-1140	-1141	-1142	-1143	-1144	-1145	0
1149	-1049	-1136	-1137	-1138	-1139	-1140	-1141	-1142	-1143	-1144	-1145	-1146	0
1150	-1049	-1137	-1138	-1139	-1140	-1141	-1142	-1143	-1144	-1145	-1146	-1147	0
1151	-1049	-1138	-1139	-1140	-1141	-1142	-1143	-1144	-1145	-1146	-1147	-1148	0
1152	-1049	-1139	-1140	-1141	-1142	-1143	-1144	-1145	-1146	-1147	-1148	-1149	0
1153	-1049	-1140	-1141	-1142	-1143	-1144	-1145	-1146	-1147	-1148	-1149	-1150	0
1154	-1049	-1141	-1142	-1143	-1144	-1145	-1146	-1147	-1148	-1149	-1150	-1151	0
1155	-1049	-1142	-1143	-1144	-1145	-1146	-1147	-1148	-1149	-1150	-1151	-1152	0
1156	-1053	-1054	-1055	-1056	-1057	-1058	-1059	-1060	-1061	-1062	-1063	-1064	0
1157	-1054	-1055	-1056	-1057	-1058	-1059	-1060	-1061	-1062	-1063	-1064	-1065	0
1158	-1054	-1056	-1057	-1058	-1059	-1060	-1061	-1062	-1063	-1064	-1065	-1066	0
1159	-1055	-1056	-1057	-1058	-1059	-1060	-1061	-1062	-1063	-1064	-1065	-1066	0
1160	-1055	-1057	-1058	-1059	-1060	-1061	-1062	-1063	-1064	-1065	-1066	-1067	0
1161	-1055	-1058	-1059	-1060	-1061	-1062	-1063	-1064	-1065	-1066	-1067	-1068	0
1162	-1055	-1059	-1060	-1061	-1062	-1063	-1064	-1065	-1066	-1067	-1068	-1069	0
1163	-1055	-1060	-1061	-1062	-1063	-1064	-1065	-1066	-1067	-1068	-1069	-1070	0
1164	-1055	-1061	-1062	-1063	-1064	-1065	-1066	-1067	-1068	-1069	-1070	-1071	0
1165	-1055	-1062	-1063	-1064	-1065	-1066	-1067	-1068	-1069	-1070	-1071	-1072	0
1166	-1108	-1133	0	0	0	0	0	0	0	0	0	0	0
1167	-1007	-1108	-1127	-1128	-1129	-1130	-1131	-1132	-1133	-1134	-1135	-1136	-1134
1168	-1038	-1108	-1127	-1128	-1129	-1130	-1131	-1132	-1133	-1134	-1135	-1136	-1139

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
1169	1169	-1166	-1167	-1168	-1409	-1410	-1413	-1414	-1415		
	0	-1416	-1417	-1418	0	0	0	0	0		
1170	1170	-1007	-1038	-1127	-1128	-1133	-1167	-1168	-1169		
1171	1171	-1038	-1128	-1133	-1168	-1169	-1170	-1082	0		
1172	1172	-1007	-1128	-1133	-1167	-1169	-1170	0	0		
1173	1173	-930	-931	-932	-938	-942	-941	-946	-920		
1174	1174	-933	-934	-935	-939	-943	-921	0	0		
1175	1175	-930	0	0	0	0	0	0	0		
1176	1176	-930	-1175	0	0	0	0	0	0		
1177	1177	-933	0	0	0	0	0	0	0		
1178	1178	-933	-1177	0	0	0	0	0	0		
1179	1179	0	0	0	0	0	0	0	0		
1180	1180	-1486	0	0	0	0	0	0	0		BULKHD REAR
1181	1181	-1374	-1405	0	0	0	0	0	0		AIR BE 1096
1182	1182	-1374	0	0	0	0	0	0	0		AIR BE 1098
1183	1183	0	0	0	0	0	0	0	0		AIR BE 1097
1184	1184	0	0	0	0	0	0	0	0		AIR BE 962
1185	1185	-1179	0	0	0	0	0	0	0		AIR BE 963
1186	1186	-1405	-1374	0	0	0	0	0	0		AIR FR 968
1187	1187	-1405	-1374	0	0	0	0	0	0		AIR FR 967
1188	1188	-1374	-1473	-1474	-1475	0	0	0	0		AIR FR 969
1189	1189	-1405	0	0	0	0	0	0	0		AIR FR 966
1190	1190	0	0	0	0	0	0	0	0		AIR FR 965
1191	1191	0	0	0	0	0	0	0	0		AIR FR 1079
1192	1192	0	0	0	0	0	0	0	0		AIR FR 1080
1193	1193	0	0	0	0	0	0	0	0		AIR FR 1081
1194	1194	0	0	0	0	0	0	0	0		AIR BE 1038
1195	1195	-1468	0	0	0	0	0	0	0		AIR BE 1037
1196	1196	0	0	0	0	0	0	0	0		AIR BE 1036
1197	1197	-1468	0	0	0	0	0	0	0		AIR BE 1035
1198	1198	0	0	0	0	0	0	0	0		AIR BE 1034

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REG NUM	REGION COMBINATION DATA	REMARKS
1199	1199	-1468	0 AIR BE 1033
1200	1200	-1119	0 AIR BE 1032
1201	1201	0	0 AIR BE 1031
1202	1202	0	0 AIR BE 1030
1203	1203	0	0 AIR BE 1029
1204	1204	-1119	0 AIR BE 1028
1205	1205	-1055	0 AIR BE 1027
1206	1206	-1055	0
1207	1207	-1055	0
1208	1208	-1055	0
1209	1209	-1055	0
1210	1210	0	0 AIR BE 1022
1211	1211	0	0 AIR BE 1021
1212	1212	0	0 AIR BE 1020
1213	1213	0	0 AIR BE 1019
1214	1214	0	0 AIR BE 1018
1215	1215	0	0 AIR BE 1017
1216	1216	0	0 AIR BE 1016
1217	1217	-1133	0
1218	1218	-1410	-1172
1219	1219	-1021	0
1220	1220	-1031	-1020
1221	1221	-1055	-1144
1222	1222	-1023	0
1223	1223	-1025	-1030
1224	1224	-1032	-1038
1225	1225	-1156	-1471
1226	1226	-1194	0
1227	1227	-1024	-1030
1228	1228	-1032	-1038
1229	1229	-1055	-1469
1230	1230	-1471	0
1231	1231	0	0
1232	1232	0	0
1233	1233	0	0
1234	1234	0	0
1235	1235	0	0
1236	1236	0	0
1237	1237	0	0
1238	1238	0	0
1239	1239	0	0
1240	1240	0	0
1241	1241	0	0
1242	1242	0	0
1243	1243	0	0
1244	1244	0	0
1245	1245	0	0
1246	1246	0	0
1247	1247	0	0
1248	1248	0	0
1249	1249	0	0
1250	1250	0	0
1251	1251	0	0
1252	1252	0	0
1253	1253	0	0
1254	1254	0	0
1255	1255	0	0
1256	1256	0	0
1257	1257	0	0
1258	1258	0	0
1259	1259	0	0
1260	1260	0	0
1261	1261	0	0
1262	1262	0	0
1263	1263	0	0
1264	1264	0	0
1265	1265	0	0
1266	1266	0	0
1267	1267	0	0
1268	1268	0	0
1269	1269	0	0
1270	1270	0	0
1271	1271	0	0
1272	1272	0	0
1273	1273	0	0
1274	1274	0	0
1275	1275	0	0
1276	1276	0	0
1277	1277	0	0
1278	1278	0	0
1279	1279	0	0
1280	1280	0	0
1281	1281	0	0
1282	1282	0	0
1283	1283	0	0
1284	1284	0	0
1285	1285	0	0
1286	1286	0	0
1287	1287	0	0
1288	1288	0	0
1289	1289	0	0
1290	1290	0	0
1291	1291	0	0
1292	1292	0	0
1293	1293	0	0
1294	1294	0	0
1295	1295	0	0
1296	1296	0	0
1297	1297	0	0
1298	1298	0	0
1299	1299	0	0
1300	1300	0	0
1301	1301	0	0
1302	1302	0	0
1303	1303	0	0
1304	1304	0	0
1305	1305	0	0
1306	1306	0	0
1307	1307	0	0
1308	1308	0	0
1309	1309	0	0
1310	1310	0	0
1311	1311	0	0
1312	1312	0	0
1313	1313	0	0
1314	1314	0	0
1315	1315	0	0
1316	1316	0	0
1317	1317	0	0
1318	1318	0	0
1319	1319	0	0
1320	1320	0	0
1321	1321	0	0
1322	1322	0	0
1323	1323	0	0
1324	1324	0	0
1325	1325	0	0
1326	1326	0	0
1327	1327	0	0
1328	1328	0	0
1329	1329	0	0
1330	1330	0	0
1331	1331	0	0
1332	1332	0	0
1333	1333	0	0
1334	1334	0	0
1335	1335	0	0
1336	1336	0	0
1337	1337	0	0
1338	1338	0	0
1339	1339	0	0
1340	1340	0	0
1341	1341	0	0
1342	1342	0	0
1343	1343	0	0
1344	1344	0	0
1345	1345	0	0
1346	1346	0	0
1347	1347	0	0
1348	1348	0	0
1349	1349	0	0
1350	1350	0	0
1351	1351	0	0
1352	1352	0	0
1353	1353	0	0
1354	1354	0	0
1355	1355	0	0
1356	1356	0	0
1357	1357	0	0
1358	1358	0	0
1359	1359	0	0
1360	1360	0	0
1361	1361	0	0
1362	1362	0	0
1363	1363	0	0
1364	1364	0	0
1365	1365	0	0
1366	1366	0	0
1367	1367	0	0
1368	1368	0	0
1369	1369	0	0
1370	1370	0	0
1371	1371	0	0
1372	1372	0	0
1373	1373	0	0
1374	1374	0	0
1375	1375	0	0
1376	1376	0	0
1377	1377	0	0
1378	1378	0	0
1379	1379	0	0
1380	1380	0	0
1381	1381	0	0
1382	1382	0	0
1383	1383	0	0
1384	1384	0	0
1385	1385	0	0
1386	1386	0	0
1387	1387	0	0
1388	1388	0	0
1389	1389	0	0
1390	1390	0	0
1391	1391	0	0
1392	1392	0	0
1393	1393	0	0
1394	1394	0	0
1395	1395	0	0
1396	1396	0	0
1397	1397	0	0
1398	1398	0	0
1399	1399	0	0
1400	1400	0	0
1401	1401	0	0
1402	1402	0	0
1403	1403	0	0
1404	1404	0	0
1405	1405	0	0
1406	1406	0	0
1407	1407	0	0
1408	1408	0	0
1409	1409	0	0
1410	1410	0	0
1411	1411	0	0
1412	1412	0	0
1413	1413	0	0
1414	1414	0	0
1415	1415	0	0
1416	1416	0	0
1417	1417	0	0
1418	1418	0	0
1419	1419	0	0
1420	1420	0	0
1421	1421	0	0
1422	1422	0	0
1423	1423	0	0
1424	1424	0	0
1425	1425	0	0
1426	1426	0	0
1427	1427	0	0
1428	1428	0	0
1429	1429	0	0
1430	1430	0	0
1431	1431	0	0
1432	1432	0	0
1433	1433	0	0
1434	1434	0	0
1435	1435	0	0
1436	1436	0	0
1437	1437	0	0
1438	1438	0	0
1439	1439	0	0
1440	1440	0	0
1441	1441	0	0
1442	1442	0	0
1443	1443	0	0
1444	1444	0	0
1445	1445	0	0
1446	1446	0	0
1447	1447	0	0
1448	1448	0	0
1449	1449	0	0
1450	1450	0	0
1451	1451	0	0
1452	1452	0	0
1453	1453	0	0
1454	1454	0	0
1455	1455	0	0
1456	1456	0	0
1457	1457	0	0
1458	1458	0	0
1459	1459	0	0
1460	1460	0	0
1461	1461	0	0
1462	1462	0	0
1463	1463	0	0
1464	1464	0	0
1465	1465	0	0
1466	1466	0	0
1467	1467	0	0
1468	1468	0	0
1469	1469	0	0
1470	1470	0	0
1471	1471	0	0
1472	1472	0	0
1473	1473	0	0
1474	1474	0	0
1475	1475	0	0
1476	1476	0	0
1477	1477	0	0
1478	1478	0	0
1479	1479	0	0
1480	1480	0	0
1481	1481	0	0
1482	1482	0	0
1483	1483	0	0
1484	1484	0	0
1485	1485	0	0
1486	1486	0	0
1487	1487	0	0
1488	1488	0	0
1489	1489	0	0
1490	1490	0	0
1491	1491	0	0
1492	1492	0	0
1493	1493	0	0
1494	1494	0	0
1495	1495	0	0
1496	1496	0	0
1497	1497	0	0
1498	1498	0	0
1499	1499	0	0
1500	1500	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA												REMARKS
1221	1221	-1055	-1158	-1159	-1160	-1161	-1220	-1468	-1469				
	-1470	-1471	0	0	0	0	0	0	0				
1222	1222	-1055	-1159	-1160	-1161	-1162	-1221	-1470	0				
1223	1223	-975	-976	-977	-978	-979	-980	-981	-982				
	0	-983	-984	-985	-986	-987	-988	-989	-990				
	0	-1048	-1049	-1134	-1146	-1147	-1194	-1190	-1189				
	0	-1188	-1191	-1192	0	0	0	0	0				
1224	1224	-990	-991	-992	-993	-994	-995	-996	-997				
	0	-998	-999	-1000	-1001	-1002	-1003	-1004	-1005				
	0	-1006	-1007	-1135	-1145	-1146	-1167	-1147	-1134				
	0	-1208	-1200	-1207	-1196	-1194	-1195	-1197	-1179				
	-1470	-1471	0	0	0	0	0	0	0				
1225	1225	-1049	-1134	-1135	-1136	-1145	-1146	-1147	-1148				
	0	-1149	-1468	-1469	-1470	-1471	0	0	0				
1226	1226	-1049	-1135	-1136	-1137	-1147	-1148	-1149	-1150				
	-1468	-1471	-1469	0	0	0	0	0	0				
1227	1227	-1049	-1136	-1137	-1138	-1148	-1149	-1150	-1151				
1228	1228	929	0	0	0	0	0	0	0				
1229	1229	-1231	-929	-921	-920	-1233	-1234	-1232	0				
1230	1230	-929	-1229	0	0	0	0	0	0				
1231	1231	0	0	0	0	0	0	0	0				
1232	1232	-1234	-1254	0	0	0	0	0	0				
1233	1233	-1234	-1232	0	0	0	0	0	0				
1234	1234	0	0	0	0	0	0	0	0				
1235	1235	-1230	0	0	0	0	0	0	0				
1236	1236	-1230	0	0	0	0	0	0	0				
1237	1237	-1230	0	0	0	0	0	0	0				
1238	1238	-1237	-1235	-1236	0	0	0	0	0				
1239	1239	-1241	-1230	-1238	0	0	0	0	0				
1240	1240	-1239	-1242	-1230	0	0	0	0	0				
1241	1241	-1230	0	0	0	0	0	0	0				

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
1242	1242	-929	-1241	-1239	-1230	-1240	0	0	0	0	0
1243	1243	-1230	0	0	0	0	0	0	0	0	0
1244	1244	-1230	-1246	0	0	0	0	0	0	0	0
1245	1245	-1230	-1243	-1244	0	0	0	0	0	0	0
1246	1246	-1245	-1230	0	0	0	0	0	0	0	0
1247	1247	-1249	-1230	0	0	0	0	0	0	0	0
1248	1248	-1247	-1250	-1230	0	0	0	0	0	0	0
1249	1249	-1247	-1230	0	0	0	0	0	0	0	0
1250	1250	-929	-1249	-1247	-1230	-1248	0	0	0	0	0
1251	1251	-1229	-929	0	0	0	0	0	0	0	0
1252	1252	-1232	-1234	-1251	-1229	0	0	0	0	0	0
1253	1253	-1229	-929	0	0	0	0	0	0	0	0
1254	1254	-1233	-1234	-1253	0	0	0	0	0	0	0
1255	1255	0	0	0	0	0	0	0	0	0	0
1256	1256	-1234	-1255	0	0	0	0	0	0	0	0
1257	1257	-1255	0	0	0	0	0	0	0	0	0
1258	0	0	0	0	0	0	0	0	0	0	0
1259	0	0	0	0	0	0	0	0	0	0	0
1260	0	0	0	0	0	0	0	0	0	0	0
1261	0	0	0	0	0	0	0	0	0	0	0
1262	0	0	0	0	0	0	0	0	0	0	0
1263	0	0	0	0	0	0	0	0	0	0	0
1264	0	0	0	0	0	0	0	0	0	0	0
1265	1265	-919	-1267	-1268	0	0	0	0	0	0	0
1266	1266	-919	-1267	-1269	0	0	0	0	0	0	0
1267	1267	-919	0	0	0	0	0	0	0	0	0
1268	1268	-919	-1267	0	0	0	0	0	0	0	0
1269	1269	-919	-1267	0	0	0	0	0	0	0	0
1270	1270	-919	-1272	-1273	0	0	0	0	0	0	0
1271	1271	-919	-1272	-1274	0	0	0	0	0	0	0
1272	1272	-919	-1271	0	0	0	0	0	0	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA												REMARKS
	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	
1273	-919	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	0
1274	-919	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	0
1275	-919	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1272	-1276
1276	0	0	0	0	0	0	0	0	0	0	0	0	0
1277	-1270	0	0	0	0	0	0	0	0	0	0	0	0
1278	-1271	0	0	0	0	0	0	0	0	0	0	0	0
1279	-1266	0	0	0	0	0	0	0	0	0	0	0	0
1280	-1265	0	0	0	0	0	0	0	0	0	0	0	0
1281	-1277	0	0	0	0	0	0	0	0	0	0	0	0
1282	-1281	-919	0	0	0	0	0	0	0	0	0	0	0
1283	-1278	0	0	0	0	0	0	0	0	0	0	0	0
1284	-1283	-919	0	0	0	0	0	0	0	0	0	0	0
1285	-1280	-1302	0	0	0	0	0	0	0	0	0	0	0
1286	-1285	-919	0	0	0	0	0	0	0	0	0	0	0
1287	-1279	-1300	0	0	0	0	0	0	0	0	0	0	0
1288	-1287	-919	0	0	0	0	0	0	0	0	0	0	0
1289	-1281	-1283	0	0	0	0	0	0	0	0	0	0	0
1290	-1289	-919	0	0	0	0	0	0	0	0	0	0	0
1291	-1290	0	0	0	0	0	0	0	0	0	0	0	0
1292	-1291	-919	0	0	0	0	0	0	0	0	0	0	0
1293	-1292	0	0	0	0	0	0	0	0	0	0	0	0
1294	-1293	-1275	0	0	0	0	0	0	0	0	0	0	0
1295	-1293	-1275	0	0	0	0	0	0	0	0	0	0	0
1296	-1275	0	0	0	0	0	0	0	0	0	0	0	0
1297	-1275	0	0	0	0	0	0	0	0	0	0	0	0
1298	-1296	-1297	0	0	0	0	0	0	0	0	0	0	0
1299	-1298	-919	0	0	0	0	0	0	0	0	0	0	0
1300	-919	0	0	0	0	0	0	0	0	0	0	0	0
1301	-1300	-919	0	0	0	0	0	0	0	0	0	0	0
1302	-1300	0	0	0	0	0	0	0	0	0	0	0	0
1303	-1302	-919	0	0	0	0	0	0	0	0	0	0	0

TABLE 8-11. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
1304	-1109 -1043 -1041 -1187 -512 0 0	0
1305	-1304 -1043 -1041 -1187 -512 0 0	0
1306	-1109 -1043 -1041 -1187 -512 0 0	0
1307	-1306 -1043 -1041 -1187 -811 -512 0 0	0
1308	-1109 -1043 -1041 -1187 -573 0 0	0
1309	-1308 -1043 -1041 -1187 -573 0 0	0
1310	-1109 -1043 -1041 -1187 -573 0 0	0
1311	-1310 -1043 -1041 -1187 0 0 0	0
1312	-925 -924 -928 0 0 0 0	0
1313	-1312 -924 -928 0 0 0 0	0
1314	-925 -923 -927 0 0 0 0	0
1315	-1314 -923 -927 0 0 0 0	0
1316	-925 -923 -927 0 0 0 0	0
1317	-1316 -923 -927 0 0 0 0	0
1318	-925 -923 -927 0 0 0 0	0
1319	-1318 -923 -927 0 0 0 0	0
1320	-925 -923 -927 0 0 0 0	0
1321	-1320 -923 -927 0 0 0 0	0
1322	-925 -923 -927 0 0 0 0	0
1323	-1322 -923 -927 0 0 0 0	0
1324	-925 -923 -927 0 0 0 0	0
1325	-1324 -923 -927 -922 -929 -926 0 0	0
1326	-925 0 0 0 0 0 0 0	0
1327	-1326 0 0 0 0 0 0 0	0
1328	-925 0 0 0 0 0 0 0	0
1329	-1328 0 0 0 0 0 0 0	0
1330	-925 -570 0 0 0 0 0	0
1331	-1330 0 0 0 0 0 0 0	0
1332	-1109 -1167 0 0 0 0 0	0
1333	-1332 -1187 0 0 0 0 0	0
1334	-1109 -1187 -1335 -1446 0 0 0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA															REMARKS
1335	0	-1187	0	-929	0	-741	0	-822	0	-752	0	-763	0	-844	0	0
1336	1336	-774	0	-1326	0	-1327	0	-1327	0	-1327	0	-1327	0	-1327	0	-833
1337	1337	-925	-925	-1326	-1326	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	0
1338	1338	-925	-925	-1326	-1326	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	0
1339	1339	-925	-925	-1326	-1326	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	0
1340	1340	-925	-925	-1326	-1326	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	-1327	0
1341	1341	-1033	-1033	-1034	-1034	-1035	-1035	-1036	-1036	-1037	-1037	-1037	-1037	-1037	-1037	-639
1342	1342	-1341	-1341	-1036	-1036	-1037	-1037	-1038	-1038	-1039	-1039	-1039	-1039	-1039	-1039	0
1343	1343	-1341	-1341	-1036	-1036	-1037	-1037	-1038	-1038	-1039	-1039	-1039	-1039	-1039	-1039	0
1344	1344	-1343	-1343	-1022	-1022	-1023	-1023	-1024	-1024	-1025	-1025	-1025	-1025	-1025	-1025	-1028
	-1031	-1029	-1029	-1030	-1030	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	0
1345	1345	-1344	-1344	-1019	-1019	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	0
1346	1346	-1345	-1345	-1019	-1019	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	-1020	0
1347	1347	-1346	-1346	-576	-576	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1348	1348	-1347	-1347	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1349	1349	-1348	-1348	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1350	1350	-1349	-1349	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1351	1351	-1350	-1350	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1352	1352	-1351	-1351	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	-1041	0
1353	1353	-1352	-1352	-1336	-1336	-1336	-1336	-1336	-1336	-1336	-1336	-1336	-1336	-1336	-1336	0
1354	1354	-1353	-1353	-1354	-1354	-1354	-1354	-1354	-1354	-1354	-1354	-1354	-1354	-1354	-1354	0
1355	1355	-1354	-1354	-967	-967	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-1054
1356	1356	-1355	-1355	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	0
1357	1357	-1356	-1356	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	0
1358	1358	-1357	-1357	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	0
1359	1359	-1358	-1358	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	0
1360	1360	-1359	-1359	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	-966	0
1361	1361	-1360	-1360	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	0
1362	1362	-1361	-1361	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	-1096	0
	0	-620	0	0	0	0	0	0	0	0	0	0	0	0	0	-622

TABLE B-II.

REG NUM	REGION COMBINATION DATA										REMARKS
1363	1363	-1096	-1133	-1341	0	0	0	0	0	0	
1364	-1358	-1359	-1360	-70	-67	-68	-69	0	0	0	
1365	-1360	-1363	-1096	-1362	-615	-620	0	0	0	0	
1366	-1347	-1027	-1028	-1054	-1020	-584	-582	-706	0	0	
0	-707	-576	0	0	0	0	0	0	0	0	
1367	-1120	0	0	0	0	0	0	0	0	0	
1368	-1367	-1120	0	0	0	0	0	0	0	0	
1369	-1120	0	0	0	0	0	0	0	0	0	
1370	-1369	-1120	0	0	0	0	0	0	0	0	
1371	-1128	-1133	0	0	0	0	0	0	0	0	
1372	-1371	-1128	-1121	0	0	0	0	0	0	0	
1373	-1374	0	0	0	0	0	0	0	0	0	
1374	0	0	0	0	0	0	0	0	0	0	
1375	0	0	0	0	0	0	0	0	0	0	
1376	0	0	0	0	0	0	0	0	0	0	
1377	-967	-968	-965	0	0	0	0	0	0	0	
1378	-1377	-967	0	0	0	0	0	0	0	0	
1379	-1096	0	0	0	0	0	0	0	0	0	
1380	-1381	-1379	-51	-57	-79	-85	-617	-220	0	0	
1381	0	0	0	0	0	0	0	0	0	0	
1382	-1405	-1378	0	0	0	0	0	0	0	0	
1383	-1382	-1353	-1395	0	0	0	0	0	0	0	
1384	-1383	-1382	-1385	-1386	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	
1386	-1384	-1061	0	0	0	0	0	0	0	0	
1387	-1387	-1060	-977	-1061	-1062	0	0	0	0	0	
1388	-1383	0	0	0	0	0	0	0	0	0	
1389	-1389	0	0	0	0	0	0	0	0	0	
1390	-1390	0	0	0	0	0	0	0	0	0	
1391	-1391	-1394	0	0	0	0	0	0	0	0	
1392	-1391	-1394	-1393	0	0	0	0	0	0	0	

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA												REMARKS
1393	0	0	0	0	0	0	0	0	0	0	0	0	0
1394	1394	0	0	0	0	0	0	0	0	0	0	0	0
1395	1395	-1389	-1390	-1384	0	-1385	0	0	0	0	0	0	0
1396	1396	-1395	-1389	-1390	-1385	-1385	-1353	-1384	0	0	0	0	0
1397	1397	-1048	-977	-978	-552	0	0	0	0	0	0	0	0
1398	1398	0	-1111	0	0	0	0	0	0	0	0	0	0
1399	1399	-1398	-1111	0	0	0	0	0	0	0	0	0	0
1400	1400	-717	-1111	0	0	0	0	0	0	0	0	0	0
1401	1401	-1400	-717	-12	-14	-1111	0	0	0	0	0	0	0
1402	1402	-923	0	0	0	0	0	0	0	0	0	0	0
1403	1403	-928	-921	0	0	0	0	0	0	0	0	0	0
1404	1404	-1346	0	0	0	0	0	0	0	0	0	0	0
1405	1405	0	0	0	0	0	0	0	0	0	0	0	0
1406	1406	-921	-926	-939	-1407	-933	-934	-937	-1174	-937	0	0	0
1407	1407	-696	-701	0	0	0	0	0	0	0	0	0	0
1408	1408	-937	-696	-701	0	0	0	0	0	0	0	0	0
1409	1409	-1304	-1306	-1308	-1310	-1312	-1314	-1316	-1316	-1318	0	0	0
1410	1410	-922	-1320	-1322	-1326	-1328	-1330	-1332	-1332	-1337	0	0	0
1411	1411	-927	-1338	-1339	-1340	-1340	-1340	-1340	-1340	-1340	0	0	0
1412	1412	-1041	-573	-740	-741	-751	-752	-762	-763	-772	0	0	0
1413	1413	-924	-774	-821	-832	-832	-833	-843	-844	-854	0	0	0
1414	1414	-928	-855	-926	-1043	0	0	0	0	0	0	0	0
1415	1415	-1411	-1419	0	0	0	0	0	0	0	0	0	0
1416	1416	-1412	-1419	0	0	0	0	0	0	0	0	0	0
1417	1417	0	0	0	0	0	0	0	0	0	0	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
1418	-1419	0
1419	0	0
1420	0	0
1421	0	0
1422	0	0
1423	0	0
1424	0	0
1425	-1424	0
1426	-1425	0
1427	0	0
1428	-1435	0
1429	-487	0
1430	0	0
1431	-1079	0
1432	-678	0
1433	0	0
1434	0	0
1435	-1384	0
1436	0	0
1437	0	0
1438	0	0
1439	-555	0
1440	-921	0
1441	-927	0
1442	-922	0
1443	0	0
1444	0	0
1445	0	0
1446	-1320	0
1447	0	0
1448	0	0

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA	REMARKS
1449	0	0 DRAG MISSILE
1450	-334	0 MISSILE TRAK
1451	0	0 DRAG MISSILE
1452	0	0 ELEV MECH
1453	0	0 AIR BE 1015
1454	-1050	0 AIR BE 990
1455	-1050	0 AIR BE 988
1456	0	0 AIR BE 981
1457	0	0 AIR BE 979
1458	0	0 AIR BE 977
1459	0	0 AIR BE 1104
1460	0	0 AIR BE 1103
1461	0	0 AIR BE 1102
1462	0	0 AIR BE 1101
1463	0	0 AIR BE 1100
1464	0	0 AIR BE 1099
1465	0	0 AIR UN 1084
1466	0	0 AIR AB 1082
1467	0	0 AIR BE 1014
1468	0	0 DUMMY REG
1469	0	0 DUMMY REG
1470	-1007	-1097
1471	-1098	0
1472	0	0 DUMMY REG
1473	0	0 DUMMY REG
1474	0	0 DUMMY REG
1475	0	0 DUMMY REG
1476	0	0 AIR AB 1110
1477	0	0 AIR UN 1057
1478	0	0 AIR BE 1007

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	1496	1497	1498	1499	1500	1501	1502	1503	1504	1505	1506	1507	1508	1509
REGION COMBINATION DATA	0	0	0	0	0	0	0	-1119	-1049	-1049	-1050	-1050	-1050	-1050	0	0	0	0	0	0	0	-1374	-1405	0	0	0	0	0	0	0	0
REMARKS	0 AIR 3E 1006	0 AIR 3E 1005	0 AIR 3E 1004	0 AIR 3E 1003	0 AIR 3E 1002	0 AIR 3E 1001	0 AIR 3E 1000	0 AIR 998+999	0 AIR 995+996	0 AIR 993+994	0 AIR 991+992	0 AIR 989+990	0 AIR 987+988	0 AIR 985+986	0 AIR 983+984	0 AIR 981+982	0 AIR 979+980	0 AIR 977+976	0 AIR 975	0 AIR 974	0 AIR 973	0 AIR 972	0 AIR 971	0 AIR 970	0 AIR 969	0 AIR 968	0 AIR 967	0 AIR 966	0 AIR 965	0 AIR 964	0 AIR 963

TABLE B-II. REGION COMBINATION TABLE FOR LVTP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
1510	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1073
1511	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1072
1512	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1071
1513	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1070
1514	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1069
1515	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1068
1516	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1067
1517	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1066
1518	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1065
1519	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1064
1520	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1063
1521	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1062
1522	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1061
1523	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1060
1524	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1059
1525	0	0	0	0	0	0	0	0	0	0	0 AIR BE 1058
1526	-1374	0	0	0	0	0	0	0	0	0	0
1527	0	0	0	0	0	0	0	0	0	0	0
1528	0	0	0	0	0	0	0	0	0	0	0
1529	0	0	0	0	0	0	0	0	0	0	0
1530	0	0	0	0	0	0	0	0	0	0	0
1531	0	0	0	0	0	0	0	0	0	0	0
1532	0	0	0	0	0	0	0	0	0	0	0
1533	0	0	0	0	0	0	0	0	0	0	0
1534	0	0	0	0	0	0	0	0	0	0	0
1535	0	0	0	0	0	0	0	0	0	0	0
1536	0	0	0	0	0	0	0	0	0	0	0
1537	0	0	0	0	0	0	0	0	0	0	0
1538	0	0	0	0	0	0	0	0	0	0	0
1539	0	0	0	0	0	0	0	0	0	0	0
1540	0	0	0	0	0	0	0	0	0	0	0

AUDIO AMPLI

TABLE B-II. REGION COMBINATION TABLE FOR LVIP7 (CONTINUED)

REG NUM	REGION COMBINATION DATA										REMARKS
	0	1	2	3	4	5	6	7	8	9	
1541	0	0	0	0	0	0	0	0	0	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1	700	0	HUB FOR FINAL DRIVE LEFT	2	100
2	701	0	SHAFT THRU FINAL DRIVE LEFT	2	100
3	702	0	BELL HOUSING FINAL DRIVE LEFT	1	75
4	0	3	INSIDE BELL HOUSING LEFT	0	0
5	703	0	HUB FOR FINAL DRIVE RIGHT	2	100
6	704	0	SHAFT THRU FINAL DRIVE RIGHT	2	100
7	705	0	BELL HOUSING FINAL DRIVE RIGHT	1	75
8	0	3	INSIDE BELL HOUSING RIGHT	0	0
9	706	0	BOTTOM BORDER FINAL DRIVE HOUSING	1	90
10	706	0	TOP BORDER FINAL DRIVE HOUSING	1	90
11	706	0	MIDDLE BORDER FINAL DRIVE HOUSING	1	90
12	707	0	FINAL DRIVE HOUSING LEFT	1	90
13	707	0	FINAL DRIVE HOUSING LEFT	1	90
14	707	0	FINAL DRIVE HOUSING LEFT	1	90
15	0	2	INSIDE FINAL DRIVE HOUSING LEFT	0	0
16	0	2	INSIDE FINAL DRIVE HOUSING	0	0
17	0	2	INSIDE FINAL DRIVE HOUSING	0	0
18	708	0	LOWER GEAR FINAL DRIVE LEFT	2	100
19	709	0	UPPER GEAR FINAL DRIVE LEFT	2	100
20	709	0	GEAR SHAFT FD TO UNIVERSAL	2	100
21	710	0	UNIVERSAL FI DRIVE TO TRANSMISS LE	1	95
22	711	0	BORDER FINAL DRIVE HOUSING RIGHT	1	90
23	711	0	BORDER FINAL DRIVE HOUSING RIGHT	1	90
24	711	0	MID BORDER FORIVE HOUSING RIGHT	1	90
25	712	0	FINAL DRIVE HOUSING LOWER RIGHT	1	90
26	712	0	FINAL DRIVE HOUSING MID RIGHT	1	90
27	0	2	OIL INSIDE FINAL DR MID RIGHT	0	0
28	0	2	OIL INSIDE FINAL DR LOW RIGHT	0	0
29	0	2	OIL INSIDE FINAL DR UPPER RIGHT	0	0
30	714	0	LOWER GEAR FINAL DR RIGHT	2	100
31	715	0	UPPER GEAR FINAL DR RIGHT	2	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
32	716	0	GEAR SHAFT TO UNIVERSAL RIGHT	2	100
33	717	0	UNIVERSAL FIN DR TO TRANSMISS R1	1	95
34	712	0	FINAL DRIVE HOUSING UPPER RIGHT	1	90
35	718	0	COVER GEAR HOUSING RIGHT	1	100
36	719	0	COVER GEAR HOUSING RIGHT	1	100
37	720	0	HOUSING STEER-BRAKE SEC PIGHT	1	100
38	721	0	OIL IN STEER-BRAKE HOUSING	20	100
39	720	0	TRANSMISSION STEER-BRAKE SEC R	1	100
40	721	0	OIL IN STEER-BRAKE SEC RIGHT	20	100
41	720	0	TRANSMISSION STEER-BRAKE SEC TOP R	1	100
42	721	0	OIL IN STEER-BRAKE SEC TOP RIGHT	20	100
43	720	0	TRANS LOWER MIDDLE STEER-BRAKE	1	100
44	721	0	OIL IN STEER-BRAKE SEC LOWER MID	20	100
45	720	0	TRANS LOWER TIP STEER BRAKE SEC	1	100
46	721	0	OIL IN LOWER TIP STEER BRAKE SEC	20	100
47	722	0	TRANSMISSION STEER GEAR RIGHT	2	100
48	723	0	TRANSMISSION STEER GEAR RIGHT	2	100
49	724	0	SHAFT FROM UNIVERSAL TO TRANSMIS	1	50
50	725	0	TRANSMISSION STEER GEAR RIGHT	5	100
51	726	0	TRANS CASE STEER-BRAKE SEC RIGHT	1	75
52	727	0	OIL IN STEER-BRAKE SECTION	20	100
53	726	0	TRANSMISSION STEER-BRAKE SEC R	1	75
54	727	0	OIL IN STEER-BRAKE SECTION	20	100
55	726	0	TRANSMISSION STEER-BRAKE SEC R	1	75
56	727	0	OIL IN STEER-BRAKE SECTION	20	100
57	728	0	TRANSMISSION STEER-BRAKE SEC R	5	85
58	729	0	OIL IN STEER-BRAKE SECTION	20	100
59	728	0	TRANSMISSION STEER-BRAKE SEC	5	85
60	729	0	OIL IN STEER-BRAKE SECTION R	20	100
61	728	0	TRANSMISSION STEER-BRAKE SEC R	5	85
62	729	0	OIL IN STEER-BRAKE SECTION R	20	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
63	730	0	COVER GEAR HOUSING LEFT	5	85
64	731	0	COVER GEAR HOUSING LEFT	5	85
65	732	0	TRANSMISSION STEER-BRAKE SEC LEFT	5	85
66	733	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
67	732	0	TRANSMISSION STEER-BRAKE SEC LEFT	5	85
68	733	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
69	734	0	TRANSMISSION STEER-BRAKE SECT LEFT	5	85
70	735	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
71	734	0	TRANSMISSION LOWER MID STR-BRK SEC	5	85
72	735	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
73	734	0	TRANSMISSION LOWER TIP STR-BRK SEC	5	85
74	735	0	OIL IN STEER-BRAKE SECTION	20	100
75	736	0	TRANSMISSION STEER GEAR LEFT	1	50
76	737	0	TRANSMISSION STEER GEAR LEFT	1	50
77	738	0	SHAFT UNIVERSAL TO TRANS STR LEFT	1	50
78	739	0	TRANSMISSION STEER GEAR LEFT	1	50
79	740	0	TRANSMISSION CASE STEER-BRAKE LEFT	1	50
80	741	0	OIL IN STEER-BRAKE SECTION	20	100
81	740	0	TRANSMISSION STEER-BRAKE SEC LEFT	1	50
82	741	0	OIL IN STEER-BRAKE SECTION	20	100
83	740	0	TRANSMISSION STEER-BRAKE SEC LEFT	1	50
84	741	0	OIL IN STEER-BRAKE SECTION	20	100
85	624	0	TRANSMISSION SPEED CHANGE SEC	1	50
86	624	0	TRANSMISSION SPEED CHANGE SEC	1	50
87	625	0	TRANSMISSION CONVERTER	5	100
88	626	0	TRANSMISSION HYDROSTATIC STEER UN	1	75
89	627	0	TRANSMISSION VALVE ASSEMBLY	5	85
90	628	0	TRANSMISSION MANIFOLD	5	85
91	629	0	FUEL SEPARATOR	5	20
92	630	0	TRANSMISSION OIL FILTER	5	25
93	631	0	POWER TAKEOFF MIDDLE UPPER SECT	5	85

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LUS PERCENT
94	632	0	POWER TAKEOFF PUMP RIGHT	5	85
95	632	0	POWER TAKEOFF PUMP RIGHT	5	85
96	633	0	POWER TAKEOFF HYDRAULIC PUMP LEFT	5	85
97	634	0	POWER TAKEOFF YOKE DRIVE	5	85
98	634	0	POWER TAKEOFF YOKE RIGHT	5	85
99	634	0	POWER TAKEOFF YOKE LEFT	5	85
100	634	0	POWER TAKEOFF YOKE DRIVE FRONT	5	85
101	634	0	POWER TAKEOFF YOKE DRIVE FRONT	5	85
102	633	0	POWER TAKEOFF HYDRAULIC PUMP LEFT	5	85
103	635	0	TRANSMISSION OIL FILL TUBE	1	10
104	635	0	TRANSMISSION OIL FILL TUBE	1	10
105	635	0	TRANSMISSION OIL FILL TUBE	1	10
106	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
107	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
108	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
109	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
110	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
111	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
112	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
113	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
114	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
115	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
116	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
117	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
118	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
119	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
120	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
121	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
122	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
123	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
124	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
125	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
126	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
127	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
128	742	0	TRANSMISSION REVERSING MECHANISM	1	10
129	742	0	TRANSMISSION REVERSING MECHANISM	1	10
130	743	0	CONVERTER	5	40
131	744	0	ENGINE OIL FILTER	1	5
132	744	0	ENGINE OIL FILTER	1	5
133	745	0	FLYWHEEL HOUSING	1	40
134	745	0	FLYWHEEL HOUSING	1	40
135	745	0	FLYWHEEL HOUSING	1	40
136	746	0	STARTER MOTOR	7	100
137	747	0	ENGINE OIL PAN REAR	1	10
138	747	0	ENGINE OIL PAN FRONT	1	10
139	748	0	FUEL FILTER	1	5
140	749	0	TRANSMISSION OIL COOLER	5	20
141	750	0	TIMING GEAR	1	40
142	751	0	CAMSHAFT GEAR IN FLYWHEEL HOUSING	1	40
143	752	0	CAMSHAFT GEAR IN FLYWHEEL HOUSING	1	40
144	753	0	THERMOSTAT HOUSING	2	40
145	753	0	THERMOSTAT HOUSING	5	40
146	754	0	ENGINE OIL COOLER	5	20
147	755	0	ENGINE BLOCK	4	30
148	755	0	ENGINE BLOCK	4	30
149	755	0	ENGINE BLOCK	4	30
150	755	0	ENGINE BLOCK	4	30
151	756	0	ENGINE HEAD LEFT	4	50
152	757	0	ENGINE HEAD RIGHT	4	50
153	758	0	ENGINE VALVE COVER LEFT	1	10
154	759	0	ENGINE VALVE COVER RIGHT	1	10
155	760	0	BREATHER LEFT	1	10

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
156	761	0	BREATHER RIGHT	1	10
157	762	0	WATER PUMP	4	35
158	763	0	ENGINE BLOWER	5	70
159	764	0	ENGINE BLOWER ADAPTER	5	50
160	765	0	TURBOCHARGER	1	20
161	765	0	TURBOCHARGER	1	20
162	765	0	TURBOCHARGER	1	20
163	766	0	HOSE BETW ADAPTER AND TURBOCHARGER	1	10
164	767	0	HOSE TURBO TO EXHAUST MANIFOLD	1	10
165	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
166	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
167	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
168	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
169	768	0	EXHAUST MANIFOLD LEFT	4	50
170	769	0	EXHAUST MANIFOLD RIGHT	4	50
171	770	0	FUEL PUMP	5	75
172	771	0	HOSE THERMOSTAT HOUSING TO BLOCK	18	30
173	772	0	OIL PUMP	5	75
174	773	0	GOVERNOR	5	25
175	774	0	GENERATOR	7	30
176	775	0	CRANKSHAFT	3	100
177	776	0	PULLEY WHEEL FRONT OF CRANKSHAFT	1	10
178	0	0	DUMMY REGION	0	0
179	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
180	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
181	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
182	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
183	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
184	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
185	779	0	ENGINE OIL LINE	5	10
186	779	0	ENGINE OIL LINE	5	10

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
187	779	0	ENGINE OIL LINE	5	10
188	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
189	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
190	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
191	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
192	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
193	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
194	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
195	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
196	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
197	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
198	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
199	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
200	783	0	RADIATOR	1	10
201	784	0	RADIATOR SEAL	18	50
202	785	0	COOLING FAN HOUSING	5	10
203	0	2	AIR IN COOLING FAN HOUSING	0	0
204	786	0	COOLING FAN	1	10
205	787	0	COVER FAN TO RADIATOR	1	10
206	0	2	AIR IN FAN COVER	0	0
207	788	0	MUFFLER	1	10
208	789	0	MUFFLER TOP	1	10
209	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
210	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
211	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
212	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
213	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
214	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
215	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
216	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
217	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
218	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
219	792	0	SURGE TANK	5	20
220	793	0	RADIATOR FAN DRIVE SHAFT	1	100
221	794	0	CONNECTION MUFFLER BOTTOM	1	10
222	800	0	REAR SINGLE SEAT LEFT	5	10
223	801	0	REAR SINGLE SEAT CUSHION	18	20
224	802	0	PERSONNEL BENCH LEFT	5	10
225	803	0	PERSONNEL BENCH CUSHION LEFT	18	20
226	804	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
227	805	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
228	806	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
229	807	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
230	808	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
231	809	0	HENGE FOR REAR SINGLE SEAT LEFT	5	100
232	810	0	HENGE FOR REAR SINGLE SEAT LEFT	5	100
233	811	0	REAR SINGLE SEAT RIGHT	5	10
234	812	0	REAR SINGLE SEAT CUSHION RIGHT	18	20
235	813	0	HENGE REAR SINGLE SEAT RIGHT	5	100
236	814	0	PERSONNEL BENCH RIGHT	5	10
237	815	0	PERSONNEL BENCH CUSHION RIGHT	18	20
238	816	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
239	817	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
240	818	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
241	819	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
242	820	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
243	821	0	PERSONNEL BENCH MIDDLE REAR	5	10
244	822	0	PERSONNEL BENCH CUSHION	5	10
245	823	0	SEAT SUPPORT MIDDLE BENCH REAR	18	20
246	824	0	SEAT SUPPORT MIDDLE BENCH REAR	5	50
247	825	0	SEAT SUPPORT MIDDLE BENCH REAR	5	50
248	826	0	PERSONNEL BENCH MIDDLE FRONT	5	10

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
249	827	0	PERSONNEL BENCH CUSHION MID FRONT	18	20
250	828	0	SEAT SUPPORT MID BENCH FRONT	5	50
251	829	0	SEAT SUPPORT MID BENCH FRONT	5	50
252	830	0	SEAT SUPPORT MID BENCH FRONT	5	50
253	831	0	HENGE REAR SINGLE SEAT RIGHT	5	100
254	8001	0	DRIVER 2 HEAD	20	100
255	8002	0	DRIVER 2 UPPER TORSO	20	100
256	8003	0	DRIVER 2 LOWER TORSO	20	100
257	8004	0	DRIVER 2 HIPS	20	100
258	8005	0	DRIVER 2 ARMS	20	100
259	111	0	DRIVER 2 DUMMY	0	0
260	111	0	DRIVER 2 DUMMY	0	0
261	111	0	DRIVER 2 DUMMY	0	0
262	8006	0	DRIVER 2 UPPER LEGS	20	100
263	8007	0	DRIVER 2 LOWER LEGS	20	100
264	8008	0	DRIVER 2 HEAD	20	100
265	8009	0	RIFLEMAN1 UPPER TORSO	20	100
266	8010	0	RIFLEMAN1 LOWER TORSO	20	100
267	8011	0	RIFLEMAN1 HIPS	20	100
268	8012	0	RIFLEMAN1 ARMS	20	100
269	111	0	RIFLEMAN1 DUMMY	0	0
270	111	0	RIFLEMAN1 DUMMY	0	0
271	111	0	RIFLEMAN1 DUMMY	0	0
272	8013	0	RIFLEMAN1 UPPER LEGS	20	100
273	8014	0	RIFLEMAN1 LOWER LEGS	20	100
274	8015	0	RIFLEMAN2 HEAD	20	100
275	8016	0	RIFLEMAN2 UPPER TORSO	20	100
276	8017	0	RIFLEMAN2 LOWER TORSO	20	100
277	8018	0	RIFLEMAN2 HIPS	20	100
278	8019	0	RIFLEMAN2 ARMS	20	100
279	111	0	RIFLEMAN2 DUMMY	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
280	111	0	RIFLEMAN2	0	0
281	111	0	RIFLEMAN2	0	0
282	8020	0	UPPER LEGS	20	100
283	8021	0	LOWER LEGS	20	100
284	8022	0	HEAD	20	100
285	8023	0	UPPER TORSO	20	100
286	8024	0	LOWER TORSO	20	100
287	8025	0	HIPS	20	100
288	8026	0	ARMS	20	100
289	111	0	DUMMY	0	0
290	111	0	DUMMY	0	0
291	111	0	DUMMY	0	0
292	8027	0	UPPER LEGS	20	100
293	8028	0	LOWER LEGS	20	100
294	8029	0	HEAD	20	100
295	8030	0	UPPER TORSO	20	100
296	8031	0	LOWER TORSO	20	100
297	8032	0	HIPS	20	100
298	8033	0	ARMS	20	100
299	111	0	DUMMY	0	0
300	111	0	DUMMY	0	0
301	111	0	DUMMY	0	0
302	8034	0	UPPER LEGS	20	100
303	8035	0	LOWER LEGS	20	100
304	8036	0	HEAD	20	100
305	8037	0	UPPER TORSO	20	100
306	8038	0	LOWER TORSO	20	100
307	8039	0	HIPS	20	100
308	8040	0	ARMS	20	100
309	111	0	DUMMY	0	0
310	111	0	DUMMY	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
311	111	0	MACH GUNR		
312	8041	0	DUMMY	0	0
313	8042	0	UPPER LEGS	20	100
314	8043	0	LOWER LEGS	20	100
315	8044	0	HEAD	20	100
316	8045	0	UPPER TORSO	20	100
317	8046	0	LOWER TORSO	20	100
318	8047	0	HIPS	20	100
319	111	0	ARMS	20	100
320	111	0	DUMMY	0	0
321	111	0	DUMMY	0	0
322	8048	0	DUMMY	0	0
323	8049	0	UPPER LEGS	20	100
324	8050	0	LOWER LEGS	20	100
325	8051	0	HEAD	20	100
326	8052	0	UPPER TORSO	20	100
327	8053	0	LOWER TORSO	20	100
328	8054	0	HIPS	20	100
329	111	0	ARMS	20	100
330	111	0	DUMMY	0	0
331	111	0	DUMMY	0	0
332	8055	0	DUMMY	0	0
333	8056	0	UPPER LEGS	20	100
334	8057	0	LOWER LEGS	20	100
335	8058	0	HEAD	20	100
336	8058	0	UPPER TORSO	20	100
337	8059	0	LOWER TORSO	20	100
338	8060	0	HIPS	20	100
339	111	0	ARMS	20	100
340	111	0	DUMMY	0	0
341	111	0	DUMMY	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
342	8061	0	DRAG GUNK	20	100
343	8062	0	DRAG GUNK	20	100
344	8063	0	RIFLEMAN5	20	100
345	8064	0	RIFLEMAN5	20	100
346	8065	0	RIFLEMAN5	20	100
347	8066	0	RIFLEMAN5	20	100
348	8067	0	RIFLEMAN5	20	100
349	111	0	RIFLEMAN5	0	0
350	111	0	RIFLEMAN5	0	0
351	111	0	RIFLEMAN5	0	0
352	8068	0	RIFLEMAN5	20	100
353	8069	0	RIFLEMAN5	20	100
354	8070	0	RIFLEMAN6	20	100
355	8071	0	RIFLEMAN6	20	100
356	8072	0	RIFLEMAN6	20	100
357	8073	0	RIFLEMAN6	20	100
358	8074	0	RIFLEMAN6	20	100
359	111	0	RIFLEMAN6	0	0
360	111	0	RIFLEMAN6	0	0
361	111	0	RIFLEMAN6	0	0
362	8075	0	RIFLEMAN6	20	100
363	8076	0	RIFLEMAN6	20	100
364	8077	0	RIFLEMAN7	20	100
365	8078	0	RIFLEMAN7	20	100
366	8079	0	RIFLEMAN7	20	100
367	8080	0	RIFLEMAN7	20	100
368	8081	0	RIFLEMAN7	20	100
369	111	0	RIFLEMAN7	0	0
370	111	0	RIFLEMAN7	0	0
371	111	0	RIFLEMAN7	0	0
372	8082	0	RIFLEMAN7	20	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
373	8083	0	RIFLEMAN7		
374	8084	0	RIFLEMAN8		
375	8085	0	RIFLEMAN8		
376	8086	0	RIFLEMAN8		
377	8087	0	RIFLEMAN8		
378	8088	0	RIFLEMAN8		
379	111	0	RIFLEMAN8		
380	111	0	RIFLEMAN8		
381	111	0	RIFLEMAN8		
382	8089	0	RIFLEMAN8		
383	8090	0	RIFLEMAN8		
384	8091	0	SQUAD LDR		
385	8092	0	SQUAD LDR		
386	8093	0	SQUAD LDR		
387	8094	0	SQUAD LDR		
388	8095	0	SQUAD LDR		
389	111	0	SQUAD LDR		
390	111	0	SQUAD LDR		
391	111	0	SQUAD LDR		
392	8096	0	SQUAD LDR		
393	8097	0	SQUAD LDR		
394	8098	0	MACH S L		
395	8099	0	MACH S L		
396	8100	0	MACH S L		
397	8101	0	MACH S L		
398	8102	0	MACH S L		
399	111	0	MACH S L		
400	111	0	MACH S L		
401	111	0	MACH S L		
402	8103	0	MACH S L		
403	8104	0	MACH S L		
			LOWER LEGS	20	100
			HEAD	20	100
			UPPER TORSO	20	100
			LOWER TORSO	20	100
			HIPS	20	100
			ARMS	20	100
			DUMMY	0	0
			DUMMY	0	0
			DUMMY	0	0
			UPPER LEGS	20	100
			LOWER LEGS	20	100
			HEAD	20	100
			UPPER TORSO	20	100
			LOWER TORSO	20	100
			HIPS	20	100
			ARMS	20	100
			DUMMY	0	0
			DUMMY	0	0
			DUMMY	0	0
			UPPER LEGS	20	100
			LOWER LEGS	20	100
			HEAD	20	100
			UPPER TORSO	20	100
			LOWER TORSO	20	100
			HIPS	20	100
			ARMS	20	100
			DUMMY	0	0
			DUMMY	0	0
			DUMMY	0	0
			UPPER LEGS	20	100
			LOWER LEGS	20	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
404	8105	0	AMMO MAN	20	100
405	8106	0	AMMO MAN	20	100
406	8107	0	AMMO MAN	20	100
407	8108	0	AMMO MAN	20	100
408	8109	0	AMMO MAN	20	100
409	111	0	AMMO MAN	0	0
410	111	0	AMMO MAN	0	0
411	111	0	AMMO MAN	0	0
412	8110	0	AMMO MAN	20	100
413	8111	0	AMMO MAN	20	100
414	8112	0	RIFLE 10	20	100
415	8113	0	RIFLE 10	20	100
416	8114	0	RIFLE 10	20	100
417	8115	0	RIFLE 10	20	100
418	8116	0	RIFLE 10	20	100
419	111	0	RIFLE 10	0	0
420	111	0	RIFLE 10	0	0
421	111	0	RIFLE 10	0	0
422	8117	0	RIFLE 10	20	100
423	8118	0	RIFLE 10	20	100
424	8119	0	RIFLE 11	20	100
425	8120	0	RIFLE 11	20	100
426	8121	0	RIFLE 11	20	100
427	8122	0	RIFLE 11	20	100
428	8123	0	RIFLE 11	20	100
429	111	0	RIFLE 11	0	0
430	111	0	RIFLE 11	0	0
431	111	0	RIFLE 11	0	0
432	8124	0	RIFLE 11	20	100
433	8125	0	RIFLE 11	20	100
434	8126	0	RIFLE 12	20	100

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
435	8127	0	RIFLE 12	20	100
436	8128	0	UPPER TORSO	20	100
437	8129	0	LOWER TORSO	20	100
438	8130	0	HIPS	20	100
439	111	0	ARMS	20	100
440	111	0	DUMMY	0	0
441	111	0	DUMMY	0	0
442	111	0	DUMMY	0	0
443	8131	0	RIFLE 12	20	100
444	8132	0	UPPER LEGS	20	100
445	8133	0	LOWER LEGS	20	100
446	8134	0	HEAD	20	100
447	8135	0	UPPER TORSO	20	100
448	8136	0	LOWER TORSO	20	100
449	8137	0	HIPS	20	100
450	111	0	ARMS	20	100
451	111	0	DUMMY	0	0
452	111	0	DUMMY	0	0
453	8138	0	DUMMY	0	0
454	8139	0	UPPER LEGS	20	100
455	8140	0	LOWER LEGS	20	100
456	8141	0	HEAD	20	100
457	8142	0	UPPER TORSO	20	100
458	8143	0	LOWER TORSO	20	100
459	8144	0	HIPS	20	100
460	111	0	ARMS	20	100
461	111	0	DUMMY	0	0
462	111	0	DUMMY	0	0
463	8145	0	UPPER LEGS	20	100
464	8146	0	LOWER LEGS	20	100
465	8147	0	HEAD	20	100
	8148	0	UPPER TORSO	20	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
466	8149	0	MACH GUNR		
467	8150	0	MACH GUNR	20	100
468	8151	0	MACH GUNR	20	100
469	111	0	MACH GUNR	20	100
470	111	0	MACH GUNR	0	0
471	111	0	MACH GUNR	0	0
472	8152	0	MACH GUNR	0	0
473	8153	0	MACH GUNR	20	100
474	8154	0	MACH GUNR	20	100
475	8155	0	AMMO MAN	20	100
476	8156	0	AMMO MAN	20	100
477	8157	0	AMMO MAN	20	100
478	8158	0	AMMO MAN	20	100
479	111	0	AMMO MAN	20	100
480	111	0	AMMO MAN	0	0
481	111	0	AMMO MAN	0	0
482	8159	0	AMMO MAN	0	0
483	8160	0	AMMO MAN	20	100
484	8161	0	AMMO MAN	20	100
485	8162	0	AMMO MAN	20	100
486	8163	0	AMMO MAN	20	100
487	8164	0	AMMO MAN	20	100
488	8165	0	AMMO MAN	20	100
489	111	0	AMMO MAN	0	0
490	111	0	AMMO MAN	0	0
491	111	0	AMMO MAN	0	0
492	8166	0	AMMO MAN	20	100
493	8167	0	AMMO MAN	20	100
494	8168	0	DRAGON 2	20	100
495	8169	0	DRAGON 2	20	100
496	8170	0	DRAGON 2	20	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
497	8171	0	DRAGON 2	20	100
498	8172	0	DRAGON 2	20	100
499	111	0	ARMS	0	0
500	111	0	DUMMY	0	0
501	111	0	DUMMY	0	0
502	8173	0	DRAGON 2	20	100
503	8174	0	DRAGON 2	20	100
504	1100	0	UPPER LEGS	5	100
505	0	2	LOWER LEGS	0	0
506	1101	0	TURRET RING	5	100
507	0	2	AIR IN TURRET RING	0	0
508	1102	0	CUPOLA BOTTOM PORTION	5	100
509	0	2	AIR IN CUPOLA BOTTOM	0	0
510	1103	0	CUPOLA TOP PORTION	5	100
511	1103	0	AIR IN TOP OF CUPOLA	0	0
512	1104	0	MACHINE GUN STOCK	1	60
513	1105	0	MACHINE GUN BARREL	1	60
514	1106	0	ENGINE SUPPORT BEAM	1	20
515	1107	0	STIFFENER ENGINE SUPPORT	5	100
516	0	2	STIFFENER ENGINE SUPPORT	5	100
517	0	2	SECTION BETW DRIVER-TRP CMDR	5	100
518	1108	0	AIR IN SECTION BETW DRVK-TRP CMDR	0	0
519	0	2	AIR IN HULL BELOW SECTION	0	0
520	1109	0	TROOP COMMANDER HATCH	5	100
521	0	2	AIR IN TROOP COMMANDER HATCH	0	0
522	0	2	HATCH DOOR TROOP COMMANDER	5	100
523	1110	0	AIR IN HATCH DOOR TROOP COMMANDER	0	0
524	0	2	AIR BELOW TROOP COMMANDER HATCH	0	0
525	1111	0	DRIVER HATCH	5	100
526	0	2	AIR IN DRIVER HATCH	0	0
527	1112	0	DRIVER HATCH DOOR	5	100
			RING FOR DRIVER HATCH	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
528	0	2	AIR IN RING FOR DRIVER HATCH	0	0
529	795	0	RIGHT ANGLE DRIVE LEFT	1	35
530	795	0	FROM RT ANGLE DRV TO UNIV LEFT	1	35
531	796	0	UNIVERSAL FROM LT RT ANGLE DRIVE	1	95
532	797	0	UNIVERSAL FROM RTU LEFT	1	95
533	798	0	SHAFT FROM UNIVERS TO UNIVERS LT	1	95
534	799	0	RIGHT ANGLE DRIVE RIGHT	1	35
535	7700	0	FROM RT ANGLE DRV TO UNIV RIGHT	1	100
536	7701	0	UNIVERSAL FROM RT RT ANGLE DRV	1	95
537	7702	0	UNIVERSAL FROM PTO RIGHT	1	95
538	7703	0	SHAFT FROM UNIVERS TO UNIVERS RT	1	10
539	7704	0	SHAFT FROM RT ANGLE DR TO UNIV LE	1	35
540	7705	0	UNIVERSAL FRONT OF RT ANGLE DRIVE	1	95
541	7706	0	SHAFT UNIV TO REAR UNIV LEFT	1	10
542	7707	0	REAR UNIVERSAL IN VEHICLE	1	95
543	7708	0	SHAFT REAR UNIV TO PROP UNIT LEFT	1	10
544	7709	0	SHAFT REAR UNIV TO PROP UNIT RIGHT	1	10
545	7710	0	WATER PROP UNIT FRONT LEFT	1	30
546	7710	0	WATER PROP UNIT REAK LEFT	1	30
547	7711	0	DUCT OUTSIDE END WATER PROP LEFT	5	100
548	0	0	DUMMY REGION	0	0
549	7712	0	DEFLECTOR WATER PROP UNIT LEFT	5	100
550	0	0	DUMMY REGION	0	0
551	7713	0	SHAFT RT ANGLE DRIVE TO UNIV RIGHT	1	35
552	7714	0	UNIVERSAL FRONT OF RT ANGL DRV RI	1	50
553	7715	0	SHAFT UNIVER TO UNIVERS RIGHT	1	10
554	7716	0	REAR UNIVERSAL IN VEHICLE	1	30
555	7717	0	WATER PROPULSION UNIT FRONT RT	1	30
556	7717	0	WATER PROPULSION UNIT REAR RT	1	30
557	7718	0	DUCT OUTSIDE END WATER PROP RT	5	100
558	0	0	DUMMY REGION	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LGS PERCENT
559	7719	0	DEFLECTOR WATER PROP UNIT RIGHT	5	100
560	0	0	DUMMY REGION	0	0
561	7720	0	SHAFT TO ACTUATOR CYLINDER LEFT	1	50
562	7721	0	ACTUATOR CYLINDER LEFT	5	20
563	7722	0	SHAFT TO ACTUATOR CYLINDER RIGHT	1	50
564	7723	0	ACTUATOR CYLINDER RIGHT	5	20
565	7224	0	ACTUATOR SOLENOID LEFT	5	20
566	7225	0	ACTUATOR SOLENOID RIGHT	5	20
567	7226	0	RAMP ACTUATOR TUBE	5	20
568	7227	0	CABLE FROM RAMP ACTUATOR TUBE	1	100
569	7228	0	HYDRAULIC BILGE PUMP RIGHT REAR	5	30
570	7229	0	ELECTRIC BILGE PUMP LEFT REAR	5	30
571	7229	0	ELECTRIC BILGE PUMP LEFT REAR	5	30
572	7230	0	HYD LINE BET VEH REAR + BILGE PUM	1	20
573	7230	0	HYD LINE BETWEEN MODULE + VEH REAR	1	20
574	7331	0	HYDRAULIC BILGE PUMP FRONT LEFT	5	30
575	7332	0	ELECTRIC BILGE PUMP FRONT RIGHT	5	30
576	7333	0	SEA MODE SOLENOID VALVE	5	20
577	7334	0	HYDRAULIC OIL RESERVOIR	1	30
578	7335	0	HYDRAULIC OIL FILTER	5	20
579	7336	0	HOSE TO HYDRAULIC OIL RESERVOIR	1	20
580	7337	0	HOSE FROM RESERVOIR THRU FILTER	1	20
581	7338	0	PLENUM ACTUATOR SOLENOID VALVE	5	40
582	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
583	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
584	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
585	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
586	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
587	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
588	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
589	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
590	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
591	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
592	7342	0	TROOP COMMANDER SEAT WALL SUPPORT	5	50
593	7343	0	TROOP COMMANDER SEAT SUPPORT	5	50
594	7344	0	TROOP COMMANDER SEAT SUPPORT	5	50
595	7345	0	TROOP COMMANDER SEAT SUPPORT	5	50
596	7346	0	TROOP COMMANDER BACK REST	5	50
597	7347	0	TROOP COMMANDER SEAT	5	10
598	7348	0	HYDRAULIC LINE	1	10
599	7348	0	HYDRAULIC LINE	1	20
600	7349	0	HYDRAULIC LINE	1	20
601	7349	0	HYDRAULIC LINE	1	20
602	7350	0	ACCELERATOR PEDAL	5	10
603	7351	0	ACCELERATOR PEDAL SUPPORT BRACKET	5	100
604	7352	0	SHAFT THRU FOOT PEDAL SUPPORT	5	100
605	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
606	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
607	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
608	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
609	7354	0	THROTTLE CONTROL HANDLE	5	100
610	7355	0	SHAFT THRU ENGINE BULKHEAD	5	100
611	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
612	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
613	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
614	7357	0	LINKAGE FOR FUEL SHUTOFF	5	100
615	7358	0	LINKAGE TO GOVERNOR	5	100
616	7358	0	LINKAGE TO GOVERNOR	5	100
617	7358	0	LINKAGE TO GOVERNOR	5	100
618	7358	0	LINKAGE TO GOVERNOR	5	100
619	7358	0	LINKAGE TO GOVERNOR	5	100
620	7359	0	CONTROL CONSOLE LOWER PART	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
621	0	2	AIR IN CONTROL CONSOLE	0	0
622	7360	0	CONTROL CONSOLE UPPER PART	5	100
623	0	2	AIR IN CONTROL CONSOLE	0	0
624	7361	0	FIRE EXTINGUISHER	1	10
625	7362	0	STEERING SUPPORT BAR	5	100
626	7363	0	STEERING WHEEL	5	50
627	7364	0	STEERING WHEEL SHAFT	5	100
628	7364	0	STEERING WHEEL SHAFT	5	100
629	7365	0	STEERING CONNECTING LINKS	1	100
630	7366	0	STEERING CONNECTING LINKS	1	100
631	7367	0	STEERING CONNECTING LINKS	1	100
632	7368	0	STEERING CONNECTING LINKS	1	100
633	7369	0	CONNECTING LEVER	1	100
634	7370	0	STEERING CONNECTING LINKS	1	100
635	7371	0	STEERING CONNECTING LINKS	1	100
636	7372	0	BRAKE PEDAL SUPPORT BRACKET	5	50
637	7373	0	BRAKE PEDAL	5	100
638	7374	0	BRAKE PEDAL LEVER	5	100
639	7375	0	BRAKE LINKAGE	5	100
640	7375	0	BRAKE LINKAGE	5	100
641	7375	0	BRAKE LINKAGE	5	100
642	7375	0	BRAKE LINKAGE	5	100
643	7376	0	BRACKET TO STEER-BRAKE SECTIONS	5	75
644	7377	0	AMMO STOWAGE MAGAZINE	1	20
645	7378	0	COMMANDER SEAT	5	10
646	7379	0	COMMANDER BACK REST	5	10
647	7380	0	COMMANDER SEAT SUPPORT PLATE	5	100
648	7381	0	COMMANDER SEAT SUPPORT ARM	5	100
649	7382	0	VERTICAL SEAT SUPPORT	5	50
650	7383	0	ELECTRIC MOTOR	1	40
651	7384	0	HYDRAULIC OIL RESERVOIR	1	10

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
652	7385	0	HYDRAULIC PUMP AND DRIVE	1	30
653	7386	0	ACCUMULATOR	1	10
654	7387	0	SLIP RING	1	75
655	7388	0	TRAVERS DRIVE	1	90
656	7389	0	TRAVERS MOTOR	1	30
657	7390	0	SIGHT PERISCOPE	12	100
658	7391	0	DRIVER SEAT WALL SUPPORT	5	100
659	7392	0	DRIVER SEAT SUPPORT	5	100
660	7393	0	DRIVER SEAT SUPPORT	5	100
661	7394	0	DRIVER SEAT SUPPORT	5	100
662	7395	0	DRIVER SEAT SUPPORT	5	100
663	7396	0	DRIVER BACK REST	5	20
664	8176	0	DRIVER 1	20	100
665	8177	0	DRIVER 1	20	100
666	8178	0	DRIVER 1	20	100
667	8179	0	DRIVER 1	20	100
668	8180	0	DRIVER 1	20	100
669	111	0	DRIVER 1	0	0
670	111	0	DRIVER 1	0	0
671	111	0	DRIVER 1	0	0
672	8181	0	DRIVER 1	20	100
673	8182	0	DRIVER 1	20	100
674	8184	0	TRP COMDR	20	100
675	8185	0	TRP COMDR	20	100
676	8186	0	TRP COMDR	20	100
677	8187	0	TRP COMDR	20	100
678	8188	0	TRP COMDR	20	100
679	111	0	TRP COMDR	0	0
680	111	0	TRP COMDR	0	0
681	111	0	TRP COMDR	0	0
682	8189	0	TRP COMDR	20	100
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			DUMMY		
			DUMMY		
			DUMMY		
			UPPER LEGS		

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
683	8190	0	TRP COMDR	20	100
684	8192	0	COMMANDER	20	100
685	8193	0	COMMANDER	20	100
686	8194	0	COMMANDER	20	100
687	8195	0	COMMANDER	20	100
688	8196	0	COMMANDER	20	100
689	111	0	COMMANDER	0	0
690	111	0	COMMANDER	0	0
691	111	0	COMMANDER	0	0
692	8197	0	COMMANDER	20	100
693	8198	0	COMMANDER	20	100
694	7388	0	TURRET TRAVERSE DRIVE	1	90
695	7388	0	TURRET TRAVERSE DRIVE	1	90
696	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
697	7399	0	FUE RET LINE (RUBBER) TO FUEL CELL	18	20
698	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
699	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
700	7398	0	FUE SUP/RET MANIFOL FROM FUEL CELL	5	50
701	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
702	7399	0	FUE RET LINE (RUBBER) TO FUEL CELL	18	20
703	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
704	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
705	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
706	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
707	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
708	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
709	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
710	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
711	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
712	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
713	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
714	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
715	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
716	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
717	7401	0	FUEL MANIFOLD FRONT LEFT	5	5
718	503	0	TORSION BAR RS 1ST ROAD WHEEL	3	100
719	503	0	TORSION BAR RS 1ST ROAD WHEEL	3	100
720	504	0	ARM RS 1ST	2	100
721	505	0	HUB RS 1ST	2	100
722	506	0	HUB CAP RS 1ST	2	100
723	0	0	DUMMY REGION RS 1ST OUTSIDE	0	0
724	507	0	WHEEL RS 1ST OUTSIDE	5	100
725	508	0	TIRE RS 1ST OUTSIDE	18	100
726	0	0	DUMMY REGION RS 1ST INSIDE	0	0
727	509	0	WHEEL RS 1ST INSIDE	5	100
728	510	0	TIRE RS 1ST INSIDE	18	100
729	511	0	TORSION BAR RS 2ND ROAD WHEEL	3	100
730	511	0	TORSION BAR RS 2ND ROAD WHEEL	3	100
731	512	0	ARM RS 2ND	2	100
732	513	0	HUB RS 2ND	2	100
733	514	0	HUB CAP RS 2ND	2	100
734	0	0	DUMMY REGION RS 2ND OUTSIDE	0	0
735	515	0	WHEEL RS 2ND OUTSIDE	5	100
736	516	0	TIRE RS 2ND OUTSIDE	18	100
737	0	0	DUMMY REGION RS 2ND INSIDE	0	0
738	517	0	WHEEL RS 2ND INSIDE	5	100
739	518	0	TIRE RS 2ND INSIDE	18	100
740	519	0	TORSION BAR RS 3RD ROAD WHEEL	3	100
741	519	0	TORSION BAR RS 3RD ROAD WHEEL	3	100
742	520	0	ARM RS 3RD	2	100
743	521	0	HUB RS 3RD	2	100
744	522	0	HUB CAP RS 3RD	2	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
745	0	0	DUMMY REGION RS 3RD OUTSIDE	0	0
746	523	0	WHEEL RS 3RD OUTSIDE	5	100
747	524	0	TIRE RS 3RD OUTSIDE	18	100
748	0	0	DUMMY REGION RS 3RD INSIDE	0	0
749	525	0	WHEEL RS 3RD INSIDE	5	100
750	526	0	TIRE RS 3RD INSIDE	18	100
751	527	0	TORSION BAR RS 4TH ROAD WHEEL	3	100
752	527	0	TORSION BAR RS 4TH ROAD WHEEL	3	100
753	528	0	ARM RS 4TH	2	100
754	529	0	HUB RS 4TH	2	100
755	530	0	HUB CAP RS 4TH	2	100
756	0	0	DUMMY REGION RS 4TH OUTSIDE	0	0
757	531	0	WHEEL RS 4TH OUTSIDE	5	100
758	532	0	TIRE RS 4TH OUTSIDE	18	100
759	0	0	DUMMY REGION RS 4TH INSIDE	0	0
760	533	0	WHEEL RS 4TH INSIDE	5	100
761	534	0	TIRE RS 4TH INSIDE	18	100
762	535	0	TORSION BAR RS 5TH ROAD WHEEL	3	100
763	535	0	TORSION BAR RS 5TH ROAD WHEEL	3	100
764	536	0	ARM RS 5TH	2	100
765	537	0	HUB RS 5TH	2	100
766	538	0	HUB CAP RS 5TH	2	100
767	0	0	DUMMY REGION RS 5TH OUTSIDE	0	0
768	539	C	WHEEL RS 5TH OUTSIDE	5	100
769	540	0	TIRE RS 5TH OUTSIDE	18	100
770	0	0	DUMMY REGION RS 5TH INSIDE	0	0
771	541	0	WHEEL RS 5TH INSIDE	5	100
772	542	0	TIRE RS 5TH INSIDE	18	100
773	543	0	TORSION BAR RS 6TH ROAD WHEEL	3	100
774	543	0	TORSION BAR RS 6TH ROAD WHEEL	3	100
775	544	0	ARM RS 6TH	2	100

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
776	545	0	HUB RS 6TH	2	100
777	546	0	HUB CAP RS 6TH	2	100
778	0	0	DUMMY REGION RS 6TH OUTSIDE	0	0
779	547	0	WHEEL RS 6TH OUTSIDE	5	100
780	548	0	TIRE RS 6TH OUTSIDE	18	100
781	0	0	DUMMY REGION RS 6TH INSIDE	0	0
782	549	0	WHEEL RS 6TH INSIDE	5	100
783	550	0	TIRE RS 6TH INSIDE	18	100
784	551	0	SPROCKET TR RS OUTSIDE	2	100
785	0	0	DUMMY SPROCKET REG TR RS OUTSIDE	0	0
786	552	0	SPROCKET RS OUTSIDE	2	100
787	0	0	DUMMY SPROCKET REG RS OUTSIDE	0	0
788	553	0	SPROCKET TR RS INSIDE	2	100
789	0	0	DUMMY SPROCKET REG TR RS INSIDE	0	0
790	554	0	SPROCKET RS INSIDE	2	100
791	0	0	DUMMY SPROCKET REG RS INSIDE	0	0
792	555	0	IDLER HUB RS	2	100
793	556	0	IDLER RS OUTSIDE	1	100
794	0	0	DUMMY IDLER REG RS OUTSIDE	0	0
795	557	0	IDLER SPACER RS	5	100
796	558	0	IDLER AXLE RS	2	100
797	559	0	IDLER RS INSIDE	1	100
798	0	0	DUMMY IDLER REG RS INSIDE	0	0
799	560	0	TORSION BAR LS 1ST ROAD WHEEL	3	100
800	560	0	TORSION BAR LS 1ST ROAD WHEEL	3	100
801	561	0	ARM LS 1ST	2	100
802	562	0	HUB LS 1ST	2	100
803	563	0	HUB CAP LS 1ST	2	100
804	0	0	DUMMY REGION LS 1ST OUTSIDE	0	0
805	564	0	WHEEL LS 1ST OUTSIDE	5	100
806	565	0	TIRE LS 1ST OUTSIDE	18	100

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
807	0	0	DUMMY REGION LS 1ST INSIDE	0	0
808	566	0	WHEEL LS 1ST INSIDE	5	100
809	567	0	TIRE LS 1ST INSIDE	18	100
810	568	0	TORSION BAR LS 2ND ROAD WHEEL	3	100
811	568	0	TORSION BAR LS 2ND ROAD WHEEL	3	100
812	569	0	ARM LS 2ND	2	100
813	570	0	HUB LS 2ND	2	100
814	571	0	HUB CAP LS 2ND	2	100
815	0	0	DUMMY REGION LS 2ND OUTSIDE	0	0
816	572	0	WHEEL LS 2ND OUTSIDE	5	100
817	573	0	TIRE LS 2ND OUTSIDE	18	100
818	0	0	DUMMY REGION LS 2ND INSIDE	0	0
819	574	0	WHEEL LS 2ND INSIDE	5	100
820	575	0	TIRE LS 2ND INSIDE	18	100
821	576	0	TORSION BAR LS 3RD ROAD WHEEL	3	100
822	576	0	TORSION BAR LS 3RD ROAD WHEEL	3	100
823	577	0	ARM LS 3RD	2	100
824	578	0	HUB LS 3RD	2	100
825	579	0	HUB CAP LS 3RD	2	100
826	0	0	DUMMY REGION LS 3RD OUTSIDE	0	0
827	580	0	WHEEL LS 3RD OUTSIDE	5	100
828	581	0	TIRE LS 3RD OUTSIDE	18	100
829	0	0	DUMMY REGION LS 3RD INSIDE	0	0
830	582	0	WHEEL LS 3RD INSIDE	5	100
831	583	0	TIRE LS 3RD INSIDE	18	100
832	584	0	TORSION BAR LS 4TH ROAD WHEEL	3	100
833	584	0	TORSION BAR LS 4TH ROAD WHEEL	3	100
834	585	0	ARM LS 4TH	2	100
835	586	0	HUB LS 4TH	2	100
836	587	0	HUB CAP LS 4TH	2	100
837	0	0	DUMMY REGION LS 4TH OUTSIDE	0	0

TABLE 8-411. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
838	588	0	WHEEL LS 4TH OUTSIDE	5	100
839	589	0	TIRE LS 4TH OUTSIDE	18	100
840	0	0	DUMMY REGION LS 4TH INSIDE	0	0
841	590	0	WHEEL LS 4TH INSIDE	5	100
842	591	0	TIRE LS 4TH INSIDE	18	100
843	592	0	TORSION BAR LS 5TH ROAD WHEEL	3	100
844	592	0	TORSION BAR LS 5TH ROAD WHEEL	3	100
845	593	0	ARM LS 5TH	2	100
846	594	0	HUB LS 5TH	2	100
847	595	0	HUB CAP LS 5TH	2	100
848	0	0	DUMMY REGION LS 5TH OUTSIDE	0	0
849	596	0	WHEEL LS 5TH OUTSIDE	5	100
850	597	0	TIRE LS 5TH OUTSIDE	18	100
851	0	0	DUMMY REGION LS 5TH INSIDE	0	0
852	598	0	WHEEL LS 5TH INSIDE	5	100
853	599	0	TIRE LS 5TH INSIDE	18	100
854	5500	0	TORSION BAR LS 6TH ROAD WHEEL	3	100
855	5500	0	TORSION BAR LS 6TH ROAD WHEEL	3	100
856	5501	0	ARM LS 6TH	2	100
857	5502	0	HUB LS 6TH	2	100
858	5503	0	HUB CAP LS 6TH	2	100
859	0	0	DUMMY REGION LS 6TH OUTSIDE	0	0
860	5504	0	WHEEL LS 6TH OUTSIDE	5	100
861	5505	0	TIRE LS 6TH OUTSIDE	18	100
862	0	0	DUMMY REGION LS 6TH INSIDE	0	0
863	5506	0	WHEEL LS 6TH INSIDE	5	100
864	5507	0	TIRE LS 6TH INSIDE	18	100
865	5508	0	SPRCKET TR LS OUTSIDE	2	100
866	0	0	DUMMY SPROCKET REG TR LS OUTSIDE	0	0
867	5509	0	SPRCKET LS OUTSIDE	2	100
868	0	0	DUMMY SPROCKET REG LS OUTSIDE	0	0

TABLE 3-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)					
REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LGS PERCENT
869	5510	0	SPROCKET TR LS INSIDE	2	100
870	0	0	DUMMY SPROCKET REG TR LS INSIDE	0	0
871	5511	0	SPROCKET LS INSIDE	2	100
872	0	0	DUMMY SPROCKET REG LS INSIDE	0	0
873	5512	0	IDLER HUB LS	2	100
874	5513	0	IDLER LS OUTSIDE	2	100
875	0	0	DUMMY IDLER REG LS OUTSIDE	0	0
876	5514	0	IDLER SPACER LS	5	100
877	5515	0	IDLER AXLE LS	2	100
878	5516	0	IDLER LS INSIDE	2	100
879	0	0	DUMMY IDLER REG LS INSIDE	0	0
880	5517	0	TRACK FRONT SLOPE RS	2	40
881	5518	0	TRACK REAR SLOPE RS	2	40
882	5519	0	TRACK BOT RS	2	40
883	0	0	IDLER DUMMY ARB8 RS	0	0
884	0	0	DRIVE SPROCKET DUMMY ARB8 RS	0	0
885	5520	0	TRACK DRIVE SPROCKET RS	2	40
886	5521	0	TRACK IDLER RS	2	40
887	5522	0	TRACK TOP RS	2	40
888	0	0	IDLER DUMMY RCC RS	0	0
889	0	0	DRIVE SPROCKET DUMMY RCC RS	0	0
890	5523	0	TRACK FRONT SLOPE LS	2	40
891	5524	0	TRACK REAR SLOPE LS	2	40
892	5525	0	TRACK BOT LS	2	40
893	0	0	IDLER DUMMY ARB8 LS	0	0
894	0	0	DRIVE SPROCKET DUMMY ARB8 LS	0	0
895	5526	0	TRACK DRIVE SPROCKET LS	2	40
896	5527	0	TRACK IDLER LS	2	40
897	5528	0	TRACK TOP LS	2	40
898	0	0	IDLER DUMMY RCC LS	0	0
899	0	0	DRIVE SPROCKET DUMMY RCC LS	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LUS PERCENT
900	5529	0	TRACK ADJUSTER RS	5	20
901	5530	0	TRACK ADJUSTER RS	5	20
902	5531	0	TRACK ADJUSTER RS	5	20
903	5532	0	REAR SHOCK ABSORBER RS	5	20
904	5533	0	REAR SHOCK ABSORBER RS	5	20
905	5534	0	REAR SHOCK ABSORBER RS	5	20
906	5535	0	FRONT SHOCK ABSORBER RS	5	20
907	5536	0	FRONT SHOCK ABSORBER RS	5	20
908	5537	0	FRONT SHOCK ABSORBER RS	5	20
909	5538	0	TRACK ADJUSTER LS	5	20
910	5539	0	TRACK ADJUSTER LS	5	20
911	5540	0	TRACK ADJUSTER LS	5	20
912	5541	0	REAR SHOCK ABSORBER LS	5	20
913	5542	0	REAR SHOCK ABSORBER LS	5	20
914	5543	0	REAR SHOCK ABSORBER LS	5	20
915	5544	0	FRONT SHOCK ABSORBER LS	5	20
916	5545	0	FRONT SHOCK ABSORBER LS	5	20
917	5546	0	FRONT SHOCK ABSORBER LS	5	20
918	7402	0	SEA MODE SENSING MODULE	5	10
919	101	0	HULL MIDDLE DECK	5	100
920	102	0	HULL RIGHT REAR DECK	5	100
921	103	0	HULL LEFT REAR DECK	5	100
922	104	0	HULL RIGHT REAR LOWER SIDE	5	100
923	105	0	HULL RIGHT MIDDLE LOWER SIDE	5	100
924	106	0	HULL RIGHT FORWARD LOWER SIDE	5	100
925	107	0	HULL BOTTOM AFT	5	100
926	108	0	HULL LEFT REAR LOWER SIDE	5	100
927	109	0	HULL LEFT MIDDLE LOWER SIDE	5	100
928	110	0	HULL LEFT FORWARD LOWER SIDE	5	100
929	112	0	HULL STERN PLATE	5	100
930	113	0	HULL RIGHT SIDE WATER JET	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
931	114	0	HULL RIGHT UPPER SIDE PART1 13-2	5	100
932	115	0	HULL RIGHT UPPER SIDE PART2 14-13-	5	100
933	116	0	HULL LEFT SIDE WATER JET 15	5	100
934	117	0	HULL LEFT UPPER SIDE PART1 16-3	5	100
935	118	0	HULL LEFT UPPER SIDE PART2 17-16-	5	100
936	119	0	HULL LT MOUNTING PLATE JET 18-37	5	100
937	120	0	HULL RT MOUNTING PLATE JET 19-35	5	100
938	121	0	HULL RT TOP CLOSURE WATER JET20-2	5	100
939	122	0	HULL LT TOP CLOSURE WATER JET21-3	5	100
940	123	0	HULL FORWARD RT MOUNTING PLATE 22-	5	100
941	124	0	HULL REAR RT MOUNTING PLATE 23-41	5	100
942	125	0	HULL RT SLOPED JET CLOSURE 24-20	5	100
943	126	0	HULL LT SLOPED JET CLOSURE 25-21	5	100
944	127	0	HULL RT MIDDLE SPONSON 26-22	5	100
945	128	0	HULL LT MIDDLE SPONSON 27-18	5	100
946	129	0	HULL AFT RT CLOSURE PLATE JET28-11	5	100
947	130	0	HULL AFT LT CLOSURE PLATE JET29-11	5	100
948	131	0	HULL LT SIDE SPONSON 30-31-32-1	5	100
949	0	0	DUMMY REGION-SPONSON INSIDE	0	0
950	0	0	DUMMY REGION	0	0
951	0	0	DUMMY REGION 1	0	0
952	132	0	HULL BOTTOM LT MOUNTING PLATE 34-3	5	100
953	0	0	DUMMY REGION 2	0	0
954	133	0	HULL RT SPONSON 36-37-38-12-4-4	5	100
955	0	0	DUMMY -SPONSON INSIDE	0	0
956	0	0	DUMMY REGION RPP	0	0
957	0	0	DUMMY 3	0	0
958	134	0	HULL BOTTOM RT MOUNT PLATE JET 40	5	100
959	0	0	DUMMY 4	0	0
960	0	2	LOWER HULL AIR	0	0
961	0	2	AIR REAR HULL LOWER	0	0

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LOS PERCENT
962	135	0	HULL FORWARD	MIDDLE DECK 1	5	100
963	136	0	HULL FORWARD	MIDDLE DECK 2	5	100
964	137	0	HULL FORWARD	MIDDLE DECK 3	5	100
965	138	0	HULL FORWARD	MIDDLE DECK 4	5	100
966	139	0	HULL FORWARD	MIDDLE DECK 5	5	100
967	140	0	HULL FORWARD	MIDDLE DECK 6	5	100
968	141	0	HULL FORWARD	MIDDLE DECK 7	5	100
969	142	0	HULL FORWARD	MIDDLE DECK 8	5	100
970	143	0	HULL FORWARD	RIGHT UPPER SIDE 1	5	100
971	144	0	HULL FORWARD	RIGHT UPPER SIDE 2	5	100
972	145	0	HULL FORWARD	RIGHT UPPER SIDE 3	5	100
973	146	0	HULL FORWARD	RIGHT UPPER SIDE 4	5	100
974	147	0	HULL FORWARD	RIGHT UPPER SIDE 5	5	100
975	148	0	HULL FORWARD	RIGHT UPPER SIDE 6	5	100
976	149	0	HULL FORWARD	RIGHT UPPER SIDE 7	5	100
977	150	0	HULL FORWARD	RIGHT UPPER SIDE 8	5	100
978	151	0	HULL FORWARD	RIGHT UPPER SIDE 9	5	100
979	152	0	HULL FORWARD	RIGHT UPPER SIDE 10	5	100
980	153	0	HULL FORWARD	RIGHT UPPER SIDE 11	5	100
981	154	0	HULL FORWARD	RIGHT UPPER SIDE 12	5	100
982	155	0	HULL FORWARD	RIGHT UPPER SIDE 13	5	100
983	156	0	HULL FORWARD	RIGHT UPPER SIDE 14	5	100
984	157	0	HULL FORWARD	RIGHT UPPER SIDE 15	5	100
985	158	0	HULL FORWARD	RIGHT UPPER SIDE 16	5	100
986	159	0	HULL FORWARD	RIGHT UPPER SIDE 17	5	100
987	160	0	HULL FORWARD	RIGHT UPPER SIDE 18	5	100
988	161	0	HULL FORWARD	RIGHT UPPER SIDE 19	5	100
989	162	0	HULL FORWARD	RIGHT UPPER SIDE 20	5	100
990	163	0	HULL FORWARD	RIGHT UPPER SIDE 21	5	100
991	164	0	HULL FORWARD	RIGHT UPPER SIDE 22	5	100
992	165	0	HULL FORWARD	RIGHT UPPER SIDE 23	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LOS PERCENT
993	166	0	HULL FORWARD	RIGHT UPPER SIDE 24	5	100
994	167	0	HULL FORWARD	RIGHT UPPER SIDE 25	5	100
995	168	0	HULL FORWARD	RIGHT UPPER SIDE 26	5	100
996	169	0	HULL FORWARD	RIGHT UPPER SIDE 27	5	100
997	170	0	HULL FORWARD	RIGHT UPPER SIDE 28	5	100
998	171	0	HULL FORWARD	RIGHT UPPER SIDE 29	5	100
999	172	0	HULL FORWARD	RIGHT UPPER SIDE 30	5	100
1000	173	0	HULL FORWARD	RIGHT UPPER SIDE 31	5	100
1001	174	0	HULL FORWARD	RIGHT UPPER SIDE 32	5	100
1002	175	0	HULL FORWARD	RIGHT UPPER SIDE 33	5	100
1003	176	0	HULL FORWARD	RIGHT UPPER SIDE 34	5	100
1004	177	0	HULL FORWARD	RIGHT UPPER SIDE 35	5	100
1005	178	0	HULL FORWARD	RIGHT UPPER SIDE 36	5	100
1006	179	0	HULL FORWARD	RIGHT UPPER SIDE 37	5	100
1007	180	0	HULL FORWARD	RIGHT UPPER SIDE 38	5	100
1008	181	0	HULL FORWARD	LEFT UPPER SIDE 1	5	100
1009	182	0	HULL FORWARD	LEFT UPPER SIDE 2	5	100
1010	183	0	HULL FORWARD	LEFT UPPER SIDE 3	5	100
1011	184	0	HULL FORWARD	LEFT UPPER SIDE 4	5	100
1012	185	0	HULL FORWARD	LEFT UPPER SIDE 5	5	100
1013	186	0	HULL FORWARD	LEFT UPPER SIDE 6	5	100
1014	187	0	HULL FORWARD	LEFT UPPER SIDE 7	5	100
1015	188	0	HULL FORWARD	LEFT UPPER SIDE 8	5	100
1016	189	0	HULL FORWARD	LEFT UPPER SIDE 9	5	100
1017	190	0	HULL FORWARD	LEFT UPPER SIDE 10	5	100
1018	191	0	HULL FORWARD	LEFT UPPER SIDE 11	5	100
1019	192	0	HULL FORWARD	LEFT UPPER SIDE 12	5	100
1020	193	0	HULL FORWARD	LEFT UPPER SIDE 13	5	100
1021	194	0	HULL FORWARD	LEFT UPPER SIDE 14	5	100
1022	195	0	HULL FORWARD	LEFT UPPER SIDE 15	5	100
1023	196	0	HULL FORWARD	LEFT UPPER SIDE 16	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)						
REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LDS PERCENT
1024	197	0	HULL FORWARD	LEFT UPPER SIDE 17	5	100
1025	198	0	HULL FORWARD	LEFT UPPER SIDE 16	5	100
1026	199	0	HULL FORWARD	LEFT UPPER SIDE 19	5	100
1027	200	0	HULL FORWARD	LEFT UPPER SIDE 20	5	100
1028	201	0	HULL FORWARD	LEFT UPPER SIDE 21	5	100
1029	202	0	HULL FORWARD	LEFT UPPER SIDE 22	5	100
1030	203	0	HULL FORWARD	LEFT UPPER SIDE 23	5	100
1031	204	0	HULL FORWARD	LEFT UPPER SIDE 24	5	100
1032	205	0	HULL FORWARD	LEFT UPPER SIDE 25	5	100
1033	206	0	HULL FORWARD	LEFT UPPER SIDE 26	5	100
1034	207	0	HULL FORWARD	LEFT UPPER SIDE 27	5	100
1035	208	0	HULL FORWARD	LEFT UPPER SIDE 28	5	100
1036	209	0	HULL FORWARD	LEFT UPPER SIDE 29	5	100
1037	210	0	HULL FORWARD	LEFT SIDE 30	5	100
1038	211	0	HULL FORWARD	LEFT SIDE 31	5	100
1039	212	0	HULL FORWARD	LEFT SIDE 32	5	100
1040	0	0	DUMMY RCC		0	0
1041	213	0	HULL FWD LT LOWER SIDE 1		5	100
1042	214	0	HULL FWD LT LOWER SIDE 2		5	100
1043	215	0	HULL FWD RT LOWER SIDE 1		5	100
1044	216	0	HULL FWD RT LOWER SIDE 2		5	100
1045	0	0	DUMMY RCC LT SIDE		0	0
1046	0	0	DUMMY RCC RT SIDE		0	0
1047	217	0	HULL FWD RT SPONSON 2		5	100
1048	218	0	HULL FWD RT SPONSON 3		5	100
1049	219	0	HULL CIRCULAR RT SPONSON		5	100
1050	0	0	DUMMY RCC SPONSON RT		0	0
1051	0	0	DUMMY RPP SPONSON RT		0	0
1052	0	0	DUMMY ARB SPONSON RT		0	0
1053	220	0	HULL FWD LT SPONSON 2		5	100
1054	221	0	HULL FWD LT SPONSON 3		5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1055	222	0	HULL CIRCULAR RT SPONSON	5	100
1056	0	0	DUMMY RCC SPONSON LT	0	0
1057	223	0	HULL DECK RT SIDE SLOPED 2587825	5	100
1058	224	0	HULL DECK RT SLOPED MIDDLE 2587824	5	100
1059	225	0	HULL DECK RT SLOPED MID 2	5	100
1060	226	0	HULL DECK RT SLOPED MID 3	5	100
1061	227	0	HULL DECK RT SLOPED MID 4	5	100
1062	228	0	HULL DECK RT SLOPED MID 5	5	100
1063	229	0	HULL DECK RT SLOPED MID 6	5	100
1064	230	0	HULL FWD RT SLOPED DECK 1 2587823	5	100
1065	231	0	HULL FWD RT SLOPED DECK 2	5	100
1066	232	0	HULL FWD RT SLOPED DECK 3	5	100
1067	233	0	HULL FWD RT SLOPED DECK 4	5	100
1068	234	0	HULL FWD RT SLOPED DECK 5	5	100
1069	235	0	HULL FWD RT SLOPED DECK 6	5	100
1070	236	0	HULL FWD RT SLOPED DECK 7	5	100
1071	237	0	HULL FWD RT SLOPED DECK 8	5	100
1072	238	0	HULL FWD RT SLOPED DECK 9	5	100
1073	239	0	HULL FWD RT SLOPED DECK 10	5	100
1074	240	0	HULL FWD RT SLOPED DECK 11	5	100
1075	241	0	HULL FWD RT SLOPED DECK 12	5	100
1076	242	0	HULL FWD RT SLOPED DECK 13	5	100
1077	243	0	HULL FWD RT SLOPED DECK 14	5	100
1078	244	0	HULL FWD RT SLOPED DECK 15	5	100
1079	245	0	HULL LT SLOPED DECK 1 2587826	5	100
1080	246	0	HULL LT SLOPED DECK 2	5	100
1081	247	0	HULL LT SLOPED DECK 3	5	100
1082	295	0	FRONT BOTTOM BEHIND 80W	5	100
1083	0	0	DUMMY REGION	0	0
1084	250	0	HULL LT SLOPED DECK 1 2587819	5	100
1085	180	0	RIGHT PLATE BEHIND 80W PLATE	5	100

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1086	0	0	DUMMY REGION	0	0
1087	0	0	DUMMY REGION	0	0
1088	254	0	HULL LT SLOPED DECK 1 2587643	5	100
1089	276	0	SHIELD FINAL DRIVE LEFT	5	100
1090	0	2	AIR IN SHIELD	0	0
1091	0	0	DUMMY REGION	0	0
1092	277	0	SHIELD FINAL DRIVE RIGHT	5	100
1093	259	0	HULL LT SLOPED DECK 1 2587844	5	100
1094	0	2	AIR IN SHIELD	0	0
1095	0	0	DUMMY REGION FOR SHIELDS	0	0
1096	262	0	HULL SLOPED FOR DECK 1	5	100
1097	263	0	HULL SLOPED FOR DECK 2	5	100
1098	264	0	HULL SLOPED FOR DECK 3	5	100
1099	265	0	HULL SLOPED FOR DECK 4	5	100
1100	266	0	HULL SLOPED FOR DECK 5	5	100
1101	267	0	HULL SLOPED FOR DECK 6	5	100
1102	268	0	HULL SLOPED FOR DECK 7	5	100
1103	269	0	HULL SLOPED FOR DECK 8	5	100
1104	270	0	HULL SLOPED FOR DECK 9	5	100
1105	271	0	HULL SLOPED FOR DECK 10	5	100
1106	272	0	HULL SLOPED FOR DECK 11	5	100
1107	273	0	HULL SLOPED FOR DECK 12	5	100
1108	274	0	HULL SLOPED FOR DECK 13	5	100
1109	275	0	HULL MIDDLE BOTTOM	5	100
1110	276	0	HULL FWD BOTTOM 1 2587856	5	100
1111	277	0	BOTTOM PLATE	5	100
1112	0	2	BOTTOM PLATE AIR (1111)	0	0
1113	278	0	BOTTOM PLATE	5	100
1114	0	2	BOTTOM PLATE AIR (1113)	0	0
1115	279	0	BOTTOM PLATE	5	100
1116	0	2	BOTTOM PLATE AIR (1115)	0	0

TABLE 8-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1117	280	0	BOTTOM PLATE	5	100
1118	0	2	BOTTOM PLATE AIR (1117)	0	0
1119	285	0	HULL FWD BOTTOM 10	5	100
1120	286	0	HULL FWD BOTTOM 11	5	100
1121	287	0	HULL FWD BOTTOM 12	5	100
1122	288	0	HULL FWD BOTTOM 13	5	100
1123	0	2	AIR BETWEEN SOLIDS 1122 - 10d5	0	0
1124	274	0	HULL SLOPED FOR DECK 13	5	100
1125	138	0	HULL FORWARD MIDDLE DECK 4	5	100
1126	0	2	AIR BELOW SOLID 1097	0	0
1127	0	2	AIR BELOW SOLID 1097	0	0
1128	0	2	AIR BELOW SOLID 1097	0	0
1129	295	0	HULL LT TOP STERN 1 2587820	5	100
1130	0	0	DUMMY SPHERE	0	0
1131	297	0	HULL RT TOP STERN 1	5	100
1132	0	2	AIR BELOW SOLID 1097	0	0
1133	299	0	FORWARD BULKHEAD	5	100
1134	300	0	HULL RT SIDE POD 1 2587868	5	100
1135	301	0	HULL RT SIDE POD 2	5	100
1136	302	0	HULL RT SIDE POD 3	5	100
1137	303	0	HULL RT SIDE POD 4	5	100
1138	304	0	HULL RT SIDE POD 5	5	100
1139	305	0	HULL LT SIDE POD 1	5	100
1140	306	0	HULL LT SIDE POD 2	5	100
1141	307	0	HULL LT SIDE POD 3	5	100
1142	308	0	HULL LT SIDE POD 4	5	100
1143	309	0	HULL LT SIDE POD 5	5	100
1144	310	0	HULL LT SIDE CLOSURE 2587871	5	100
1145	311	0	HULL RT SIDE CLOSURE	5	100
1146	311	0	RT POD SUPPORT 1 2587870	5	100
1147	312	0	RT POD SUPPORT 2	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1148	313	0	RT POD SUPPORT 3	5	100
1149	314	0	RT POD SUPPORT 4	5	100
1150	315	0	RT POD SUPPORT 5	5	100
1151	316	0	RT POD SUPPORT 6	5	100
1152	317	0	RT POD SUPPORT 7	5	100
1153	318	0	RT POD SUPPORT 8	5	100
1154	319	0	RT POD SUPPORT 9	5	100
1155	320	0	RT POD SUPPORT 10	5	100
1156	321	0	LT POD SUPPORT 1	5	100
1157	322	0	LT POD SUPPORT 2	5	100
1158	323	0	LT POD SUPPORT 3	5	100
1159	324	0	LT POD SUPPORT 4	5	100
1160	325	0	LT POD SUPPORT 5	5	100
1161	326	0	LT POD SUPPORT 6	5	100
1162	327	0	LT POD SUPPORT 7	5	100
1163	328	0	LT POD SUPPORT 8	5	100
1164	329	0	LT POD SUPPORT 9	5	100
1165	330	0	LT POD SUPPORT 10	5	100
1166	331	0	HULL TOP DECK OF BOW	5	100
1167	332	0	HULL RT SIDE OF BOW 2587862	5	100
1168	333	0	HULL LT SIDE OF BOW 2587862	5	100
1169	334	0	HULL FRONT OF BOW	5	100
1170	335	0	HULL BOTTOM OF BOW	5	100
1171	336	0	HULL LT BOW FILLER PLATE 2587863	5	100
1172	337	0	HULL RT BOW FILLER PLATE 2587863	5	100
1173	338	0	HULL RT SIDE JET COVER 2	5	100
1174	339	0	HULL LT SIDE JET COVER 2	5	100
1175	340	0	HULL RT PLATE 1 2587875	5	100
1176	341	0	HULL RT PLATE 2	5	100
1177	342	0	HULL LT PLATE 1 2587875	5	100
1178	343	0	HULL LT PLATE 2	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1179	0	2	AIR BULKHEAD TO REAR REG 962	0	0
1180	0	2	AIR FROM BULKHEAD BELOW 1096	0	0
1181	0	2	AIR FROM BULKHEAD BELOW 1098	0	0
1182	0	2	AIR FROM BULKHEAD BELOW 1097	0	0
1183	0	2	AIR BELOW SOLID 962	0	0
1184	0	2	AIR BELOW SOLID 963	0	0
1185	0	2	AIR BELOW SOLID 964	0	0
1186	0	2	AIR BELOW SOLID 968	0	0
1187	0	2	AIR BELOW SOLID 967	0	0
1188	0	2	AIR BELOW SOLID 969	0	0
1189	0	2	AIR BELOW SOLID 966	0	0
1190	0	2	AIR BELOW SOLID 965	0	0
1191	0	2	AIR BELOW SOLID 1079	0	0
1192	0	2	AIR BELOW SOLID 1060	0	0
1193	0	2	AIR BELOW SOLID 1081	0	0
1194	0	2	AIR BEHIND SOLID 1038	0	0
1195	0	2	AIR BEHIND SOLID 1037	0	0
1196	0	2	AIR BEHIND SOLID 1036	0	0
1197	0	2	AIR BEHIND SOLID 1035	0	0
1198	0	2	AIR BEHIND SOLID 1034	0	0
1199	0	2	AIR BEHIND SOLID 1033	0	0
1200	0	2	AIR BEHIND SOLID 1032	0	0
1201	0	2	AIR BEHIND SOLID 1031	0	0
1202	0	2	AIR BEHIND SOLID 1030	0	0
1203	0	2	AIR BEHIND SOLID 1029	0	0
1204	0	2	AIR BEHIND SOLID 1028	0	0
1205	0	2	AIR BEHIND SOLID 1027	0	0
1206	0	2	AIR BEHIND SOLID 1026	0	0
1207	0	2	AIR BEHIND SOLID 1025	0	0
1208	0	2	AIR BEHIND SOLID 1024	0	0
1209	0	2	AIR BEHIND SOLID 1023	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1210	0	2	AIR BEHIND SOLID 1022	0	0
1211	0	2	AIR BEHIND SOLID 1021	0	0
1212	0	2	AIR BEHIND SOLID 1020	0	0
1213	0	2	AIR BEHIND SOLID 1019	0	0
1214	0	2	AIR BEHIND SOLID 1018	0	0
1215	0	2	AIR BEHIND SOLID 1017	0	0
1216	0	2	AIR BEHIND SOLID 1016	0	0
1217	0	7	BOW AIR	0	0
1218	0	1	AIR LT SIDE UNDER CLOSURE PLATE	0	0
1219	0	1	AIR LT SIDE POD 1	0	0
1220	0	1	AIR LT SIDE POD 2	0	0
1221	0	1	AIR LT SIDE POD 3	0	0
1222	0	1	AIR LT SIDE POD 4	0	0
1223	0	1	AIR RT SIDE UNDER CLOSURE PLATE	0	0
1224	0	1	AIR RT SIDE POD 1	0	0
1225	0	1	AIR RT SIDE POD 2	0	0
1226	0	1	AIR RT SIDE POD 3	0	0
1227	0	1	AIR RT SIDE POD 4	0	0
1228	0	2	DUMMY ARB8 RAMP OPENING	0	0
1229	344	0	MAIN PART OF RAMP	5	100
1230	345	0	LOWER EDGE OF RAMP	5	100
1231	0	7	DUMMY INSIDE OF RAMP	5	100
1232	346	0	RAMP DOOR	5	100
1233	347	0	RAMP DOOR	5	100
1234	348	0	RAMP DOOR	5	100
1235	349	0	RAMP HINGE LT	5	100
1236	350	0	RAMP HINGE LT	5	100
1237	351	0	RAMP HINGE LT	5	100
1238	352	0	RAMP HINGE LT	5	100
1239	353	0	RAMP HINGE LT	5	100
1240	354	0	RAMP HINGE LT	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1241	355	0	RAMP HINGE LT	5	100
1242	356	0	RAMP HINGE LT	5	100
1243	357	0	RAMP HINGE RT	5	100
1244	358	0	RAMP HINGE RT	5	100
1245	359	0	RAMP HINGE RT	5	100
1246	360	0	RAMP HINGE RT	5	100
1247	361	0	RAMP HINGE RT	5	100
1248	362	0	RAMP HINGE RT	5	100
1249	363	0	RAMP HINGE RT	5	100
1250	364	0	RAMP HINGE RT	5	100
1251	365	0	LO DOOR HINGE	5	100
1252	366	0	LO DOOR HINGE	5	100
1253	367	0	UPPER DOOR HINGE	5	100
1254	368	0	UPPER DOOR HINGE	5	100
1255	369	0	DOOR HANDLE	5	100
1256	370	0	DOOR HANDLE	5	100
1257	371	0	DOOR HANDLE	5	100
1258	0	2	DUMMY RCC CARGO DOOR	0	0
1259	0	2	DUMMY RCC CARGO DOOR	0	0
1260	0	2	DUMMY RCC CARGO DOOR	0	0
1261	0	2	DUMMY RCC CARGO DOOR	0	0
1262	0	2	DUMMY ARB CARGO DOOR	0	0
1263	0	2	DUMMY ARB CARGO DOOR	0	0
1264	0	2	DUMMY ARB CARGO DOOR	0	0
1265	372	0	LT CARGO DOOR	5	100
1266	373	0	LT CARGO DOOR	5	100
1267	374	0	LT CARGO DOOR	5	100
1268	375	0	LT CARGO DOOR	5	100
1269	376	0	LT CARGO DOOR	5	100
1270	377	0	RT CARGO DOOR	5	100
1271	378	0	RT CARGO DOOR	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1272	379	0	RT CARGO DOOR	5	100
1273	380	0	RT CARGO DOOR	5	100
1274	381	0	RT CARGO DOOR	5	100
1275	382	0	CARGO DOOR BEAM	5	100
1276	0	7	INSIDE CARGO DOOR BEAM	0	0
1277	383	0	RT CARGO DOOR HINGE	5	100
1278	384	0	RT CARGO DOOR HINGE	5	100
1279	385	0	LT CARGO DOOR HINGE	5	100
1280	386	0	LT CARGO DOOR HINGE	5	100
1281	387	0	RT CARGO DOOR HINGE	5	100
1282	388	0	RT CARGO DOOR HINGE	5	100
1283	389	0	RT CARGO DOOR HINGE	5	100
1284	390	0	RT CARGO DOOR HINGE	5	100
1285	391	0	LT CARGO DOOR HINGE	5	100
1286	392	0	LT CARGO DOOR HINGE	5	100
1287	393	0	LT CARGO DOOR HINGE	5	100
1288	394	0	LT CARGO DOOR HINGE	5	100
1289	395	0	RT TORSION BAR ON DOOR	5	100
1290	396	0	RT TORSION BAR ANCHOR	5	100
1291	397	0	LINKING BAR TO TORSION BAR	5	100
1292	398	0	LINK ANCHOR	5	100
1293	399	0	AKM UN CARGO DOOR RT	5	100
1294	400	0	ARM ANCHOR REAR	5	100
1295	401	0	ARM ANCHOR REAR	5	100
1296	402	0	ARM ANCHOR FORWARD	5	100
1297	403	0	AKM ANCHOR FORWARD	5	100
1298	404	0	AKM FORWARD CARGO DOOR	5	100
1299	405	0	ARM ANCHOR FORWARD	5	100
1300	406	0	TORSION ANCHOR LEFT REAR	5	100
1301	407	0	TORSION ANCHOR LEFT REAR	5	100
1302	408	0	TORSION BAR LEFT	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1303	409	0	TURKISH MOUNT FORWARD LEFT	5	100
1304	410	0	STIFFENER 2622034 BOTTOM	5	100
1305	411	0	STIFFENER TOP 2622034	5	100
1306	412	0	STIFFENER BOTTOM 2622035	5	100
1307	413	0	STIFFENER TOP 2622035	5	100
1308	414	0	STIFFENER BOTTOM 2587872	5	100
1309	415	0	STIFFENER TOP 2587872	5	100
1310	416	0	STIFFENER BOTTOM 2622040	5	100
1311	417	0	STIFFENER TOP 2622040	5	100
1312	418	0	STIFFENER BOT 2622040	5	100
1313	419	0	STIFFENER TOP 2622040	5	100
1314	420	0	STIFFENER BOT 2622040	5	100
1315	421	0	STIFFENER TOP 2622040	5	100
1316	422	0	STIFFENER BOT 2622039	5	100
1317	423	0	STIFFENER TOP 2622039	5	100
1318	424	0	STIFFENER BOT 2622038	5	100
1319	425	0	STIFFENER TOP 2622038	5	100
1320	426	0	STIFFENER BOT 2622037	5	100
1321	427	0	STIFFENER TOP 2622037	5	100
1322	428	0	STIFFENER BOT 2622036	5	100
1323	429	0	STIFFENER TOP 2622036	5	100
1324	430	0	STIFFENER BOTTOM REAR FLOOR SUPPORT	5	100
1325	431	0	STIFFENER TOP REAR FLOOR SUPPORT 3	5	100
1326	432	0	STIFFENER BOT 2587854	5	100
1327	433	0	STIFFENER TOP 2587854	5	100
1328	434	0	STIFFENER BOT 2587855	5	100
1329	435	0	STIFFENER 2587855 TOP	5	100
1330	436	0	STIFFENER BOT 2587855	5	100
1331	437	0	STIFFENER TOP 2587855	5	100
1332	438	0	STIFFENER BOT 2587858	5	100
1333	439	0	STIFFENER TOP 2587858	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LJS PERCENT
1334	440	0	ENGINE AREA BRACE ON HULL BOT	5	100
1335	0	2	INSIDE ENGINE BRACE	0	0
1336	441	0	FLOOR CARGO AREA	5	100
1337	442	0	GUSSET	5	100
1338	443	0	GUSSET	5	100
1339	444	0	GUSSET	5	100
1340	445	0	GUSSET	5	100
1341	446	0	LT SIDE FLOOR PANEL 2588968	5	100
1342	447	0	LT SIDE FLOOR PANEL 2588968	5	100
1343	448	0	LT SIDE FLOOR PANEL 2588968	5	100
1344	449	0	LT SIDE FLOOR PANEL 2588968	5	100
1345	450	0	LT SIDE FLOOR PANEL 2588968	5	100
1346	451	0	LT SIDE FLOOR PANEL 2588968	5	100
1347	452	0	LT SIDE FLOOR PANEL 2588968	5	100
1348	453	0	LT SIDE FLOOR PANEL 2588968	5	100
1349	454	0	LT SIDE FLOOR PANEL 2588968	5	100
1350	455	0	LT SIDE FLOOR PANEL 2588968	5	100
1351	456	0	LT SIDE FLOOR PANEL 2588968	5	100
1352	457	0	LT PARTITION DRIVER CMD AREAS2588	5	100
1353	458	0	LT PARTITION DRIVER CMD AREAS	5	100
1354	459	0	LT PARTITION DRIVER CMD AREAS	5	100
1355	460	0	LT PARTITION DRIVER CMD AREAS	5	100
1356	461	0	LT PARTITION DRIVER CMD AREAS	5	100
1357	462	0	LT PARTITION DRIVER CMD AREAS	5	100
1358	463	0	LT PARTITION DRIVER CMD AREAS2588	5	100
1359	464	0	LT PARTITION DRIVER CMD AREAS	5	100
1360	465	0	LT PARTITION DRIVER CMD AREAS	5	100
1361	466	0	LT PARTITION DRIVER CMD AREAS	5	100
1362	467	0	LT PARTITION DRIVER CMD AREAS	5	100
1363	468	0	LT PARTITION DRIVER CMD AREAS	5	100
1364	469	0	PARTITION 2588752	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1365	470	0	PARTITION 2588752	5	100
1366	471	0	FLOOR SUPPORT LEFT SIDE 2586185	5	100
1367	472	0	PLATFORM 2586220	5	100
1368	473	0	PLATFORM 2586220	5	100
1369	474	0	PLATFORM 2586219	5	100
1370	475	0	PLATFORM 2586219	5	100
1371	476	0	PLATFORM 2586799	5	100
1372	477	0	PLATFORM 2586799	5	100
1373	478	0	FILTER BOX RT OF ENGINE	1	100
1374	0	5	INSIDE OF FILTER BOX	0	0
1375	479	0	BATTERY BOX	5	100
1376	480	0	CENTRAL ELECTRICAL BOX	1	25
1377	481	0	REAR PLENUM P'ATE COVER	5	100
1378	482	0	REAR PLENUM TOP	5	100
1379	483	0	FORWARD PLENUM TOP	5	100
1380	484	0	FORWARD PLENUM	5	100
1381	0	2	INSIDE PLENUM	0	0
1382	485	0	REAR PLENUM	5	100
1383	486	0	WALL PARTITION RT SIDE GUN 2586167	5	100
1384	487	0	WALL PARTITION RT SIDE GUN	5	100
1385	0	0	DUMMY RCC FOR CIRCULAR PARTITION 25	0	0
1386	0	0	DUMMY ARB FOR PARTITION 2586167	0	0
1387	488	0	WALL PARTITION RT SIDE GUN	5	100
1388	489	0	WALL PARTITION RT SIDE GUN	5	100
1389	490	0	PANEL 2586169	5	100
1390	491	0	PANEL 2586169	5	100
1391	492	0	PANEL 2586169	5	100
1392	493	0	MOUNT ON PANEL 69 2586187	5	100
1393	0	0	DUMMY RCC INTERIOR OF MOUNT	0	0
1394	494	0	PANEL 2586169	5	100
1395	495	0	BOTTOM OF PANEL 2586169	5	100

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1396	496	0	BOTTOM OF PANEL 2586169	5	100
1397	497	0	PANEL 2586218	5	100
1398	498	0	STIFFENER 2622015 RT SIDE	5	100
1399	499	0	STIFFENER 2622015 RT SIDE	5	100
1400	2101	0	STIFFENER 2622015 LT SIDE	5	100
1401	2102	0	STIFFENER 2622015 LT SIDE	5	100
1402	2103	0	STANCHION 2586359 RT SIDE	5	100
1403	2104	0	STANCHION 2586359 LT SIDE	5	100
1404	2105	0	FLOOR SUPPORT LT SIDE	5	100
1405	0	5	INSIDE REAR PLENUM	0	0
1406	2106	0	FUELCELL	5	100
1407	2107	0	INSIDE FUELCELL	20	100
1408	2108	0	WATER UNDER FLOOR	20	100
1409	2109	0	RIGHT HEADLIGHT HOUSING	2	11
1410	2110	0	LEFT HEADLIGHT HOUSING	2	11
1411	0	0	INSIDE OF HEADLIGHT HOUSING-RIGHT	0	0
1412	0	0	INSIDE OF HEADLIGHT HOUSING-LEFT	0	0
1413	2111	0	RT HEAD LIGHT 1	1	5
1414	2112	0	RT HEAD LIGHT 2	1	5
1415	2113	0	RT HEAD LIGHT 3	1	5
1416	2114	0	LT HEAD LIGHT 1	1	5
1417	2115	0	LT HEAD LIGHT 2	1	5
1418	2116	0	LT HEAD LIGHT 3	1	5
1419	0	0	DUMMY RPP TO MAKE HEMISPHERES FOR	0	0
1420	2117	0	FIRST AID KIT	1	5
1421	2118	0	5.56 AMMO 2 CANS	1	10
1422	2119	0	45 CAL AMMO	1	10
1423	2120	0	PYROTECHNICS 4 FLAKES	18	5
1424	2121	0	SLEEPING BAG	11	10
1425	2122	0	SLEEPING BAG	11	10
1426	2123	0	SLEEPING BAG	11	10

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1427	2124	0	C-RATIONS 1 CASE	20	100
1428	2125	0	M72A2 LAW 2 EACH	5	30
1429	2126	0	CREW WEAPON M16 RIFLE	1	30
1430	2127	0	CREW WEAPON M16 RIFLE	1	30
1431	2128	0	CREW WEAPON M16 RIFLE	1	30
1432	2129	0	MACHINE GUN PARTS BOX WITH PARTS	1	50
1433	2130	0	I.R. PERISCOPE	14	30
1434	2131	0	TOOL BOX	1	50
1435	2132	0	CAL 50 AMMO 1000 ROUNDS IN WEAPON	1	50
1436	2133	0	CAL 50 AMMO 1 CASE	1	50
1437	2134	0	OIL CAN WITH OIL 5 GAL	20	100
1438	2135	0	WATER CAN FULL 5 GAL	20	100
1439	2136	0	STEEL CROWBAR	1	100
1440	2137	0	HOIST	1	30
1441	2138	0	DRIFT PIN	1	100
1442	2139	0	RECEIVER TRANSMITTER	5	15
1443	2140	0	RECEIVER	5	15
1444	2141	0	RECEIVER	5	15
1445	2142	0	RECEIVER TRANSMITTER	5	15
1446	2143	0	CONTACT COOLER PLATE	1	100
1447	0	0	DUMMY RPP TO REMOVE LT SPONSON INS	0	0
1448	0	0	DUMMY ARB TO REMOVE LT SPONSON BOT	0	0
1449	900	0	DRAGON MISSILE WITH TRACKER	5	30
1450	901	0	DRAGON MISSILE TRACKER	7	10
1451	902	0	DRAGON MISSILE	5	30
1452	910	0	GUN ELEVATING MECHANISM	5	20
1453	0	2	AIR BEHIND SOLID 1015	0	0
1454	0	2	AIR BEHIND SOLID 990	0	0
1455	0	2	AIR BEHIND SOLID 988	0	0
1456	0	2	AIR BEHIND SOLID 981	0	0
1457	0	2	AIR BEHIND SOLID 979	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVTP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1458	0	2	AIR BEHIND SOLID 977	0	0
1459	0	0	AIR UNDER SOLID 1104	0	0
1460	0	0	AIR UNDER SOLID 1103	0	0
1461	0	0	AIR UNDER SOLID 1102	0	0
1462	0	0	AIR UNDER SOLID 1101	0	0
1463	0	0	AIR UNDER SOLID 1100	0	0
1464	0	0	AIR UNDER SOLID 1099	0	0
1465	0	2	AIR UNDER SOLID 1084	0	0
1466	0	2	AIR ABOVE SOLID 1082	0	0
1467	0	2	AIR BEHIND SOLID 1014	0	0
1468	111	0	DUMMY ABOVE SOLID 1096	0	0
1469	0	0	DUMMY REGION	0	0
1470	180	0	HULL FORWARD RIGHT UPPER SIDE 38	5	100
1471	0	0	DUMMY REGION	0	0
1472	0	0	DUMMY REGION	0	0
1473	0	0	DUMMY REGION	0	0
1474	0	0	DUMMY REGION	0	0
1475	0	0	DUMMY REGION	0	0
1476	0	2	AIR ABOVE SOLIDS 1010	0	0
1477	0	2	AIR UNDER SOLID 1057	0	0
1478	0	2	AIR BEHIND SOLID 1007	0	0
1479	0	2	AIR BEHIND SOLID 1006	0	0
1480	0	2	AIR BEHIND SOLID 1005	0	0
1481	0	2	AIR BEHIND SOLID 1004	0	0
1482	0	2	AIR BEHIND SOLID 1003	0	0
1483	0	2	AIR BEHIND SOLID 1002	0	0
1484	0	2	AIR BEHIND SOLID 1001	0	0
1485	0	2	AIR BEHIND SOLID 1000	0	0
1486	0	2	AIR BEHIND SOLIDS 998 AND 999	0	0
1487	0	2	AIR BEHIND SOLIDS 995 AND 996	0	0
1488	0	2	AIR BEHIND SOLIDS 993 AND 994	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1489	0	2	AIR BEHIND SOLIDS 991 AND 992	0	0
1490	0	2	AIR BEHIND SOLIDS 989 AND 990	0	0
1491	0	2	AIR BEHIND SOLIDS 987 AND 988	0	0
1492	0	2	AIR BEHIND SOLIDS 985 AND 986	0	0
1493	0	2	AIR BEHIND SOLIDS 983 AND 984	0	0
1494	0	2	AIR BEHIND SOLIDS 981 AND 982	0	0
1495	0	2	AIR BEHIND SOLIDS 979 AND 980	0	0
1496	0	2	AIR BEHIND SOLIDS 977 AND 978	0	0
1497	0	2	AIR BEHIND SOLID 976	0	0
1498	0	2	AIR BEHIND SOLID 975	0	0
1499	0	2	AIR BEHIND SOLID 974	0	0
1500	0	2	AIR BEHIND SOLID 973	0	0
1501	0	2	AIR BEHIND SOLID 972	0	0
1502	0	2	AIR BEHIND SOLID 1013	0	0
1503	0	2	AIR BEHIND SOLID 1088	0	0
1504	0	2	AIR BEHIND SOLID 1093	0	0
1505	0	2	AIR BEHIND SOLID 1078	0	0
1506	0	2	AIR BEHIND SOLID 1077	0	0
1507	0	2	AIR BEHIND SOLID 1076	0	0
1508	0	2	AIR BEHIND SOLID 1075	0	0
1509	0	2	AIR BEHIND SOLID 1074	0	0
1510	0	2	AIR BEHIND SOLID 1073	0	0
1511	0	2	AIR BEHIND SOLID 1072	0	0
1512	0	2	AIR BEHIND SOLID 1071	0	0
1513	0	2	AIR BEHIND SOLID 1070	0	0
1514	0	2	AIR BEHIND SOLID 1069	0	0
1515	0	2	AIR BEHIND SOLID 1068	0	0
1516	0	2	AIR BEHIND SOLID 1067	0	0
1517	0	2	AIR BEHIND SOLID 1066	0	0
1518	0	2	AIR BEHIND SOLID 1065	0	0
1519	0	2	AIR BEHIND SOLID 1064	0	0

TABLE B-III. REGION IDENTIFICATION TABLE FOR LVIP7 (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1520	0	2	AIR BEHIND SOLID 1063	0	0
1521	0	2	AIR BEHIND SOLID 1062	0	0
1522	0	2	AIR BEHIND SOLID 1061	0	0
1523	0	2	AIR BEHIND SOLID 1060	0	0
1524	0	2	AIR BEHIND SOLID 1059	0	0
1525	0	2	AIR BEHIND SOLID 1058	0	0
1526	0	2	AIR UNDER AIR REGION OF 968	0	0
1527	0	2	AIR UNDER REAR DECKS	0	0
1528	0	2	AIR UNDER REAR DECKS	0	0
1529	0	2	AIR UNDER REAR DECKS	0	0
1530	0	2	AIR UNDER REAR DECKS	0	0
1531	0	2	AIR UNDER REAR DECKS	0	0
1532	0	2	AIR UNDER REAR DECKS	0	0
1533	0	2	AIR UNDER REAR DECKS	0	0
1534	0	2	AIR UNDER REAR DECKS	0	0
1535	0	2	AIR UNDER REAR DECKS	0	0
1536	0	2	AIR UNDER REAR DECKS	0	0
1537	0	2	AIR UNDER REAR DECKS	0	0
1538	0	2	AIR UNDER REAR DECKS	0	0
1539	1150	0	AUDIO FREQUENCY AMPLIFIER	1	25
1540	0	0	DUMMY REGION	0	0
1541	0	0	DUMMY REGION	0	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LVS PERCENT
15	0	2	INSIDE FINAL DRIVE HOUSING LEFT	0	0
16	0	2	INSIDE FINAL DRIVE HOUSING	0	0
17	0	2	INSIDE FINAL DRIVE HOUSING	0	0
27	0	2	OIL INSIDE FINAL DR MID RIGHT	0	0
28	0	2	OIL INSIDE FINAL DR LOW RIGHT	0	0
29	0	2	OIL INSIDE FINAL DR UPPER RIGHT	0	0
4	0	3	INSIDE BELL HOUSING LEFT	0	0
8	0	3	INSIDE BELL HOUSING RIGHT	0	0
178	0	0	DUMMY REGION	0	0
203	0	2	AIR IN COOLING FAN HOUSING	0	0
206	0	2	AIR IN FAN COVER	0	0
505	0	2	AIR IN TURRET RING	0	0
507	0	2	AIR IN CUPOLA BOTTOM	0	0
509	0	2	AIR IN TOP OF CUPOLA	0	0
516	0	2	AIR IN SECTION BETW DRVR-TRP CMDR	0	0
517	0	2	AIR IN HULL BELOW SECTION	0	0
519	0	2	AIR IN TROOP COMMANDER HATCH	0	0
521	0	2	AIR IN HATCH DOOR TROOP COMMANDER	0	0
522	0	2	AIR BELOW TROOP COMMANDER HATCH	0	0
524	0	2	AIR IN DRIVER HATCH	0	0
526	0	2	AIR IN DRIVER HATCH DOOR	0	0
528	0	2	AIR IN RING FOR DRIVER HATCH	0	0
548	0	0	DUMMY REGION	0	0
550	0	0	DUMMY REGION	0	0
558	0	0	DUMMY REGION	0	0
560	0	0	DUMMY REGION	0	0
621	0	2	AIR IN CONTROL CONSOLE	0	0
623	0	2	AIR IN CONTROL CONSOLE	0	0
723	0	0	DUMMY REGION RS 1ST OUTSIDE	0	0
726	0	0	DUMMY REGION RS 1ST INSIDE	0	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
734	0	0	DUMMY REGION RS 2ND OUTSIDE	0	0
737	0	0	DUMMY REGION RS 2ND INSIDE	0	0
745	0	0	DUMMY REGION RS 3RD OUTSIDE	0	0
748	0	0	DUMMY REGION RS 3RD INSIDE	0	0
756	0	0	DUMMY REGION RS 4TH OUTSIDE	0	0
759	0	0	DUMMY REGION RS 4TH INSIDE	0	0
767	0	0	DUMMY REGION RS 5TH OUTSIDE	0	0
770	0	0	DUMMY REGION RS 5TH INSIDE	0	0
778	0	0	DUMMY REGION RS 6TH OUTSIDE	0	0
781	0	0	DUMMY REGION RS 6TH INSIDE	0	0
785	0	0	DUMMY SPROCKET REG TR RS OUTSIDE	0	0
787	0	0	DUMMY SPROCKET REG RS OUTSIDE	0	0
789	0	0	DUMMY SPROCKET REG TR RS INSIDE	0	0
791	0	0	DUMMY SPROCKET REG RS INSIDE	0	0
794	0	0	DUMMY IDLER REG RS OUTSIDE	0	0
798	0	0	DUMMY IDLER REG RS INSIDE	0	0
804	0	0	DUMMY REGION LS 1ST OUTSIDE	0	0
807	0	0	DUMMY REGION LS 1ST INSIDE	0	0
815	0	0	DUMMY REGION LS 2ND OUTSIDE	0	0
818	0	0	DUMMY REGION LS 2ND INSIDE	0	0
826	0	0	DUMMY REGION LS 3RD OUTSIDE	0	0
829	0	0	DUMMY REGION LS 3RD INSIDE	0	0
837	0	0	DUMMY REGION LS 4TH OUTSIDE	0	0
840	0	0	DUMMY REGION LS 4TH INSIDE	0	0
848	0	0	DUMMY REGION LS 5TH OUTSIDE	0	0
851	0	0	DUMMY REGION LS 5TH INSIDE	0	0
859	0	0	DUMMY REGION LS 6TH OUTSIDE	0	0
862	0	0	DUMMY REGION LS 6TH INSIDE	0	0
866	0	0	DUMMY SPROCKET REG TR LS OUTSIDE	0	0
868	0	0	DUMMY SPROCKET REG LS OUTSIDE	0	0

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
876	0	0	DUMMY SPROCKET REG TR LS INSIDE	0	0
872	0	0	DUMMY SPROCKET REG LS INSIDE	0	0
875	0	0	DUMMY IDLER REG LS OUTSIDE	0	0
879	0	0	DUMMY IDLER REG LS INSIDE	0	0
883	0	0	IDLER DUMMY ARB8 RS	0	0
884	0	0	DRIVE SPROCKET DUMMY ARB8 RS	0	0
888	0	0	IDLER DUMMY RCC RS	0	0
889	0	0	DRIVE SPROCKET DUMMY RCC RS	0	0
893	0	0	IDLER DUMMY ARB8 LS	0	0
894	0	0	DRIVE SPROCKET DUMMY ARB6 LS	0	0
898	0	0	IDLER DUMMY RCC LS	0	0
899	0	0	DRIVE SPROCKET DUMMY RCC LS	0	0
949	0	0	DUMMY REGION-SPONSON INSIDE	0	0
950	0	0	DUMMY REGION	0	0
951	0	0	DUMMY REGION 1	0	0
953	0	0	DUMMY REGION 2	0	0
955	0	0	DUMMY -SPONSON INSIDE	0	0
956	0	0	DUMMY REGION RPP	0	0
957	0	0	DUMMY 3	0	0
959	0	0	DUMMY 4	0	0
960	0	2	LOWER HULL AIR	0	0
961	0	2	AIR REAR HULL LOWER	0	0
1040	0	0	DUMMY RCC	0	0
1045	0	0	DUMMY RCC LT SIDE	0	0
1046	0	0	DUMMY RCC RT SIDE	0	0
1050	0	0	DUMMY RCC SPONSON RT	0	0
1051	0	0	DUMMY RPP SPONSON RT	0	0
1052	0	0	DUMMY ARB SPONSON RT	0	0
1056	0	0	DUMMY RCC SPONSON LT	0	0
1083	0	0	DUMMY REGION	0	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1086	0	0	DUMMY REGION	0	0
1087	0	0	DUMMY REGION	0	0
1090	0	2	AIR IN SHIELD	0	0
1091	0	0	DUMMY REGION	0	0
1094	0	2	AIR IN SHIELD	0	0
1095	0	0	DUMMY REGION FOR SHIELDS	0	0
1112	0	2	BOTTOM PLATE AIR (1111)	0	0
1114	0	2	BOTTOM PLATE AIR (1113)	0	0
1116	0	2	BOTTOM PLATE AIR (1115)	0	0
1118	0	2	BOTTOM PLATE AIR (1117)	0	0
1123	0	2	AIR BETWEEN SOLIDS 1122 - 1085	0	0
1126	0	2	AIR BELOW SOLID 1097	0	0
1127	0	2	AIR BELOW SOLID 1097	0	0
1128	0	2	AIR BELOW SOLID 1097	0	0
1130	0	0	DUMMY SPHERE	0	0
1132	0	2	AIR BELOW SOLID 1097	0	0
1179	0	2	AIR BULKHEAD TO REAR REG 962	0	0
1180	0	2	AIR FROM BULKHEAD BELOW 1096	0	0
1181	0	2	AIR FROM BULKHEAD BELOW 1098	0	0
1182	0	2	AIR FROM BULKHEAD BELOW 1097	0	0
1183	0	2	AIR BELOW SOLID 962	0	0
1184	0	2	AIR BELOW SOLID 963	0	0
1185	0	2	AIR BELOW SOLID 964	0	0
1186	0	2	AIR BELOW SOLID 966	0	0
1187	0	2	AIR BELOW SOLID 967 TO SPONSON	0	0
1188	0	2	AIR BELOW SOLID 969 TO SPONSON	0	0
1189	0	2	AIR BELOW SOLID 966 TO SPONSON	0	0
1190	0	2	AIR BELOW SOLID 965 TO SPONSON	0	0
1191	0	2	AIR BELOW SOLID 1079 TO SPONSON	0	0
1192	0	2	AIR BELOW SOLID 1080 TO SPONSON	0	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LOS PERCENT
1193	0	2	AIR	BELOW	SOLID 1061 TO SPONSON	0
1194	0	2	AIR	BEHIND	SOLID 1038	0
1195	0	2	AIR	BEHIND	SOLID 1037	0
1196	0	2	AIR	BEHIND	SOLID 1036	0
1197	0	2	AIR	BEHIND	SOLID 1035	0
1198	0	2	AIR	BEHIND	SOLID 1034	0
1199	0	2	AIR	BEHIND	SOLID 1033	0
1200	0	2	AIR	BEHIND	SOLID 1032	0
1201	0	2	AIR	BEHIND	SOLID 1031	0
1202	0	2	AIR	BEHIND	SOLID 1030	0
1203	0	2	AIR	BEHIND	SOLID 1029	0
1204	0	2	AIR	BEHIND	SOLID 1028	0
1205	0	2	AIR	BEHIND	SOLID 1027	0
1206	0	2	AIR	BEHIND	SOLID 1026	0
1207	0	2	AIR	BEHIND	SOLID 1025	0
1208	0	2	AIR	BEHIND	SOLID 1024	0
1209	0	2	AIR	BEHIND	SOLID 1023	0
1210	0	2	AIR	BEHIND	SOLID 1022	0
1211	0	2	AIR	BEHIND	SOLID 1021	0
1212	0	2	AIR	BEHIND	SOLID 1020	0
1213	0	2	AIR	BEHIND	SOLID 1019	0
1214	0	2	AIR	BEHIND	SOLID 1018	0
1215	0	2	AIR	BEHIND	SOLID 1017	0
1216	0	2	AIR	BEHIND	SOLID 1016	0
1217	0	7	BOW	AIR		0
1218	0	1	AIR	LT SIDE	UNDER CLOSURE PLATE	0
1219	0	1	AIR	LT SIDE	POD 1	0
1220	0	1	AIR	LT SIDE	POD 2	0
1221	0	1	AIR	LT SIDE	POD 3	0
1222	0	1	AIR	LT SIDE	POD 4	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1223	0	1	AIR RT SIDE UNDER CLOSURE PLATE	0	0
1224	0	1	AIR RT SIDE POD 1	0	0
1225	0	1	AIR RT SIDE POD 2	0	0
1226	0	1	AIR RT SIDE POD 3	0	0
1227	0	1	AIR RT SIDE POD 4	0	0
1228	0	2	DUMMY ARB8 RAMP OPENING	0	0
1231	0	7	DUMMY INSIDE OF RAMP	0	100
1258	0	2	DUMMY RCC CARGO DOOR	0	0
1259	0	2	DUMMY RCC CARGO DOOR	0	0
1260	0	2	DUMMY RCC CARGO DOOR	0	0
1261	0	2	DUMMY RCC CARGO DOOR	0	0
1262	0	2	DUMMY ARB CARGO DOOR	0	0
1263	0	2	DUMMY ARB CARGO DOOR	0	0
1264	0	2	DUMMY ARB CARGO DOOR	0	0
1276	0	7	INSIDE CARGO DOOR BEAM	0	0
1335	0	2	INSIDE ENGINE BRACE	0	0
1374	0	5	INSIDE OF FILTER BOX	0	0
1381	0	2	INSIDE PLENUM	0	0
1385	0	0	DUMMY RCC FOR CIRCULAR PARTITION25	0	0
1386	0	0	DUMMY ARB FOR PARTITION 2586167	0	0
1393	0	0	DUMMY RCC INTERIOR OF MOUNT	0	0
1405	0	0	INSIDE REAR PLENUM	0	0
1411	0	0	INSIDE OF HEADLIGHT HOUSING-RIGHT	0	0
1412	0	0	INSIDE OF HEADLIGHT HOUSING-LEFT	0	0
1419	0	0	DUMMY RPP TO MAKE HEMISPHERES FOR	0	0
1447	0	0	DUMMY RPP TO REMOVE LT SPONSON INS	0	0
1448	0	0	DUMMY ARB TO REMOVE LT SPONSON BOT	0	0
1453	0	2	AIR BEHIND SOLID 1015	0	0
1454	0	2	AIR BEHIND SOLID 990	0	0
1455	0	2	AIR BEHIND SOLID 988	0	0

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1456	0	2	AIR BEHIND SOLID 981	0	0
1457	0	2	AIR BEHIND SOLID 979	0	0
1458	0	2	AIR BEHIND SOLID 977	0	0
1459	0	0	AIR UNDER SOLID 1104	0	0
1460	0	0	AIR UNDER SOLID 1103	0	0
1461	0	0	AIR UNDER SOLID 1102	0	0
1462	0	0	AIR UNDER SOLID 1101	0	0
1463	0	0	AIR UNDER SOLID 1100	0	0
1464	0	0	AIR UNDER SOLID 1099	0	0
1465	0	2	AIR UNDER SOLID 1084	0	0
1466	0	2	AIR ABOVE SOLID 1082	0	0
1467	0	2	AIR BEHIND SOLID 1014	0	0
1469	0	0	DUMMY REGION	0	0
1471	0	0	DUMMY REGION	0	0
1472	0	0	DUMMY REGION	0	0
1473	0	0	DUMMY REGION	0	0
1474	0	0	DUMMY REGION	0	0
1475	0	0	DUMMY REGION	0	0
1476	0	2	AIR ABOVE SOLIDS 1010	0	0
1477	0	2	AIR UNDER SOLID 1057	0	0
1478	0	2	AIR BEHIND SOLID 1007	0	0
1479	0	2	AIR BEHIND SOLID 1006	0	0
1480	0	2	AIR BEHIND SOLID 1005	0	0
1481	0	2	AIR BEHIND SOLID 1004	0	0
1482	0	2	AIR BEHIND SOLID 1003	0	0
1483	0	2	AIR BEHIND SOLID 1002	0	0
1484	0	2	AIR BEHIND SOLID 1001	0	0
1485	0	2	AIR BEHIND SOLID 1000	0	0
1486	0	2	AIR BEHIND SOLIDS 998 AND 999	0	0
1487	0	2	AIR BEHIND SOLIDS 995 AND 996	0	0

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1488	0	2	AIR BEHIND SOLIDS 993 AND 994	0	0
1489	0	2	AIR BEHIND SOLIDS 991 AND 992	0	0
1490	0	2	AIR BEHIND SOLIDS 989 AND 990	0	0
1491	0	2	AIR BEHIND SOLIDS 987 AND 988	0	0
1492	0	2	AIR BEHIND SOLIDS 985 AND 986	0	0
1493	0	2	AIR BEHIND SOLIDS 983 AND 984	0	0
1494	0	2	AIR BEHIND SOLIDS 981 AND 982	0	0
1495	0	2	AIR BEHIND SOLIDS 979 AND 980	0	0
1496	0	2	AIR BEHIND SOLIDS 977 AND 978	0	0
1497	0	2	AIR BEHIND SOLID 976	0	0
1498	0	2	AIR BEHIND SOLID 975	0	0
1499	0	2	AIR BEHIND SOLID 974	0	0
1500	0	2	AIR BEHIND SOLID 973	0	0
1501	0	2	AIR BEHIND SOLID 972	0	0
1502	0	2	AIR BEHIND SOLID 1013	0	0
1503	0	2	AIR BEHIND SOLID 1088	0	0
1504	0	2	AIR BEHIND SOLID 1093	0	0
1505	0	2	AIR BEHIND SOLID 1078	0	0
1506	0	2	AIR BEHIND SOLID 1077	0	0
1507	0	2	AIR BEHIND SOLID 1076	0	0
1508	0	2	AIR BEHIND SOLID 1075	0	0
1509	0	2	AIR BEHIND SOLID 1074	0	0
1510	0	2	AIR BEHIND SOLID 1073	0	0
1511	0	2	AIR BEHIND SOLID 1072	0	0
1512	0	2	AIR BEHIND SOLID 1071	0	0
1513	0	2	AIR BEHIND SOLID 1070	0	0
1514	0	2	AIR BEHIND SOLID 1069	0	0
1515	0	2	AIR BEHIND SOLID 1068	0	0
1516	0	2	AIR BEHIND SOLID 1067	0	0
1517	0	2	AIR BEHIND SOLID 1066	0	0

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1518	0	2	AIR BEHIND SOLID 1065	0	0
1519	0	2	AIR BEHIND SOLID 1064	0	0
1520	0	2	AIR BEHIND SOLID 1063	0	0
1521	0	2	AIR BEHIND SOLID 1062	0	0
1522	0	2	AIR BEHIND SOLID 1061	0	0
1523	0	2	AIR BEHIND SOLID 1060	0	0
1524	0	2	AIR BEHIND SOLID 1059	0	0
1525	0	2	AIR BEHIND SOLID 1058	0	0
1526	0	2	AIR UNDER AIR REGION OF 968	0	0
1527	0	2	AIR UNDER REAR DECKS	0	0
1528	0	2	AIR UNDER REAR DECKS	0	0
1529	0	2	AIR UNDER REAR DECKS	0	0
1530	0	2	AIR UNDER REAR DECKS	0	0
1531	0	2	AIR UNDER REAR DECKS	0	0
1532	0	2	AIR UNDER REAR DECKS	0	0
1533	0	2	AIR UNDER REAR DECKS	0	0
1534	0	2	AIR UNDER REAR DECKS	0	0
1535	0	2	AIR UNDER REAR DECKS	0	0
1536	0	2	AIR UNDER REAR DECKS	0	0
1537	0	2	AIR UNDER REAR DECKS	0	0
1538	0	2	AIR UNDER REAR DECKS	0	0
1540	0	0	DUMMY REGION	0	0
1541	0	0	DUMMY REGION	0	0
919	101	0	HULL MIDDLE DECK	5	100
920	102	0	HULL RIGHT REAR DECK	5	100
921	103	0	HULL LEFT REAR DECK	5	100
922	104	0	HULL RIGHT REAR LOWER SIDE	5	100
923	105	0	HULL RIGHT MIDDLE LOWER SIDE	5	100
924	106	0	HULL RIGHT FORWARD LOWER SIDE	5	100
925	107	0	HULL BOTTOM AFT	5	100

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
926	108	0	HULL LEFT REAR LOWER SIDE 8	5	100
927	109	0	HULL LEFT MIDDLE LOWER SIDE 9	5	100
928	110	0	HULL LEFT FORWARD LOWER SIDE 10	5	100
259	111	0	DRIVER 2 DUMMY	0	0
260	111	0	DRIVER 2 DUMMY	0	0
261	111	0	DRIVER 2 DUMMY	0	0
269	111	0	RIFLEMAN1 DUMMY	0	0
270	111	0	RIFLEMAN1 DUMMY	0	0
271	111	0	RIFLEMAN1 DUMMY	0	0
279	111	0	RIFLEMAN2 DUMMY	0	0
280	111	0	RIFLEMAN2 DUMMY	0	0
281	111	0	RIFLEMAN2 DUMMY	0	0
289	111	0	RIFLEMAN3 DUMMY	0	0
290	111	0	RIFLEMAN3 DUMMY	0	0
291	111	0	RIFLEMAN3 DUMMY	0	0
299	111	0	RIFLEMAN4 DUMMY	0	0
300	111	0	RIFLEMAN4 DUMMY	0	0
301	111	0	RIFLEMAN4 DUMMY	0	0
309	111	0	MACH GUNR DUMMY	0	0
310	111	0	MACH GUNR DUMMY	0	0
311	111	0	MACH GUNR DUMMY	0	0
319	111	0	MACH GUNR DUMMY	0	0
320	111	0	MACH GUNR DUMMY	0	0
321	111	0	MACH GUNR DUMMY	0	0
329	111	0	AMMO MAN DUMMY	0	0
330	111	0	AMMO MAN DUMMY	0	0
331	111	0	AMMO MAN DUMMY	0	0
339	111	0	DRAG GUNR DUMMY	0	0
340	111	0	DRAG GUNR DUMMY	0	0
341	111	0	DRAG GUNR DUMMY	0	0

TABLE B-IV.

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
349	111	0	RIFLEMAN5	0	0
350	111	0	RIFLEMAN5	0	0
351	111	0	RIFLEMAN5	0	0
359	111	0	RIFLEMAN6	0	0
360	111	0	RIFLEMAN6	0	0
361	111	0	RIFLEMAN6	0	0
369	111	0	RIFLEMAN7	0	0
370	111	0	RIFLEMAN7	0	0
371	111	0	RIFLEMAN7	0	0
379	111	0	RIFLEMAN8	0	0
380	111	0	RIFLEMAN8	0	0
381	111	0	RIFLEMAN8	0	0
389	111	0	SQUAD LDR	0	0
390	111	0	SQUAD LDR	0	0
391	111	0	SQUAD LDR	0	0
399	111	0	MACH S L	0	0
400	111	0	MACH S L	0	0
401	111	0	MACH S L	0	0
409	111	0	AMMO MAN	0	0
410	111	0	AMMO MAN	0	0
411	111	0	AMMO MAN	0	0
419	111	0	RIFLE 10	0	0
420	111	0	RIFLE 10	0	0
421	111	0	RIFLE 10	0	0
429	111	0	RIFLE 11	0	0
430	111	0	RIFLE 11	0	0
431	111	0	RIFLE 11	0	0
439	111	0	RIFLE 12	0	0
440	111	0	RIFLE 12	0	0
441	111	0	RIFLE 12	0	0

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
449	111	0	RIFLE 13	0	0
450	111	0	RIFLE 13	0	0
451	111	0	RIFLE 13	0	0
459	111	0	MACH GUNR	0	0
460	111	0	MACH GUNR	0	0
461	111	0	MACH GUNR	0	0
469	111	0	MACH GUNR	0	0
470	111	0	MACH GUNR	0	0
471	111	0	MACH GUNR	0	0
479	111	0	AMMO MAN	0	0
480	111	0	AMMO MAN	0	0
481	111	0	AMMO MAN	0	0
489	111	0	AMMO MAN	0	0
490	111	0	AMMO MAN	0	0
491	111	0	AMMO MAN	0	0
499	111	0	DRAGON 2	0	0
500	111	0	DRAGON 2	0	0
501	111	0	DRAGON 2	0	0
669	111	0	DRIVER 1	0	0
670	111	0	DRIVER 1	0	0
671	111	0	DRIVER 1	0	0
679	111	0	TRP COMDR	0	0
680	111	0	TRP COMDR	0	0
681	111	0	TRP COMDR	0	0
689	111	0	COMMANDER	0	0
690	111	0	COMMANDER	0	0
691	111	0	COMMANDER	0	0
1468	111	0	DUMMY ABOVE SOLID 1096	0	0
929	112	0	HULL STERN PLATE 11-1-2-3-4-7-8	5	100
930	113	0	HULL RIGHT SIDE WATER JET 12	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
931	114	0	HULL RIGHT UPPER SIDE PART1 13-2	5	100
932	115	0	HULL RIGHT UPPER SIDE PART2 14-13-	5	100
933	116	0	HULL LEFT SIDE WATER JET 15	5	100
934	117	0	HULL LEFT UPPER SIDE PART1 16-3	5	100
935	118	0	HULL LEFT UPPER SIDE PART2 17-16-	5	100
936	119	0	HULL LT MOUNTING PLATE JET 18-37	5	100
937	120	0	HULL RT MOUNTING PLATE JET 19-35	5	100
938	121	0	HULL RT TOP CLOSURE WATER JET20-2	5	100
939	122	0	HULL LT TOP CLOSURE WATER JET21-3	5	100
940	123	0	HULL FORWARD RT MOUNTING PLATE 22-	5	100
941	124	0	HULL REAR RT MOUNTING PLATE 23-41	5	100
942	125	0	HULL RT SLOPED JET CLOSURE 24-20	5	100
943	126	0	HULL LT SLOPED JET CLOSURE 25-21	5	100
944	127	0	HULL RT MIDDLE SPONSON 26-22	5	100
945	128	0	HULL LT MIDDLE SPONSON 27-18	5	100
946	129	0	HULL AFT RT CLOSURE PLATE JET28-11	5	100
947	130	0	HULL AFT LT CLOSURE PLATE JET29-11	5	100
948	131	0	HULL LT SIDE SPONSON 30-31-32-1	5	100
952	132	0	HULL BOTTOM LT MOUNTING PLATE 34-3	5	100
954	133	0	HULL RT SPONSON 36-37-38-12-4-4	5	100
958	134	0	HULL BOTTOM RT MOUNT PLATE JET 40	5	100
962	135	0	HULL FORWARD MIDDLE DECK 1	5	100
963	136	0	HULL FORWARD MIDDLE DECK 2	5	100
964	137	0	HULL FORWARD MIDDLE DECK 3	5	100
965	138	0	HULL FORWARD MIDDLE DECK 4	5	100
1125	138	0	HULL FORWARD MIDDLE DECK 4	5	100
966	139	0	HULL FORWARD MIDDLE DECK 5	5	100
967	140	0	HULL FORWARD MIDDLE DECK 6	5	100
968	141	0	HULL FORWARD MIDDLE DECK 7	5	100
969	142	0	HULL FORWARD MIDDLE DECK 8	5	100

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LDS PERCENT
970	143	0	HULL FORWARD RIGHT UPPER SIDE 1		5	100
971	144	0	HULL FORWARD RIGHT UPPER SIDE 2		5	100
972	145	0	HULL FORWARD RIGHT UPPER SIDE 3		5	100
973	146	0	HULL FORWARD RIGHT UPPER SIDE 4		5	100
974	147	0	HULL FORWARD RIGHT UPPER SIDE 5		5	100
975	148	0	HULL FORWARD RIGHT UPPER SIDE 6		5	100
976	149	0	HULL FORWARD RIGHT UPPER SIDE 7		5	100
977	150	0	HULL FORWARD RIGHT UPPER SIDE 8		5	100
978	151	0	HULL FORWARD RIGHT UPPER SIDE 9		5	100
979	152	0	HULL FORWARD RIGHT UPPER SIDE 10		5	100
980	153	0	HULL FORWARD RIGHT UPPER SIDE 11		5	100
981	154	0	HULL FORWARD RIGHT UPPER SIDE 12		5	100
982	155	0	HULL FORWARD RIGHT UPPER SIDE 13		5	100
983	156	0	HULL FORWARD RIGHT UPPER SIDE 14		5	100
984	157	0	HULL FORWARD RIGHT UPPER SIDE 15		5	100
985	158	0	HULL FORWARD RIGHT UPPER SIDE 16		5	100
986	159	0	HULL FORWARD RIGHT UPPER SIDE 17		5	100
987	160	0	HULL FORWARD RIGHT UPPER SIDE 18		5	100
988	161	0	HULL FORWARD RIGHT UPPER SIDE 19		5	100
989	162	0	HULL FORWARD RIGHT UPPER SIDE 20		5	100
990	163	0	HULL FORWARD RIGHT UPPER SIDE 21		5	100
991	164	0	HULL FORWARD RIGHT UPPER SIDE 22		5	100
992	165	0	HULL FORWARD RIGHT UPPER SIDE 23		5	100
993	166	0	HULL FORWARD RIGHT UPPER SIDE 24		5	100
994	167	0	HULL FORWARD RIGHT UPPER SIDE 25		5	100
995	168	0	HULL FORWARD RIGHT UPPER SIDE 26		5	100
996	169	0	HULL FORWARD RIGHT UPPER SIDE 27		5	100
997	170	0	HULL FORWARD RIGHT UPPER SIDE 28		5	100
998	171	0	HULL FORWARD RIGHT UPPER SIDE 29		5	100
999	172	0	HULL FORWARD RIGHT UPPER SIDE 30		5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION		MATERIAL CODE	LOS PERCENT
1000	173	0	HULL FORWARD RIGHT UPPER SIDE 31		5	100
1001	174	0	HULL FORWARD RIGHT UPPER SIDE 32		5	100
1002	175	0	HULL FORWARD RIGHT UPPER SIDE 33		5	100
1003	176	0	HULL FORWARD RIGHT UPPER SIDE 34		5	100
1004	177	0	HULL FORWARD RIGHT UPPER SIDE 35		5	100
1005	178	0	HULL FORWARD RIGHT UPPER SIDE 36		5	100
1006	179	0	HULL FORWARD RIGHT UPPER SIDE 37		5	100
1007	180	0	HULL FORWARD RIGHT UPPER SIDE 38		5	100
1085	180	0	RIGHT PLATE BEHIND BOW PLATE		5	100
1470	180	0	HULL FORWARD RIGHT UPPER SIDE 38		5	100
1008	181	0	HULL FORWARD LEFT UPPER SIDE 1		5	100
1009	182	0	HULL FORWARD LEFT UPPER SIDE 2		5	100
1010	183	0	HULL FORWARD LEFT UPPER SIDE 3		5	100
1011	184	0	HULL FORWARD LEFT UPPER SIDE 4		5	100
1012	185	0	HULL FORWARD LEFT UPPER SIDE 5		5	100
1013	186	0	HULL FORWARD LEFT UPPER SIDE 6		5	100
1014	187	0	HULL FORWARD LEFT UPPER SIDE 7		5	100
1015	188	0	HULL FORWARD LEFT UPPER SIDE 8		5	100
1016	189	0	HULL FORWARD LEFT UPPER SIDE 9		5	100
1017	190	0	HULL FORWARD LEFT UPPER SIDE 10		5	100
1018	191	0	HULL FORWARD LEFT UPPER SIDE 11		5	100
1019	192	0	HULL FORWARD LEFT UPPER SIDE 12		5	100
1020	193	0	HULL FORWARD LEFT UPPER SIDE 13		5	100
1021	194	0	HULL FORWARD LEFT UPPER SIDE 14		5	100
1022	195	0	HULL FORWARD LEFT UPPER SIDE 15		5	100
1023	196	0	HULL FORWARD LEFT UPPER SIDE 16		5	100
1024	197	0	HULL FORWARD LEFT UPPER SIDE 17		5	100
1025	198	0	HULL FORWARD LEFT UPPER SIDE 18		5	100
1026	199	0	HULL FORWARD LEFT UPPER SIDE 19		5	100
1027	200	0	HULL FORWARD LEFT UPPER SIDE 20		5	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1028	201	0	HULL FORWARD LEFT UPPER SIDE 21	5	100
1029	202	0	HULL FORWARD LEFT UPPER SIDE 22	5	100
1030	203	0	HULL FORWARD LEFT UPPER SIDE 23	5	100
1031	204	0	HULL FORWARD LEFT UPPER SIDE 24	5	100
1032	205	0	HULL FORWARD LEFT UPPER SIDE 25	5	100
1033	206	0	HULL FORWARD LEFT UPPER SIDE 26	5	100
1034	207	0	HULL FORWARD LEFT UPPER SIDE 27	5	100
1035	208	0	HULL FORWARD LEFT UPPER SIDE 28	5	100
1036	209	0	HULL FORWARD LEFT UPPER SIDE 29	5	100
1037	210	0	HULL FORWARD LEFT SIDE 30	5	100
1038	211	0	HULL FORWARD LEFT SIDE 31	5	100
1039	212	0	HULL FORWARD LEFT SIDE 32	5	100
1041	213	0	HULL FWD LT LOWER SIDE 1	5	100
1042	214	0	HULL FWD LT LOWER SIDE 2	5	100
1043	215	0	HULL FWD RT LOWER SIDE 1	5	100
1044	216	0	HULL FWD RT LOWER SIDE 2	5	100
1047	217	0	HULL FWD RT SPONSON 2	5	100
1048	218	0	HULL FWD RT SPONSON 3	5	100
1049	219	0	HULL CIRCULAR RT SPONSON	5	100
1053	220	0	HULL FWD LT SPONSON 2	5	100
1054	221	0	HULL FWD LT SPONSON 3	5	100
1055	222	0	HULL CIRCULAR RT SPONSON	5	100
1057	223	0	HULL DECK RT SIDE SLOPED 2587825	5	100
1058	224	0	HULL DECK RT SLOPED MIDDLE 2587824	5	100
1059	225	0	HULL DECK RT SLOPED MID 2	5	100
1060	226	0	HULL DECK RT SLOPED MID 3	5	100
1061	227	0	HULL DECK RT SLOPED MID 4	5	100
1062	228	0	HULL DECK RT SLOPED MID 5	5	100
1063	229	0	HULL DECK RT SLOPED MID 6	5	100
1064	230	0	HULL FWD RT SLOPED DECK 1 2587823	5	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1065	231	0	HULL FWD RT SLOPED DECK 2	5	100
1066	232	0	HULL FWD RT SLOPED DECK 3	5	100
1067	233	0	HULL FWD RT SLOPED DECK 4	5	100
1068	234	0	HULL FWD RT SLOPED DECK 5	5	100
1069	235	0	HULL FWD RT SLOPED DECK 6	5	100
1070	236	0	HULL FWD RT SLOPED DECK 7	5	100
1071	237	0	HULL FWD RT SLOPED DECK 8	5	100
1072	238	0	HULL FWD RT SLOPED DECK 9	5	100
1073	239	0	HULL FWD RT SLOPED DECK 10	5	100
1074	240	0	HULL FWD RT SLOPED DECK 11	5	100
1075	241	0	HULL FWD RT SLOPED DECK 12	5	100
1076	242	0	HULL FWD RT SLOPED DECK 13	5	100
1077	243	0	HULL FWD RT SLOPED DECK 14	5	100
1078	244	0	HULL FWD RT SLOPED DECK 15	5	100
1079	245	0	HULL LT SLOPED DECK 1 2587826	5	100
1080	246	0	HULL LT SLOPED DECK 2	5	100
1081	247	0	HULL LT SLOPED DECK 3	5	100
1084	250	0	HULL LT SLOPED DECK 1 2587819	5	100
1088	254	0	HULL LT SLOPED DECK 1 2587843	5	100
1093	259	0	HULL LT SLOPED DECK 1 2587844	5	100
1096	262	0	HULL SLOPED FOR DECK 1	5	100
1097	263	0	HULL SLOPED FOR DECK 2	5	100
1098	264	0	HULL SLOPED FOR DECK 3	5	100
1099	265	0	HULL SLOPED FOR DECK 4	5	100
1100	266	0	HULL SLOPED FOR DECK 5	5	100
1101	267	0	HULL SLOPED FOR DECK 6	5	100
1102	268	0	HULL SLOPED FOR DECK 7	5	100
1103	269	0	HULL SLOPED FOR DECK 8	5	100
1104	270	0	HULL SLOPED FOR DECK 9	5	100
1105	271	0	HULL SLOPED FOR DECK 10	5	100

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1106	272	0	HULL SLOPED FOR DECK 11	5	100
1107	273	0	HULL SLOPED FOR DECK 12	5	100
1108	274	0	HULL SLOPED FOR DECK 13	5	100
1124	274	0	HULL SLOPED FOR DECK 13	5	100
1109	275	0	HULL MIDDLE BOTTOM	5	100
1089	276	0	SHIELD FINAL DRIVE LEFT	5	100
1110	276	0	HULL FWD BOTTOM 1 2587856	5	100
1092	277	0	SHIELD FINAL DRIVE RIGHT	5	100
1111	277	0	BOTTOM PLATE	5	100
1113	278	0	BOTTOM PLATE	5	100
1115	279	0	BOTTOM PLATE	5	100
1117	280	0	BOTTOM PLATE	5	100
1119	285	0	HULL FWD BOTTOM 10	5	100
1120	286	0	HULL FWD BOTTOM 11	5	100
1121	287	0	HULL FWD BOTTOM 12	5	100
1122	288	0	HULL FWD BOTTOM 13	5	100
1082	295	0	FRONT BOTTOM BEHIND BOW	5	100
1129	295	0	HULL LT TOP STERN 1 2587820	5	100
1131	297	0	HULL RT TOP STERN 1	5	100
1133	299	0	FORWARD BULKHEAD	5	100
1134	300	0	HULL RT SIDE POD 1 2587868	5	100
1135	301	0	HULL RT SIDE POD 2	5	100
1136	302	0	HULL RT SIDE POD 3	5	100
1137	303	0	HULL RT SIDE POD 4	5	100
1138	304	0	HULL RT SIDE POD 5	5	100
1139	305	0	HULL LT SIDE POD 1	5	100
1140	306	0	HULL LT SIDE POD 2	5	100
1141	307	0	HULL LT SIDE POD 3	5	100
1142	308	0	HULL LT SIDE POD 4	5	100
1143	309	0	HULL LT SIDE POD 5	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1144	310	0	HULL LT SIDE CLOSURE 2587871	5	100
1145	311	0	HULL RT SIDE CLOSURE	5	100
1146	311	0	RT POD SUPPORT 1 2587870	5	100
1147	312	0	RT POD SUPPORT 2	5	100
1148	313	0	RT POD SUPPORT 3	5	100
1149	314	0	RT POD SUPPORT 4	5	100
1150	315	0	RT POD SUPPORT 5	5	100
1151	316	0	RT POD SUPPORT 6	5	100
1152	317	0	RT POD SUPPORT 7	5	100
1153	318	0	RT POD SUPPORT 8	5	100
1154	319	0	RT POD SUPPORT 9	5	100
1155	320	0	RT POD SUPPORT 10	5	100
1156	321	0	LT POD SUPPORT 1	5	100
1157	322	0	LT POD SUPPORT 2	5	100
1158	323	0	LT POD SUPPORT 3	5	100
1159	324	0	LT POD SUPPORT 4	5	100
1160	325	0	LT POD SUPPORT 5	5	100
1161	326	0	LT POD SUPPORT 6	5	100
1162	327	0	LT POD SUPPORT 7	5	100
1163	328	0	LT POD SUPPORT 8	5	100
1164	329	0	LT POD SUPPORT 9	5	100
1165	330	0	LT POD SUPPORT 10	5	100
1166	331	0	HULL TOP DECK OF BOW	5	100
1167	332	0	HULL RT SIDE OF BOW 2587862	5	100
1168	333	0	HULL LT SIDE OF BOW 2587862	5	100
1169	334	0	HULL FRONT OF BOW	5	100
1170	335	0	HULL BOTTOM OF BOW	5	100
1171	336	0	HULL LT BOW FILLER PLATE 2587863	5	100
1172	337	0	HULL RT BOW FILLER PLATE 2587863	5	100
1173	338	0	HULL RT SIDE JET COVER 2	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1174	339	0	HULL LT SIDE JET COVER 2	5	100
1175	340	0	HULL RT PLATE 1 2587875	5	100
1176	341	0	HULL RT PLATE 2	5	100
1177	342	0	HULL LT PLATE 1 2587875	5	100
1178	343	0	HULL LT PLATE 2	5	100
1229	344	0	MAIN PART OF RAMP	5	100
1230	345	0	LOWER EDGE OF RAMP	5	100
1232	346	0	RAMP DOOR	5	100
1233	347	0	RAMP DOOR	5	100
1234	348	0	RAMP DOOR	5	100
1235	349	0	RAMP HINGE LT	5	100
1236	350	0	RAMP HINGE LT	5	100
1237	351	0	RAMP HINGE LT	5	100
1238	352	0	RAMP HINGE LT	5	100
1239	353	0	RAMP HINGE LT	5	100
1240	354	0	RAMP HINGE LT	5	100
1241	355	0	RAMP HINGE LT	5	100
1242	356	0	RAMP HINGE LT	5	100
1243	357	0	RAMP HINGE RT	5	100
1244	358	0	RAMP HINGE RT	5	100
1245	359	0	RAMP HINGE RT	5	100
1246	360	0	RAMP HINGE RT	5	100
1247	361	0	RAMP HINGE RT	5	100
1248	362	0	RAMP HINGE RT	5	100
1249	363	0	RAMP HINGE RT	5	100
1250	364	0	RAMP HINGE RT	5	100
1251	365	0	LO DOOR HINGE	5	100
1252	366	0	LO DOOR HINGE	5	100
1253	367	0	UPPER DOOR HINGE	5	100
1254	368	0	UPPER DOOR HINGE	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1255	369	0	DOOR HANDLE	5	100
1256	370	0	DOOR HANDLE	5	100
1257	371	0	DOOR HANDLE	5	100
1265	372	0	LT CARGO DOOR	5	100
1266	373	0	LT CARGO DOOR	5	100
1267	374	0	LT CARGO DOOR	5	100
1268	375	0	LT CARGO DOOR	5	100
1269	376	0	LT CARGO DOOR	5	100
1270	377	0	RT CARGO DOOR	5	100
1271	378	0	RT CARGO DOOR	5	100
1272	379	0	RT CARGO DOOR	5	100
1273	380	0	RT CARGO DOOR	5	100
1274	381	0	RT CARGO DOOR	5	100
1275	382	0	CARGO DOOR BEAM	5	100
1277	383	0	RT CARGO DOOR HINGE	5	100
1278	384	0	RT CARGO DOOR HINGE	5	100
1279	385	0	LT CARGO DOOR HINGE	5	100
1280	386	0	LT CARGO DOOR HINGE	5	100
1281	387	0	RT CARGO DOOR HINGE	5	100
1282	388	0	RT CARGO DOOR HINGE	5	100
1283	389	0	RT CARGO DOOR HINGE	5	100
1284	390	0	RT CARGO DOOR HINGE	5	100
1285	391	0	LT CARGO DOOR HINGE	5	100
1286	392	0	LT CARGO DOOR HINGE	5	100
1287	393	0	LT CARGO DOOR HINGE	5	100
1288	394	0	LT CARGO DOOR HINGE	5	100
1289	395	0	RT TORSION BAR ON DOOR	5	100
1290	396	0	RT TORSION BAR ANCHOR	5	100
1291	397	0	LINKING BAR TO TORSION BAR	5	100
1292	398	0	LINK ANCHOR	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1293	399	0	ARM ON CARGO DOOR RT	5	100
1294	400	0	ARM ANCHOR REAR	5	100
1295	401	0	ARM ANCHOR REAR	5	100
1296	402	0	ARM ANCHOR FORWARD	5	100
1297	403	0	ARM ANCHOR FORWARD	5	100
1298	404	0	ARM FORWARD CARGO DOOR	5	100
1299	405	0	ARM ANCHOR FORWARD	5	100
1300	406	0	TORSION ANCHOR LEFT REAR	5	100
1301	407	0	TORSION ANCHOR LEFT REAR	5	100
1302	408	0	TORSION BAR LEFT	5	100
1303	409	0	TORSION MOUNT FORWARD LEFT	5	100
1304	410	0	STIFFENER 2622034 BOTTOM	5	100
1305	411	0	STIFFENER TOP 2622034	5	100
1306	412	0	STIFFENER BOTTOM 2622035	5	100
1307	413	0	STIFFENER TOP 2622035	5	100
1308	414	0	STIFFENER BOTTOM 2587872	5	100
1309	415	0	STIFFENER TOP 2587872	5	100
1310	416	0	STIFFENER BOTTOM 2622040	5	100
1311	417	0	STIFFENER TOP 2622040	5	100
1312	418	0	STIFFENER BOT 2622040	5	100
1313	419	0	STIFFENER TOP 2622040	5	100
1314	420	0	STIFFENER BOT 2622040	5	100
1315	421	0	STIFFENER TOP 2622040	5	100
1316	422	0	STIFFENER BOT 2622039	5	100
1317	423	0	STIFFENER TOP 2622039	5	100
1318	424	0	STIFFENER BOT 2622036	5	100
1319	425	0	STIFFENER TOP 2622038	5	100
1320	426	0	STIFFENER BOT 2622037	5	100
1321	427	0	STIFFENER TOP 2622037	5	100
1322	428	0	STIFFENER BOT 2622036	5	100

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1323	429	0	STIFFENER TOP 2622036	5	100
1324	430	0	STIFFENER BOTTOM REAR FLOOR SUPPORT	5	100
1325	431	0	STIFFENER TOP REAR FLOOR SUPPORT 3	5	100
1326	432	0	STIFFENER BOT 2587854	5	100
1327	433	0	STIFFENER TOP 2587854	5	100
1328	434	0	STIFFENER BOT 2587855	5	100
1329	435	0	STIFFENER 2587855 TOP	5	100
1330	436	0	STIFFENER BOT 2587855	5	100
1331	437	0	STIFFENER TOP 2587855	5	100
1332	438	0	STIFFENER BOT 2587858	5	100
1333	439	0	STIFFENER TOP 2587858	5	100
1334	440	0	ENGINE AREA BRACE ON HULL BOT	5	100
1336	441	0	FLOOR CARGO AREA	5	100
1337	442	0	GUSSET	5	100
1338	443	0	GUSSET	5	100
1339	444	0	GUSSET	5	100
1340	445	0	GUSSET	5	100
1341	446	0	LT SIDE FLOOR PANEL 2588968	5	100
1342	447	0	LT SIDE FLOOR PANEL 2588968	5	100
1343	448	0	LT SIDE FLOOR PANEL 2588968	5	100
1344	449	0	LT SIDE FLOOR PANEL 2588968	5	100
1345	450	0	LT SIDE FLOOR PANEL 2588968	5	100
1346	451	0	LT SIDE FLOOR PANEL 2588968	5	100
1347	452	0	LT SIDE FLOOR PANEL 2588968	5	100
1348	453	0	LT SIDE FLOOR PANEL 2588968	5	100
1349	454	0	LT SIDE FLOOR PANEL 2588968	5	100
1350	455	0	LT SIDE FLOOR PANEL 2588968	5	100
1351	456	0	LT SIDE FLOOR PANEL 2588968	5	100
1352	457	0	LT PARTITION DRIVER CMD AREAS2588	5	100
1353	458	0	LT PARTITION DRIVER CMD AREAS	5	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1354	459	0	LT PARTITION DRIVER CMD AREAS	5	100
1355	460	0	LT PARTITION DRIVER CMD AREAS	5	100
1356	461	0	LT PARTITION DRIVER CMD AREAS	5	100
1357	462	0	LT PARTITION DRIVER CMD AREAS	5	100
1358	463	0	LT PARTITION DRIVER CMD AREAS2588	5	100
1359	464	0	LT PARTITION DRIVER CMD AREAS	5	100
1360	465	0	LT PARTITION DRIVER CMD AREAS	5	100
1361	466	0	LT PARTITION DRIVER CMD AREAS	5	100
1362	467	0	LT PARTITION DRIVER CMD AREAS	5	100
1363	468	0	LT PARTITION DRIVER CMD AREAS	5	100
1364	469	0	PARTITION 2588752	5	100
1365	470	0	PARTITION 2588752	5	100
1366	471	0	FLOOR SUPPORT LEFT SIDE2586185	5	100
1367	472	0	PLATFORM 2586220	5	100
1368	473	0	PLATFORM 2586220	5	100
1369	474	0	PLATFORM 2586219	5	100
1370	475	0	PLATFORM 2586219	5	100
1371	476	0	PLATFORM 2586799	5	100
1372	477	0	PLATFORM 2586799	5	100
1373	478	0	FILTER BOX RT OF ENGINE	1	100
1375	479	0	BATTERY BOX	5	100
1376	480	0	CENTRAL ELECTRICAL BOX	1	25
1377	481	0	REAR PLENUM PLATE COVER	5	100
1378	482	0	REAR PLENUM TOP	5	100
1379	483	0	FORWARD PLENUM TOP	5	100
1380	484	0	FORWARD PLENUM	5	100
1382	485	0	REAR PLENUM	5	100
1383	486	0	WALL PARTITION RT SIDE GUN 2586167	5	100
1384	487	0	WALL PARTITION RT SIDE GUN	5	100
1387	488	0	WALL PARTITION RT SIDE GUN	5	100

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1388	489	0	WALL PARTITION RT SIDE GUN	5	100
1389	490	0	PANEL 2586169	5	100
1390	491	0	PANEL 2586169	5	100
1391	492	0	PANEL 2586169	5	100
1392	493	0	MOUNT ON PANEL 69 2586187	5	100
1394	494	0	PANEL 2586169	5	100
1395	495	0	BOTTOM OF PANEL 2586169	5	100
1396	496	0	BOTTOM OF PANEL 2586169	5	100
1397	497	0	PANEL 2586218	5	100
1398	498	0	STIFFENER 2622015 RT SIDE	5	100
1399	499	0	STIFFENER 2622015 RT SIDE	5	100
718	503	0	TORSION BAR RS 1ST ROAD WHEEL	3	100
719	503	0	TORSION BAR RS 1ST ROAD WHEEL	3	100
720	504	0	ARM RS 1ST	2	100
721	505	0	HUB RS 1ST	2	100
722	506	0	HUB CAP RS 1ST	2	100
724	507	0	WHEEL RS 1ST OUTSIDE	5	100
725	508	0	TIRE RS 1ST OUTSIDE	18	100
727	509	0	WHEEL RS 1ST INSIDE	5	100
728	510	0	TIRE RS 1ST INSIDE	18	100
729	511	0	TORSION BAR RS 2ND ROAD WHEEL	3	100
730	511	0	TORSION BAR RS 2ND ROAD WHEEL	3	100
731	512	0	ARM RS 2ND	2	100
732	513	0	HUB RS 2ND	2	100
733	514	0	HUB CAP RS 2ND	2	100
735	515	0	WHEEL RS 2ND OUTSIDE	5	100
736	516	0	TIRE RS 2ND OUTSIDE	18	100
738	517	0	WHEEL RS 2ND INSIDE	5	100
739	518	0	TIRE RS 2ND INSIDE	18	100
740	519	0	TORSION BAR RS 3RD ROAD WHEEL	3	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
741	519	0	TORSION BAR RS 3RD ROAD WHEEL	3	100
742	520	0	ARM RS 3RD	2	100
743	521	0	HUB RS 3RD	2	100
744	522	0	HUB CAP RS 3RD	2	100
746	523	0	WHEEL RS 3RD OUTSIDE	5	100
747	524	0	TIRE RS 3RD OUTSIDE	18	100
749	525	0	WHEEL RS 3RD INSIDE	5	100
750	526	0	TIRE RS 3RD INSIDE	18	100
751	527	0	TORSION BAR RS 4TH ROAD WHEEL	3	100
752	527	0	TORSION BAR RS 4TH ROAD WHEEL	3	100
753	528	0	ARM RS 4TH	2	100
754	529	0	HUB RS 4TH	2	100
755	530	0	HUB CAP RS 4TH	2	100
757	531	0	WHEEL RS 4TH OUTSIDE	5	100
758	532	0	TIRE RS 4TH OUTSIDE	18	100
760	533	0	WHEEL RS 4TH INSIDE	5	100
761	534	0	TIRE RS 4TH INSIDE	18	100
762	535	0	TORSION BAR RS 5TH ROAD WHEEL	3	100
763	535	0	TORSION BAR RS 5TH ROAD WHEEL	3	100
764	536	0	ARM RS 5TH	2	100
765	537	0	HUB RS 5TH	2	100
766	538	0	HUB CAP RS 5TH	2	100
768	539	0	WHEEL RS 5TH OUTSIDE	5	100
769	540	0	TIRE RS 5TH OUTSIDE	18	100
771	541	0	WHEEL RS 5TH INSIDE	5	100
772	542	0	TIRE RS 5TH INSIDE	18	100
773	543	0	TORSION BAR RS 6TH ROAD WHEEL	3	100
774	543	0	TORSION BAR RS 6TH ROAD WHEEL	3	100
775	544	0	ARM RS 6TH	2	100
776	545	0	HUB RS 6TH	2	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
777	546	0	HUB CAP RS 6TH	2	100
779	547	0	WHEEL RS 6TH OUTSIDE	5	100
780	548	0	TIRE RS 6TH OUTSIDE	18	100
782	549	0	WHEEL RS 6TH INSIDE	5	100
783	550	0	TIRE RS 6TH INSIDE	18	100
784	551	0	SPROCKET TR RS OUTSIDE	2	100
786	552	0	SPROCKET RS OUTSIDE	2	100
788	553	0	SPROCKET TR RS INSIDE	2	100
790	554	0	SPROCKET RS INSIDE	2	100
792	555	0	IDLER HUB RS	2	100
793	556	0	IDLER RS OUTSIDE	1	100
795	557	0	IDLER SPACER RS	5	100
796	558	0	IDLER AXLE RS	2	100
797	559	0	IDLER RS INSIDE	1	100
799	560	0	TORSION BAR LS 1ST ROAD WHEEL	3	100
800	560	0	TORSION BAR LS 1ST ROAD WHEEL	3	100
801	561	0	ARM LS 1ST	2	100
802	562	0	HUB LS 1ST	2	100
803	563	0	HUB CAP LS 1ST	2	100
805	564	0	WHEEL LS 1ST OUTSIDE	5	100
806	565	0	TIRE LS 1ST OUTSIDE	18	100
808	566	0	WHEEL LS 1ST INSIDE	5	100
809	567	0	TIRE LS 1ST INSIDE	18	100
810	568	0	TORSION BAR LS 2ND ROAD WHEEL	3	100
811	568	0	TORSION BAR LS 2ND ROAD WHEEL	3	100
812	569	0	ARM LS 2ND	2	100
813	570	0	HUB LS 2ND	2	100
814	571	0	HUB CAP LS 2ND	2	100
816	572	0	WHEEL LS 2ND OUTSIDE	5	100
817	573	0	TIRE LS 2ND OUTSIDE	18	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
819	574	0	WHEEL LS 2ND INSIDE	5	100
820	575	0	TIRE LS 2ND INSIDE	18	100
821	576	0	TORSION BAR LS 3RD ROAD WHEEL	3	100
822	576	0	TORSION BAR LS 3RD ROAD WHEEL	3	100
823	577	0	ARM LS 3RD	2	100
824	578	0	HUB LS 3RD	2	100
825	579	0	HUB CAP LS 3RD	2	100
827	580	0	WHEEL LS 3RD OUTSIDE	5	100
828	581	0	TIRE LS 3RD OUTSIDE	18	100
830	582	0	WHEEL LS 3RD INSIDE	5	100
831	583	0	TIRE LS 3RD INSIDE	18	100
832	584	0	TORSION BAR LS 4TH ROAD WHEEL	3	100
833	584	0	TORSION BAR LS 4TH ROAD WHEEL	3	100
834	585	0	ARM LS 4TH	2	100
835	586	0	HUB LS 4TH	2	100
836	587	0	HUB CAP LS 4TH	2	100
838	588	0	WHEEL LS 4TH OUTSIDE	5	100
839	589	0	TIRE LS 4TH OUTSIDE	18	100
841	590	0	WHEEL LS 4TH INSIDE	5	100
842	591	0	TIRE LS 4TH INSIDE	18	100
843	592	0	TORSION BAR LS 5TH ROAD WHEEL	3	100
844	592	0	TORSION BAR LS 5TH ROAD WHEEL	3	100
845	593	0	ARM LS 5TH	2	100
846	594	0	HUB LS 5TH	2	100
847	595	0	HUB CAP LS 5TH	2	100
849	596	0	WHEEL LS 5TH OUTSIDE	5	100
850	597	0	TIRE LS 5TH OUTSIDE	18	100
852	598	0	WHEEL LS 5TH INSIDE	5	100
853	599	0	TIRE LS 5TH INSIDE	18	100
85	624	0	TRANSMISSION SPEED CHANGE SEC	1	50

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
86	624	0	TRANSMISSION SPEED CHANGE SEC	1	50
87	625	0	TRANSMISSION CONVERTER	5	100
88	626	0	TRANSMISSION HYDROSTATIC STEER UN	1	75
89	627	0	TRANSMISSION VALVE ASSEMBLY	5	85
90	628	0	TRANSMISSION MANIFOLD	5	85
91	629	0	FUEL SEPARATOR	5	20
92	630	0	TRANSMISSION OIL FILTER	5	25
93	631	0	POWER TAKEOFF MIDDLE UPPER SECT	5	85
94	632	0	POWER TAKEOFF PUMP RIGHT	5	85
95	632	0	POWER TAKEOFF PUMP RIGHT	5	85
96	633	0	POWER TAKEOFF HYDRAULIC PUMP LEFT	5	85
102	633	0	POWER TAKEOFF HYDRAULIC PUMP LEFT	5	85
97	634	0	POWER TAKEOFF YOKE DRIVE	5	85
98	634	0	POWER TAKEOFF YOKE RIGHT	5	85
99	634	0	POWER TAKEOFF YOKE LEFT	5	85
100	634	0	POWER TAKEOFF YOKE DRIVE FRONT	5	85
101	634	0	POWER TAKEOFF YOKE DRIVE FRONT	5	85
103	635	0	TRANSMISSION OIL FILL TUBE	5	10
104	635	0	TRANSMISSION OIL FILL TUBE	1	10
105	635	0	TRANSMISSION OIL FILL TUBE	1	10
106	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
107	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
108	636	0	HOSE TRANSM FILTER TO CONVERTER	1	5
109	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
110	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
111	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
112	637	0	HOSE TRANSM FILTER TO CONVERTER	1	5
113	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
114	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
115	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LUS PERCENT
116	638	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
117	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
118	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
119	639	0	HOSE SPEED CHANGE TO STEER UNIT	1	5
120	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
121	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
122	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
123	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
124	640	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
125	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
126	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
127	641	0	HOSE TRANS OIL LINE-REVERSE MECH	18	30
1	700	0	HUB FOR FINAL DRIVE LEFT	2	100
2	701	0	SHAFT THRU FINAL DRIVE LEFT	2	100
3	702	0	BELL HOUSING FINAL DRIVE LEFT	1	75
5	703	0	HUB FOR FINAL DRIVE RIGHT	2	100
6	704	0	SHAFT THRU FINAL DRIVE RIGHT	2	100
7	705	0	BELL HOUSING FINAL DRIVE RIGHT	1	75
9	706	0	BOTTOM BORDER FINAL DRIVE HOUSING	1	90
10	706	0	TOP BORDER FINAL DRIVE HOUSING	1	90
11	706	0	MIDDLE BORDER FINAL DRIVE HOUSING	1	90
12	707	0	FINAL DRIVE HOUSING LEFT	1	90
13	707	0	FINAL DRIVE HOUSING LEFT	1	90
14	707	0	FINAL DRIVE HOUSING LEFT	1	90
18	708	0	LOWER GEAR FINAL DRIVE LEFT	1	100
19	709	0	UPPER GEAR FINAL DRIVE LEFT	2	100
20	709	0	GEAR SHAFT FD TO UNIVERSAL	2	100
21	710	0	UNIVERSAL FI DRIVE TO TRANSMISS LE	1	95
22	711	0	BORDER FINAL DRIVE HOUSING RIGHT	1	90
23	711	0	BORDER FINAL DRIVE HOUSING RIGHT	1	90

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
24	711	0	MID BORDER DRIVE HOUSING RIGHT	1	90
25	712	0	FINAL DRIVE HOUSING LOWER RIGHT	1	90
26	712	0	FINAL DRIVE HOUSING MID RIGHT	1	90
34	712	0	FINAL DRIVE HOUSING UPPER RIGHT	1	90
30	714	0	LOWER GEAR FINAL DR RIGHT	2	100
31	715	0	UPPER GEAR FINAL DR RIGHT	2	100
32	716	0	GEAR SHAFT TO UNIVERSAL RIGHT	2	100
33	717	0	UNIVERSAL FIN DR TO TRANSMISS RI	1	95
35	718	0	COVER GEAR HOUSING RIGHT	1	100
36	719	0	COVER GEAR HOUSING RIGHT	1	100
37	720	0	HOUSING STEER-BRAKE SEC RIGHT	1	100
39	720	0	TRANSMISSION STEER-BRAKE SEC R	1	100
41	720	0	TRANSMISSION STEER-BRAKE SEC TOP R	1	100
43	720	0	TRANS LOWER MIDDLE STEER-BRAKE	1	100
45	720	0	TRANS LOWER TIP STEER BRAKE SEC	1	100
38	721	0	OIL IN STEER-BRAKE HOUSING	20	100
40	721	0	OIL IN STEER-BRAKE SEC RIGHT	20	100
42	721	0	OIL IN STEER-BRAKE SEC TOP RIGHT	20	100
44	721	0	OIL IN STEER-BRAKE SEC LOWER MID	20	100
46	721	0	OIL IN LOWER TIP STEER BRAKE SEC	20	100
47	722	0	TRANSMISSION STEER GEAR RIGHT	2	100
48	723	0	TRANSMISSION STEER GEAR RIGHT	2	100
49	724	0	SHAFT FROM UNIVERSAL TO TRANSMIS	1	50
50	725	0	TRANSMISSION STEER GEAR RIGHT	5	100
51	726	0	TRANS CASE STEER-BRAKE SEC RIGHT	1	75
53	726	0	TRANSMISSION STEER-BRAKE SEC R	1	75
55	726	0	TRANSMISSION STEER-BRAKE SEC R	1	75
52	727	0	OIL IN STEER-BRAKE SECTION	20	100
54	727	0	OIL IN STEER-BRAKE SECTION	20	100
56	727	0	OIL IN STEER-BRAKE SECTION	20	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
57	728	0	TRANSMISSION STEER-BRAKE SEC R	5	85
59	728	0	TRANSMISSION STEER-BRAKE SEC	5	85
61	728	0	TRANSMISSION STEER-BRAKE SEC R	5	85
58	729	0	OIL IN STEER-BRAKE SECTION	20	100
60	729	0	OIL IN STEER-BRAKE SECTION R	20	100
62	729	0	OIL IN STEER-BRAKE SECTION R	20	100
63	730	0	COVER GEAR HOUSING LEFT	5	85
64	731	0	COVER GEAR HOUSING LEFT	5	85
65	732	0	TRANSMISSION STEER-BRAKE SEC LEFT	5	85
67	732	0	TRANSMISSION STEER-BRAKE SEC LEFT	5	85
66	733	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
68	733	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
69	734	0	TRANSMISSION STEER-BRAKE SEC LEFT	5	85
71	734	0	TRANSMISSION LOWER MID STR-BRK SEC	5	85
73	734	0	TRANSMISSION LOWER TIP STR-BRK SEC	5	85
70	735	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
72	735	0	OIL IN STEER-BRAKE SECTION LEFT	20	100
74	735	0	OIL IN STEER-BRAKE SECTION	20	100
75	736	0	TRANSMISSION STEER GEAR LEFT	1	50
76	737	0	TRANSMISSION STEER GEAR LEFT	1	50
77	738	0	SHAFT UNIVERSAL TO TRANS STR LEFT	1	50
78	739	0	TRANSMISSION STEER GEAR LEFT	1	50
79	740	0	TRANSMISSION CASE STEER-BRAKE LEFT	1	50
81	740	0	TRANSMISSION STEER-BRAKE SEC LEFT	1	50
83	740	0	TRANSMISSION STEER-BRAKE SEC LEFT	1	50
80	741	0	OIL IN STEER-BRAKE SECTION	20	100
82	741	0	OIL IN STEER-BRAKE SECTION	20	100
84	741	0	OIL IN STEER-BRAKE SECTION	20	100
128	742	0	TRANSMISSION REVERSING MECHANISM	1	10
129	742	0	TRANSMISSION REVERSING MECHANISM	1	10

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
130	743	0	CONVERTER	5	40
131	744	0	ENGINE OIL FILTER	1	5
132	744	0	ENGINE OIL FILTER	1	5
133	745	0	FLYWHEEL HOUSING	1	40
134	745	0	FLYWHEEL HOUSING	1	40
135	745	0	FLYWHEEL HOUSING	1	40
136	746	0	STARTER MOTOR	7	100
137	747	0	ENGINE OIL PAN REAR	1	10
138	747	0	ENGINE OIL PAN FRONT	1	10
139	748	0	FUEL FILTER	1	5
140	749	0	TRANSMISSION OIL COOLER	5	20
141	750	0	TIMING GEAR	1	40
142	751	0	CAMSHAFT GEAR IN FLYWHEEL HOUSING	1	40
143	752	0	CAMSHAFT GEAR IN FLYWHEEL HOUSING	1	40
144	753	0	THERMOSTAT HOUSING	5	40
145	753	0	THERMOSTAT HOUSING	5	40
146	754	0	ENGINE OIL COOLER	5	20
147	755	0	ENGINE BLOCK	4	30
148	755	0	ENGINE BLOCK	4	30
149	755	0	ENGINE BLOCK	4	30
150	755	0	ENGINE BLOCK	4	30
151	756	0	ENGINE HEAD LEFT	4	30
152	757	0	ENGINE HEAD RIGHT	4	50
153	758	0	ENGINE VALVE COVER LEFT	1	10
154	759	0	ENGINE VALVE COVER RIGHT	1	10
155	760	0	BREATHER LEFT	1	10
156	761	0	BREATHER RIGHT	1	10
157	762	0	WATER PUMP	4	35
158	763	0	ENGINE BLOWER	5	70
159	764	0	ENGINE BLOWER ADAPTER	5	50

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
160	765	0	TURBOCHARGER	1	20
161	765	0	TURBOCHARGER	1	20
162	765	0	TURBOCHARGER	1	20
163	766	0	HOSE BETW ADAPTER AND TURBOCHARGER	1	10
164	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
165	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
166	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
167	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
168	767	0	HOSE TURBO TO EXHAUST MANIFOLD	4	10
169	768	0	EXHAUST MANIFOLD LEFT	4	50
170	769	0	EXHAUST MANIFOLD RIGHT	4	50
171	770	0	FUEL PUMP	5	75
172	771	0	HOSE THERMOSTAT HOUSING TO BLOCK	18	30
173	772	0	OIL PUMP	5	75
174	773	0	GOVERNOR	5	25
175	774	0	GENERATOR	7	30
176	775	0	CRANKSHAFT	3	100
177	776	0	PULLEY WHEEL FRONT OF CRANKSHAFT	1	10
179	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
180	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
181	777	0	OIL LINE FROM TRANS TO FILTER UNIT	1	5
182	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
183	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
184	778	0	OIL LINE CONVERTER TO FILTER UNIT	1	5
185	779	0	ENGINE OIL LINE	1	5
186	779	0	ENGINE OIL LINE	5	10
187	779	0	ENGINE OIL LINE	5	10
188	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
189	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
190	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
191	780	0	FUEL LINE FILTER TO RITE VALV COVR	5	10
192	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
193	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
194	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
195	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
196	781	0	FUEL LINE TOP RIGHT OF ENG BLOCK	5	10
197	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
198	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
199	782	0	FUEL LINE TOP LEFT ENGINE BLOCK	5	10
200	783	0	RADIATOR	1	10
201	784	0	RADIATOR SEAL	18	50
202	785	0	COOLING FAN HOUSING	5	10
204	786	0	COOLING FAN	1	10
205	787	0	COVER FAN TO RADIATOR	1	10
207	788	0	MUFFLER	1	10
208	789	0	MUFFLER TOP	1	10
209	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
210	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
211	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
212	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
213	790	0	WATER HOSE RIGHT SIDE RADIATOR	18	30
214	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
215	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
216	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
217	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
218	791	0	WATER HOSE FROM BOTTOM RADIATOR	18	30
219	792	0	SURGE TANK	5	20
220	793	0	RADIATOR FAN DRIVE SHAFT	1	100
221	794	0	CONNECTION MUFFLER BOTTOM	1	10
529	795	0	RIGHT ANGLE DRIVE LEFT	1	35

TABLE 8-1V. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
530	795	0	FROM RT ANGLE DRV TO UNIV LEFT	1	35
531	796	0	UNIVERSAL FROM LT RT ANGLE DRIVE	1	95
532	797	0	UNIVERSAL FROM RTD LEFT	1	95
533	798	0	SHAFT FROM UNIVERS TO UNIVERS LT	1	95
534	799	0	RIGHT ANGLE DRIVE RIGHT	1	35
222	800	0	KEAR SINGLE SEAT LEFT	5	10
223	801	0	REAR SINGLE SEAT CUSHION	18	20
224	802	0	PERSONNEL BENCH LEFT	5	10
225	803	0	PERSONNEL BENCH CUSHION LEFT	18	20
226	804	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
227	805	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
228	806	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
229	807	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
230	808	0	BRACE FOR PERSONNEL BENCH LEFT	5	50
231	809	0	HENGE FOR REAR SINGLE SEAT LEFT	5	100
232	810	0	HENGE FOR REAR SINGLE SEAT LEFT	5	100
233	811	0	REAR SINGLE SEAT RIGHT	5	10
234	812	0	REAR SINGLE SEAT CUSHION RIGHT	18	20
235	813	0	HENGE REAR SINGLE SEAT RIGHT	5	100
236	814	0	PERSONNEL BENCH RIGHT	5	10
237	815	0	PERSONNEL BENCH CUSHION RIGHT	18	20
238	816	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
239	817	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
240	818	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
241	819	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
242	820	0	SEAT BRACE PERSONNEL BENCH RIGHT	5	50
243	821	0	PERSONNEL BENCH MIDDLE REAR	5	10
244	822	0	PERSONNEL BENCH CUSHION	5	10
245	823	0	SEAT SUPPORT MIDDLE BENCH REAR	18	20
246	824	0	SEAT SUPPORT MIDDLE BENCH REAR	5	50

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
247	825	0	SEAT SUPPORT MIDDLE BENCH REAR	5	50
248	826	0	PERSONNEL BENCH MIDDLE FRONT	5	10
249	827	0	PERSONNEL BENCH CUSHION MID FRONT	18	20
250	828	0	SEAT SUPPORT MID BENCH FRONT	5	50
251	829	0	SEAT SUPPORT MID BENCH FRONT	5	50
252	830	0	SEAT SUPPORT MID BENCH FRONT	5	50
253	831	0	HENGE REAR SINGLE SEAT RIGHT	5	100
1449	900	0	DRAGON MISSILE WITH TRACKER	5	30
1450	901	0	DRAGON MISSILE TRACKER	7	10
1451	902	0	DRAGON MISSILE	5	30
1452	910	0	GUN ELEVATING MECHANISM	5	20
504	1100	0	TURRET RING	5	100
506	1101	0	CUPOLA BOTTOM PORTION	5	100
508	1102	0	CUPOLA TOP PORTION	5	100
510	1103	0	MACHINE GUN STOCK	1	60
511	1103	0	MACHINE GUN BARREL	1	60
512	1104	0	ENGINE SUPPORT BEAM	1	20
513	1105	0	STIFFENER ENGINE SUPPORT	5	100
514	1106	0	STIFFENER ENGINE SUPPORT	5	100
515	1107	0	SECTION BETW DRIVER-TRP CMDR	5	100
518	1108	0	TROOP COMMANDER HATCH	5	100
520	1109	0	HATCH DOOR TROOP COMMANDER	5	100
523	1110	0	DRIVER HATCH	5	100
525	1111	0	DRIVER HATCH DOOR	5	100
527	1112	0	RING FOR DRIVER HATCH	5	100
1539	1150	0	AUDIO FREQUENCY AMPLIFIER	1	25
1400	2101	0	STIFFENER 2622015 LT SIDE	5	100
1401	2102	0	STIFFENER 2622015 LT SIDE	5	100
1402	2103	0	STANCHION 2586359 RT SIDE	5	100
1403	2104	0	STANCHION 2586359 LT SIDE	5	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
1404	2105	0	FLOOR SUPPORT LT SIDE	5	100
1406	2106	0	FUELCELL	5	100
1407	2107	0	INSIDE FUELCELL	20	100
1408	2108	0	WATER UNDER FLOOR	20	100
1409	2109	0	RIGHT HEADLIGHT HOUSING	2	11
1410	2110	0	LEFT HEADLIGHT HOUSING	2	11
1413	2111	0	RT HEAD LIGHT 1	1	5
1414	2112	0	RT HEAD LIGHT 2	1	5
1415	2113	0	RT HEAD LIGHT 3	1	5
1416	2114	0	LT HEAD LIGHT 1	1	5
1417	2115	0	LT HEAD LIGHT 2	1	5
1418	2116	0	LT HEAD LIGHT 3	1	5
1420	2117	0	FIRST AID KIT	1	5
1421	2118	0	5.56 AMMO 2 CANS	1	10
1422	2119	0	45 CAL AMMO	1	10
1423	2120	0	PYROTECHNICS 4 FLARES	18	5
1424	2121	0	SLEEPING BAG	11	10
1425	2122	0	SLEEPING BAG	11	10
1426	2123	0	SLEEPING BAG	11	10
1427	2124	0	C-RATIONS 1 CASE	20	100
1428	2125	0	M72A2 LAW 2 EACH	5	30
1429	2126	0	CREW WEAPON M16 RIFLE	1	30
1430	2127	0	CREW WEAPON M16 RIFLE	1	30
1431	2128	0	CREW WEAPON M16 RIFLE	1	30
1432	2129	0	MACHINE GUN PARTS BOX WITH PARTS	1	50
1433	2130	0	I.R.PERISCOPE	14	30
1434	2131	0	TOOL BOX	1	50
1435	2132	0	CAL 50 AMMO 1000 ROUNDS IN WEAPON	1	50
1436	2133	0	CAL 50 AMMO 1 CASE	1	50
1437	2134	0	OIL CAN WITH OIL 5 GAL	20	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
1438	2135	0	WATER CAN FULL 5 GAL	20	100
1439	2136	0	STEEL CROWBAR	1	100
1440	2137	0	HOIST	1	30
1441	2138	0	DRIPT PIN	1	100
1442	2139	0	RECEIVER TRANSMITTER	5	15
1443	2140	0	RECEIVER	5	15
1444	2141	0	RECEIVER	5	15
1445	2142	0	RECEIVER TRANSMITTER	5	15
1446	2143	0	CONTACT COOLER PLATE	1	100
854	5500	0	TORSION BAR LS 6TH ROAD WHEEL	3	100
855	5500	0	TORSION BAR LS 6TH ROAD WHEEL	3	100
856	5501	0	ARM LS 6TH	2	100
857	5502	0	HUB LS 6TH	2	100
858	5503	0	HUB CAP LS 6TH	2	100
860	5504	0	WHEEL LS 6TH OUTSIDE	5	100
861	5505	0	TIRE LS 6TH OUTSIDE	18	100
863	5506	0	WHEEL LS 6TH INSIDE	5	100
864	5507	0	TIRE LS 6TH INSIDE	18	100
865	5508	0	SPROCKET TR LS OUTSIDE	2	100
867	5509	0	SPROCKET LS OUTSIDE	2	100
869	5510	0	SPROCKET TR LS INSIDE	2	100
871	5511	0	SPROCKET LS INSIDE	2	100
873	5512	0	IDLER HUB LS	2	100
874	5513	0	IDLER LS OUTSIDE	2	100
876	5514	0	IDLER SPACER LS	5	100
877	5515	0	IDLER AXLE LS	2	100
878	5516	0	IDLER LS INSIDE	2	100
880	5517	0	TRACK FRONT SLOPE RS	2	40
881	5518	0	TRACK REAR SLOPE RS	2	40
882	5519	0	TRACK BOT RS	2	40

TABLE 8-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
885	5520	0	TRACK DRIVE SPROCKET RS	2	40
886	5521	0	TRACK IDLER RS	2	40
887	5522	0	TRACK TOP RS	2	40
890	5523	0	TRACK FRONT SLOPE LS	2	40
891	5524	0	TRACK REAR SLOPE LS	2	40
892	5525	0	TRACK BOT LS	2	40
895	5526	0	TRACK DRIVE SPROCKET LS	2	40
896	5527	0	TRACK IDLER LS	2	40
897	5528	0	TRACK TOP LS	2	40
900	5529	0	TRACK ADJUSTER RS	5	20
901	5530	0	TRACK ADJUSTER RS	5	20
902	5531	0	TRACK ADJUSTER RS	5	20
903	5532	0	REAR SHOCK ABSORBER RS	5	20
904	5533	0	REAR SHOCK ABSORBER RS	5	20
905	5534	0	REAR SHOCK ABSORBER RS	5	20
906	5535	0	FRONT SHOCK ABSORBER RS	5	20
907	5536	0	FRONT SHOCK ABSORBER RS	5	20
908	5537	0	FRONT SHOCK ABSORBER RS	5	20
909	5538	0	TRACK ADJUSTER LS	5	20
910	5539	0	TRACK ADJUSTER LS	5	20
911	5540	0	TRACK ADJUSTER LS	5	20
912	5541	0	REAR SHOCK ABSORBER LS	5	20
913	5542	0	REAR SHOCK ABSORBER LS	5	20
914	5543	0	REAR SHOCK ABSORBER LS	5	20
915	5544	0	FRONT SHOCK ABSORBER LS	5	20
916	5545	0	FRONT SHOCK ABSORBER LS	5	20
917	5546	0	FRONT SHOCK ABSORBER LS	5	20
564	7223	0	ACTUATOR CYLINDER RIGHT	5	20
565	7224	0	ACTUATOR SOLENOID LEFT	5	20
566	7225	0	ACTUATOR SOLENOID RIGHT	5	20

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
567	7226	0	RAMP ACTUATOR TUBE	5	20
568	7227	0	CABLE FROM RAMP ACTUATOR TUBE	1	100
569	7228	0	HYDRAULIC BILGE PUMP RIGHT REAR	5	30
570	7229	0	ELECTRIC BILGE PUMP LEFT REAR	5	30
571	7229	0	ELECTRIC BILGE PUMP LEFT REAR	5	30
572	7230	0	HYD LINE BET VEH REAR + BILGE PUM	1	20
573	7230	0	HYD LINE BETWEEN MODULE + VEH REAR	1	20
574	7331	0	HYDRAULIC BILGE PUMP FRONT LEFT	5	30
575	7332	0	ELECTRIC BILGE PUMP FRONT RIGHT	5	30
576	7333	0	SEA MODE SOLENOID VALVE	5	20
577	7334	0	HYDRAULIC OIL RESERVOIR	1	30
578	7335	0	HYDRAULIC OIL FILTER	5	20
579	7336	0	HOSE TO HYDRAULIC OIL RESERVOIR	1	20
580	7337	0	HOSE FROM RESERVOIR THRU FILTER	1	20
581	7338	0	PLENUM ACTUATOR SOLENOID VALVE	5	40
582	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
583	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
584	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
585	7339	0	HYDRAULIC LINE MANIFOLD TO VALVE	1	20
586	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
587	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
588	7340	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
589	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
590	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
591	7341	0	HYDRAULIC LINE VALVE TO RIGHT SIDE	1	20
592	7342	0	TROOP COMMANDER SEAT WALL SUPPORT	5	50
593	7343	0	TROOP COMMANDER SEAT SUPPORT	5	50
594	7344	0	TROOP COMMANDER SEAT SUPPORT	5	50
595	7345	0	TROOP COMMANDER SEAT SUPPORT	5	50
596	7346	0	TROOP COMMANDER BACK REST	5	10

TABLE B-IV. LVIP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
597	7347	0	TROOP COMMANDER SEAT	5	10
598	7348	0	HYDRAULIC LINE	1	20
599	7348	0	HYDRAULIC LINE	1	20
600	7349	0	HYDRAULIC LINE	1	20
601	7349	0	HYDRAULIC LINE	1	20
602	7350	0	ACCELERATOR PEDAL	5	10
603	7351	0	ACCELERATOR PEDAL SUPPORT BRACKET	5	100
604	7352	0	SHAFT THRU FOOT PEDAL SUPPORT	5	100
605	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
606	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
607	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
608	7353	0	ACCELERATOR PEDAL LINKAGE	5	100
609	7354	0	THROTTLE CONTROL HANDLE	5	100
610	7355	0	SHAFT THRU ENGINE BULKHEAD	5	100
611	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
612	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
613	7356	0	ACCELERATOR LINKAGE ON ENGINE	5	100
614	7357	0	LINKAGE FOR FUEL SHUTOFF	5	100
615	7358	0	LINKAGE TO GOVERNOR	5	100
616	7358	0	LINKAGE TO GOVERNOR	5	100
617	7358	0	LINKAGE TO GOVERNOR	5	100
618	7358	0	LINKAGE TO GOVERNOR	5	100
619	7358	0	LINKAGE TO GOVERNOR	5	100
620	7359	0	CONTROL CONSOLE LOWER PART	5	100
622	7360	0	CONTROL CONSOLE UPPER PART	5	100
624	7361	0	FIRE EXTINGUISHER	1	10
625	7362	0	STEERING SUPPORT BAR	5	100
626	7363	0	STEERING WHEEL	5	50
627	7364	0	STEERING WHEEL SHAFT	5	100
628	7364	0	STEERING WHEEL SHAFT	5	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LDS PERCENT
629	7365	0	STEERING CONNECTING LINKS	1	100
630	7366	0	STEERING CONNECTING LINKS	1	100
631	7367	0	STEERING CONNECTING LINKS	1	100
632	7368	0	STEERING CONNECTING LINKS	1	100
633	7369	0	CONNECTING LEVER	1	100
634	7370	0	STEERING CONNECTING LINKS	1	100
635	7371	0	STEERING CONNECTING LINKS	1	100
636	7372	0	BRAKE PEDAL SUPPORT BRACKET	5	50
637	7373	0	BRAKE PEDAL	5	100
638	7374	0	BRAKE PEDAL LEVER	5	100
639	7375	0	BRAKE LINKAGE	5	100
640	7375	0	BRAKE LINKAGE	5	100
641	7375	0	BRAKE LINKAGE	5	100
642	7375	0	BRAKE LINKAGE	5	100
643	7376	0	BRACKET TO STEER-BRAKE SECTIONS	5	75
644	7377	0	AMMO STOWAGE MAGAZINE	1	20
645	7378	0	COMMANDER SEAT	5	10
646	7379	0	COMMANDER BACK REST	5	10
647	7380	0	COMMANDER SEAT SUPPORT PLATE	5	100
648	7381	0	COMMANDER SEAT SUPPORT ARM	5	100
649	7382	0	VERTICAL SEAT SUPPORT	5	50
650	7383	0	ELECTRIC MOTOR	1	40
651	7384	0	HYDRAULIC OIL RESERVOIR	1	10
652	7385	0	HYDRAULIC PUMP AND DRIVE	1	30
653	7386	0	ACCUMULATOR	1	10
654	7387	0	SLIP RING	1	75
655	7388	0	TRAVERS DRIVE	1	90
694	7388	0	TURRET TRAVERSE DRIVE	1	90
695	7388	0	TURRET TRAVERSE DRIVE	1	90
656	7389	0	TRAVERS MOTOR	1	30

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
657	7390	0	SIGHT PERISCOPE	12	100
658	7391	0	DRIVER SEAT WALL SUPPORT	5	100
659	7392	0	DRIVER SEAT SUPPORT	5	100
660	7393	0	DRIVER SEAT SUPPORT	5	100
661	7394	0	DRIVER SEAT SUPPORT	5	100
662	7395	0	DRIVER SEAT SUPPORT	5	100
663	7396	0	DRIVER BACK REST	5	20
696	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
698	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
699	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
703	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
705	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
706	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
707	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
708	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
713	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
714	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
715	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
716	7397	0	FUEL RET LINE (METAL) TO FUEL CELL	1	10
700	7398	0	FUE SUP/RET MANIFOL FROM FUEL CELL	5	50
697	7399	0	FUE RET LINE (RUBBER) TO FUEL CELL	18	20
702	7399	0	FUE RET LINE (RUBBER) TO FUEL CELL	18	20
701	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
704	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
709	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
710	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
711	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
712	7400	0	FUEL SUP LINE (METAL) FR FUEL CELL	1	10
717	7401	0	FUEL MANIFOLD FRONT LEFT	5	5
918	7402	0	SEA MODE SENSING MODULE	5	10

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
535	7700	0	FROM RT ANGLE DRV TO UNIV RIGHT	1	100
536	7701	0	UNIVERSAL FROM RT RT ANGLE DRV	1	95
537	7702	0	UNIVERSAL FROM PTO RIGHT	1	95
538	7703	0	SHAFT FROM UNIVERS TO UNIVERS RT	1	10
539	7704	0	SHAFT FROM RT ANGLE DR TO UNIV LE	1	35
540	7705	0	UNIVERSAL FRONT OF RT ANGLE DRIVE	1	95
541	7706	0	SHAFT UNIV TO REAR UNIV LEFT	1	10
542	7707	0	REAR UNIVERSAL IN VEHICLE	1	95
543	7708	0	SHAFT REAR UNIV TO PROP UNIT LEFT	1	10
544	7709	0	SHAFT REAR UNIV TO PROP UNIT RIGHT	1	10
545	7710	0	WATER PROP UNIT FRONT LEFT	1	30
546	7710	0	WATER PROP UNIT REAR LEFT	1	30
547	7711	0	DUCT OUTSIDE END WATER PROP LEFT	5	100
549	7712	0	DEFLECTOR WATER PROP UNIT LEFT	5	100
551	7713	0	SHAFT RT ANGLE DRIVE TO UNIV RIGHT	1	35
552	7714	0	UNIVERSAL FRONT OF RT ANGL DRV RI	1	50
553	7715	0	SHAFT UNIVER TO UNIVERS RIGHT	1	10
554	7716	0	REAR UNIVERSAL IN VEHICLE	1	30
555	7717	0	WATER PROPULSION UNIT FRONT RT	1	30
556	7717	0	WATER PROPULSION UNIT REAR RT	1	30
557	7718	0	DUCT OUTSIDE END WATER PROP RT	5	100
559	7719	0	DEFLECTOR WATER PROP UNIT RIGHT	5	100
561	7720	0	SHAFT TO ACTUATOR CYLINDER LEFT	1	50
562	7721	0	ACTUATOR CYLINDER LEFT	5	20
563	7722	0	SHAFT TO ACTUATOR CYLINDER RIGHT	1	50
254	8001	0	DRIVER 2 HEAD	20	100
255	8002	0	DRIVER 2 UPPER TORSO	20	100
256	8003	0	DRIVER 2 LOWER TORSO	20	100
257	8004	0	DRIVER 2 HIPS	20	100
258	8005	0	DRIVER 2 ARMS	20	100

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LQS PERCENT
262	8006	0	DRIVER 2	20	100
263	8007	0	DRIVER 2	20	100
264	8008	0	RIFLEMAN1	20	100
265	8009	0	RIFLEMAN1	20	100
266	8010	0	RIFLEMAN1	20	100
267	8011	0	RIFLEMAN1	20	100
268	8012	0	RIFLEMAN1	20	100
272	8013	0	RIFLEMAN1	20	100
273	8014	0	RIFLEMAN1	20	100
274	8015	0	RIFLEMAN2	20	100
275	8016	0	RIFLEMAN2	20	100
276	8017	0	RIFLEMAN2	20	100
277	8018	0	RIFLEMAN2	20	100
278	8019	0	RIFLEMAN2	20	100
282	8020	0	RIFLEMAN2	20	100
283	8021	0	RIFLEMAN2	20	100
284	8022	0	RIFLEMAN3	20	100
285	8023	0	RIFLEMAN3	20	100
286	8024	0	RIFLEMAN3	20	100
287	8025	0	RIFLEMAN3	20	100
288	8026	0	RIFLEMAN3	20	100
292	8027	0	RIFLEMAN3	20	100
293	8028	0	RIFLEMAN3	20	100
294	8029	0	RIFLEMAN4	20	100
295	8030	0	RIFLEMAN4	20	100
296	8031	0	RIFLEMAN4	20	100
297	8032	0	RIFLEMAN4	20	100
298	8033	0	RIFLEMAN4	20	100
302	8034	0	RIFLEMAN4	20	100
303	8035	0	RIFLEMAN4	20	100

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
304	8036	0	MACH GUNR		
305	8037	0	MACH GUNR	20	100
306	8038	0	MACH GUNR	20	100
307	8039	0	MACH GUNR	20	100
308	8040	0	MACH GUNR	20	100
312	8041	0	MACH GUNR	20	100
313	8042	0	MACH GUNR	20	100
314	8043	0	MACH GUNR	20	100
315	8044	0	MACH GUNR	20	100
316	8045	0	MACH GUNR	20	100
317	8046	0	MACH GUNR	20	100
318	8047	0	MACH GUNR	20	100
322	8048	0	MACH GUNR	20	100
323	8049	0	MACH GUNR	20	100
324	8050	0	AMMO MAN	20	100
325	8051	0	AMMO MAN	20	100
326	8052	0	AMMO MAN	20	100
327	8053	0	AMMO MAN	20	100
328	8054	0	AMMO MAN	20	100
332	8055	0	AMMO MAN	20	100
333	8056	0	AMMO MAN	20	100
334	8057	0	DRAG GUNR	20	100
335	8058	0	DRAG GUNR	20	100
336	8058	0	DRAG GUNR	20	100
337	8059	0	DRAG GUNR	20	100
338	8060	0	DRAG GUNR	20	100
342	8061	0	DRAG GUNR	20	100
343	8062	0	DRAG GUNR	20	100
344	8063	0	RIFLEMAN5	20	100
345	8064	0	RIFLEMAN5	20	100
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
346	8065	0	RIFLEMAN5 LOWER TORSO	20	100
347	8066	0	RIFLEMAN5 HIPS	20	100
348	8067	0	RIFLEMAN5 ARMS	20	100
352	8068	0	RIFLEMAN5 UPPER LEGS	20	100
353	8069	0	RIFLEMAN5 LOWER LEGS	20	100
354	8070	0	RIFLEMAN6 HEAD	20	100
355	8071	0	RIFLEMAN6 UPPER TORSO	20	100
356	8072	0	RIFLEMAN6 LOWER TORSO	20	100
357	8073	0	RIFLEMAN6 HIPS	20	100
358	8074	0	RIFLEMAN6 ARMS	20	100
362	8075	0	RIFLEMAN6 UPPER LEGS	20	100
363	8076	0	RIFLEMAN6 LOWER LEGS	20	100
364	8077	0	RIFLEMAN7 HEAD	20	100
365	8078	0	RIFLEMAN7 UPPER TORSO	20	100
366	8079	0	RIFLEMAN7 LOWER TORSO	20	100
367	8080	0	RIFLEMAN7 HIPS	20	100
368	8081	0	RIFLEMAN7 ARMS	20	100
372	8082	0	RIFLEMAN7 UPPER LEGS	20	100
373	8083	0	RIFLEMAN7 LOWER LEGS	20	100
374	8084	0	RIFLEMAN8 HEAD	20	100
375	8085	0	RIFLEMAN8 UPPER TORSO	20	100
376	8086	0	RIFLEMAN8 LOWER TORSO	20	100
377	8087	0	RIFLEMAN8 HIPS	20	100
378	8088	0	RIFLEMAN8 ARMS	20	100
382	8089	0	RIFLEMAN8 UPPER LEGS	20	100
383	8090	0	RIFLEMAN8 LOWER LEGS	20	100
384	8091	0	SQUAD LDR HEAD	20	100
385	8092	0	SQUAD LDR UPPER TORSO	20	100
386	8093	0	SQUAD LDR LOWER TORSO	20	100
387	8094	0	SQUAD LDR HIPS	20	100

TABLE 8-IV. LVTp7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
388	8095	0	SQUAD LDR		
392	8096	0	SQUAD LDR		
393	8097	0	SQUAD LDR		
394	8098	0	MACH S L		
395	8099	0	MACH S L		
396	8100	0	MACH S L		
397	8101	0	MACH S L		
398	8102	0	MACH S L		
402	8103	0	MACH S L		
403	8104	0	MACH S L		
404	8105	0	AMMO MAN		
405	8106	0	AMMO MAN		
406	8107	0	AMMO MAN		
407	8108	0	AMMO MAN		
408	8109	0	AMMO MAN		
412	8110	0	AMMO MAN		
413	8111	0	AMMO MAN		
414	8112	0	RIFLE 10		
415	8113	0	RIFLE 10		
416	8114	0	RIFLE 10		
417	8115	0	RIFLE 10		
418	8116	0	RIFLE 10		
422	8117	0	RIFLE 10		
423	8118	0	RIFLE 10		
424	8119	0	RIFLE 11		
425	8120	0	RIFLE 11		
426	8121	0	RIFLE 11		
427	8122	0	RIFLE 11		
428	8123	0	RIFLE 11		
432	8124	0	RIFLE 11		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
433	8125	0	RIFLE 11		100
434	8126	0	RIFLE 12	20	100
435	8127	0	RIFLE 12	20	100
436	8128	0	RIFLE 12	20	100
437	8129	0	RIFLE 12	20	100
438	8130	0	RIFLE 12	20	100
442	8131	0	RIFLE 12	20	100
443	8132	0	RIFLE 12	20	100
444	8133	0	RIFLE 13	20	100
445	8134	0	RIFLE 13	20	100
446	8135	0	RIFLE 13	20	100
447	8136	0	RIFLE 13	20	100
448	8137	0	RIFLE 13	20	100
452	8138	0	RIFLE 13	20	100
453	8139	0	RIFLE 13	20	100
454	8140	0	MACH GUNR	20	100
455	8141	0	MACH GUNR	20	100
456	8142	0	MACH GUNR	20	100
457	8143	0	MACH GUNR	20	100
458	8144	0	MACH GUNR	20	100
462	8145	0	MACH GUNR	20	100
463	8146	0	MACH GUNR	20	100
464	8147	0	MACH GUNR	20	100
465	8148	0	MACH GUNR	20	100
466	8149	0	MACH GUNR	20	100
467	8150	0	MACH GUNR	20	100
468	8151	0	MACH GUNR	20	100
472	8152	0	MACH GUNR	20	100
473	8153	0	MACH GUNR	20	100
474	8154	0	AMMO MAN	20	100
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		

TABLE B-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
475	8155	0	AMMO MAN	20	100
476	8156	0	AMMO MAN	20	100
477	8157	0	AMMO MAN	20	100
478	8158	0	AMMO MAN	20	100
482	8159	0	AMMO MAN	20	100
483	8160	0	AMMO MAN	20	100
484	8161	0	AMMO MAN	20	100
485	8162	0	AMMO MAN	20	100
486	8163	0	AMMO MAN	20	100
487	8164	0	AMMO MAN	20	100
488	8165	0	AMMO MAN	20	100
492	8166	0	AMMO MAN	20	100
493	8167	0	AMMO MAN	20	100
494	8168	0	DRAGON 2	20	100
495	8169	0	DRAGON 2	20	100
496	8170	0	DRAGON 2	20	100
497	8171	0	DRAGON 2	20	100
498	8172	0	DRAGON 2	20	100
502	8173	0	DRAGON 2	20	100
503	8174	0	DRAGON 2	20	100
664	8176	0	DRIVER 1	20	100
665	8177	0	DRIVER 1	20	100
666	8178	0	DRIVER 1	20	100
667	8179	0	DRIVER 1	20	100
668	8180	0	DRIVER 1	20	100
672	8181	0	DRIVER 1	20	100
673	8182	0	DRIVER 1	20	100
674	8184	0	TRP COMDR	20	100
675	8185	0	TRP COMDR	20	100
676	8186	0	TRP COMDR	20	100
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		

TABLE 8-IV. LVTP7 REGION IDENTIFICATION TABLE ORDERED
BY ITEM NUMBER (CONTINUED)

REGION NUM	ITEM CODE	SPACE CODE	DESCRIPTION	MATERIAL CODE	LOS PERCENT
677	8187	0	TRP COMDR	20	100
678	8188	0	TRP COMDR	20	100
682	8189	0	TRP COMDR	20	100
683	8190	0	TRP COMDR	20	100
684	8192	0	COMMANDER	20	100
685	8193	0	COMMANDER	20	100
686	8194	0	COMMANDER	20	100
687	8195	0	COMMANDER	20	100
688	8196	0	COMMANDER	20	100
692	8197	0	COMMANDER	20	100
693	8198	0	COMMANDER	20	100
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		
			HEAD		
			UPPER TORSO		
			LOWER TORSO		
			HIPS		
			ARMS		
			UPPER LEGS		
			LOWER LEGS		

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
12	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	1	Commander US Army Missile Research and Development Command ATTN: DRDMI-R Redstone Arsenal, AL 35809
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMD-ST, N. Klein 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Missile Materiel Readiness Command ATTN: DRSMI-AOM Redstone Arsenal, AL 35809
1	Commander US Army Aviation Research and Development Command ATTN: DRSAV-E P.O. Box 209 St. Louis, MO 63166	1	Commander US Army Tank Automotive Research & Development Cmd ATTN: DRDTA-UL Warren, MI 48090
1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035	2	Commander US Army Armament Research and Development Command ATTN: DRDAR-TSS (2 cys) Dover, NJ 07801
1	Commander US Army Electronics Research and Development Command Technical Support Activity ATTN: DELSD-L Fort Monmouth, NJ 07703	1	Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-LEP-L, Tech Lib Rock Island, IL 61299
1	Commander US Army Communications Rsch and Development Command ATTN: DRDCO-SGS Fort Monmouth, NJ 07703	1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL, Tech Lib White Sands Missile Range NM 88002
		5	Commander Mobility and Logistics Division Development Center, MCDEC ATTN: MAJ Frantz Quantico, VA 22134

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Commander Center for Naval Analyses Marine Corps Operational Analyses Group ATTN: Mr. B. Barfoot 1401 Wilson Boulevard Arlington, VA 22209	1	Commandant US Marine Corps (Code OT00) HQ, US Marine Corps Washington, DC 20084
1	Commander Naval Sea Systems Command ATTN: Actg Program Mgr (Code 03G3) Washington, DC 20380	1	Commandant US Marine Corps (Code RD) HQ, US Marine Corps Washington, DC 20380
1	Commander David W. Taylor Naval Ship Research & Development Ctr ATTN: Code 112 Bethesda, MD 20084		<u>Aberdeen Proving Ground</u> Dir, USAMSAA ATTN: Dr. Sperrazza Cdr, USATECOM ATTN: DRSTE-SG-H